
GIO
Architectural
Tile & Stone

2026-2027

Master Catalogue





Welcome to Gio.

Tile Collections Curated Expressly for Commercial Specifications





GIO
ARCHITECTURAL
TILE + STONE

THE FUTURE OF TILE SPECIFICATION IS HERE.

Let GIO be your guide. More than half a decade ago, we knew we were on to something.

As a team, we had decades' worth of combined experience in the commercial tile industry. As individuals, we had unique perspectives, knowledge, and relationships. And as a newly formed distributorship, we had a vision to lead the way into the future of tile design and selection. With all that as our foundation, we curated an array of amazing products, assembled the right solutions to fulfill every project, and introduced GIO Architectural Tile & Stone into the marketplace.

From day one, we provided the right mix of collections and connections for an A&D community that was ready for world-class options supported by concierge service. More than five years later, we've grown with the market while perfecting our offerings in harmony with the needs of our discerning clients. We're convinced our dual focus on our clients' priorities in the moment and the future of tile for commercial installations is what has set us apart and positioned us at the forefront of our industry.

As exciting as it's already been, there are even more amazing things to come! Partner with us as we continue to be your resource for today's best collections now and your guide into the future of tile design.

It's time to go with GIO!

#letsgogio



Featuring GIO 3D Pietra Collection, Fossil White Limestone Splitface 6x24

3D Pietra collection

3d pietra collection

LINEAR, DIMENSIONAL TILES IN STUNNING STONE STYLES—SLEEK SLATE, LUSCIOUS LIMESTONE, QUINTESSENTIAL QUARTZ, MARVELOUS MARBLE

6x24 limestone, marble, quartz, slate & travertine



GI3DP624AMQ
amber quartz splitface



GI3DP624ANS
anthracite slate splitface



GI3DP624AGMS
athens grey marble splitface



GI3DP624BIQ
bianco quartz splitface



GI3DP624MUS
multicolor slate splitface



GI3DP624APMS
avorio paragon marble splitface



GI3DP624SBQ
silver beige quartz splitface



GI3DP624AGQT
argento quartz splitface



GI3DP624ITS
ivory travertine splitface



GI3DP624BVH
bianco vein marble honed



GI3DP624BDQ
black diamond quartz splitface



GI3DP624PNTS
perla nuvola travertine splitface



GI3DP624BVTX
bianco vein marble textured



GI3DP624FWT
fossil limestone white splitface



GI3DP624SVTS
silver travertine splitface



Featuring GIO Absolute, Grey 24x24 Rectified Field Tile

absolute

GIO
ARCHITECTURAL TILE + STONE

absolute

A color body, unglazed tile offered in all the necessary neutrals, every workhorse size, and polished or matte finish–absolutely durable and enduring for demanding commercial environments

COLOR BODY PORCELAIN STONEWARE - FLOOR & WALL TILES AVAILABLE IN POLISHED & MATTE FINISHES

OYSTER

GIABS1224OYP
12" x 24" Polished
& Rectified Field Tile
GIABS1224OYH
12" x 24" Matte
& Rectified Field Tile


GIABS2424OYP
24" x 24" Polished
& Rectified Field Tile
GIABS2424OYH
24" x 24" Matte
& Rectified Field Tile

GIABSMOSOYP
2" x 2"
Polished Mosaic
GIABSMOSOYH
2" x 2"
Matte Mosaic

GIABS424BNOYP
4" x 24"
Polished Bullnose
GIABS424BNOYH
4" x 24"
Matte Bullnose

GIABS612CBOY
6" x 12" Matte
Cove Base

ANTHRACITE



GIABS1224ANP
12" x 24" Polished
& Rectified Field Tile
GIABS1224ANH
12" x 24" Matte
& Rectified Field Tile



GIABS2424ANP
24" x 24" Polished
& Rectified Field Tile
GIABS2424ANH
24" x 24" Matte
& Rectified Field Tile



GIABSMOSANP
2" x 2"
Polished Mosaic
GIABSMOSANH
2" x 2"
Matte Mosaic




GIABS424BNANP
4" x 24"
Polished Bullnose
GIABS424BNANH
4" x 24"
Matte Bullnose




GIABS612CBAN
6" x 12" Matte
Cove Base


CHARCOAL



GIABS1224CHP
12" x 24" Polished
& Rectified Field Tile
GIABS1224CHH
12" x 24" Matte
& Rectified Field Tile



GIABS2424CHP
24" x 24" Polished
& Rectified Field Tile
GIABS2424CHH
24" x 24" Matte
& Rectified Field Tile



GIABSMOSCHP
2" x 2"
Polished Mosaic
GIABSMOSCHH
2" x 2"
Matte Mosaic



GIABS424BNCHP
4" x 24"
Polished Bullnose
GIABS312BNCHH
4" x 24"
Matte Bullnose



GIABS612CBCH
6" x 12" Matte
Cove Base

CREMA

GIABS1224CMP
12" x 24" Polished
& Rectified Field Tile
GIABS1224CMH
12" x 24" Matte
& Rectified Field Tile

GIABS2424CMP
24" x 24" Polished
& Rectified Field Tile
GIABS2424CMH
24" x 24" Matte
& Rectified Field Tile

GIABSMOSCMP
2" x 2"
Polished Mosaic
GIABSMOSCMH
2" x 2"
Matte Mosaic

GIABS424BNCMP
4" x 24"
Polished Bullnose
GIABS424BNCMH
4" x 24"
Matte Bullnose

GIABS612CBCM
6" x 12" Matte
Cove Base


GREY



GIABS1224GRP
12" x 24" Polished
& Rectified Field Tile
GIABS1224GRH
12" x 24" Matte
& Rectified Field Tile



GIABS2424GRP
24" x 24" Polished
& Rectified Field Tile
GIABS2424GRH
24" x 24" Matte
& Rectified Field Tile



GIABSMOSGRP
2" x 2"
Polished Mosaic
GIABSMOSGRH
2" x 2"
Matte Mosaic



GIABS424BNGRP
4" x 24"
Polished Bullnose
GIABS424BNGRH
4" x 24"
Matte Bullnose



GIABS612CBGR
6" x 12" Matte
Cove Base

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 24" Rectified Field Tile	4	15.83	77.28	30	475.02	2318.34
12" x 24" Rectified Field Tile	8	15.75	71.67	32	504.04	1193.35
2" x 2" Mosaic	5	4.90	21	-	-	-
4" x 24" Bullnose	33	-	32	-	-	-
6" x 12" Matte Cove Base	8	-	16	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic) Matte	0.61	ANSI 137.1
C.O.F. (Dynamic) Polished	0.21 NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Acqua, Sand 2.5" x5" Wall Tile

acqua

GIO
ARCHITECTURAL TILE + STONE

acqua

the essence of expressive zellige inspired ceramics, reimagined and refined into a creative collection offering vivid hues or traditional tones

GLOSSY FINISH GLAZED CERAMIC STONEWARE - WALL ONLY

GREEN





GIACQ25GRN
2.5" x 5" Wall Tile




GIACQ210GRN
2.5" x 10" Wall Tile



GIACQ44GRN
4" x 4" Wall Tile

BLACK





GIACQ25BLK
2.5" x 5" Wall Tile



GIACQ210BLK
2.5" x 10" Wall Tile



GIACQ44BLK
4" x 4" Wall Tile

COASTAL TAUPE





GIACQ25CTP
2.5" x 5" Wall Tile



GIACQ210CTP
2.5" x 10" Wall Tile



GIACQ44CTP
4" x 4" Wall Tile

PALE BLUE





GIACQ25PBL
2.5" x 5" Wall Tile



GIACQ210PBL
2.5" x 10" Wall Tile



GIACQ44PBL
4" x 4" Wall Tile


SAND


GIACQ25SND
2.5" x 5" Wall Tile

GIACQ210SND
2.5" x 10" Wall Tile

GIACQ44SND
4" x 4" Wall Tile

TEAL





GIACQ25TEL
2.5" x 5" Wall Tile



GIACQ210TEL
2.5" x 10" Wall Tile



GIACQ44TEL
4" x 4" Wall Tile

WHITE

GIACQ25WHT
2.5" x 5" Wall Tile

GIACQ210WHT
2.5" x 10" Wall Tile

GIACQ44WHT
4" x 4" Wall Tile

GREY





GIACQ25GRY
2.5" x 5" Wall Tile




GIACQ210GRY
2.5" x 10" Wall Tile



GIACQ44GRY
4" x 4" Wall Tile

NAVY MIDNIGHT





GIACQ25MNY
2.5" x 5" Wall Tile



GIACQ210MNY
2.5" x 10" Wall Tile



GIACQ44MNY
4" x 4" Wall Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2.5" x 10" Wall Tile	28	5.09	19	132	671.93	2450
2.5" x 5" Wall Tile	60	5.38	15.60	120	645.84	1880
4" x 4" Wall Tile	51	5.49	20	98	537.78	1950

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
Chemical Resistance	RESISTANT
Thickness (Factory Provided)	9 mm

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Agata, 24 x 48 Polished & Rectified

agata

An expressive dance of swirling blue hues celebrates onyx inspiration, in polished or matte finish and large formats–it's a whole mood for modern surfaces

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE





GIAGT2424H
24" x 24" Honed & Rectified Field Tile

GIAGT2424P
24" x 24" Polished & Rectified Field Tile




GIAGT2448P
24" x 48" Polished & Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	72.74	30	465	2182.20
24x24 Rectified Field Tile	3	11.62	54.24	40	464.80	2169.60

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Honed - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Alloy, Grey 24 x 48 Rectified

alloy

GIO
ARCHITECTURAL TILE + STONE

alloy

four stunning colors in a porcelain tile inspired by an amalgam of concrete and bold oxidized metals, interpreted in generous sizes for expansive options in modern design

INKJET RECTIFIED FLOOR AND WALL GLAZED PORCELAIN STONEWARE

GREY



GIALY2448GRY
24" x 48" Rectified Field Tile



GIALY1224GRY
12" x 24" Rectified Field Tile

BIANCO



GIALY2448BIA
24" x 48" Rectified Field Tile



GIALY1224BIA
12" x 24" Rectified Field Tile

ANTHRACITE



GIALY2448ANT
24" x 48" Rectified Field Tile



GIALY1224ANT
12" x 24" Rectified Field Tile

JADE



GIALY2448JAD
24" x 48" Rectified Field Tile



GIALY1224JAD
12" x 24" Rectified Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Rectified Field Tile	7	14.20	57.33	40	568	2293.20
24" x 48" Rectified Field Tile	2	15.93	68	35	557.55	2380

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Antico, Bianco 2.5x10 Field Tile

GIO
ARCHITECTURAL TILE + STONE

antico

Modern style & shape meets old world aesthetics in this handcrafted high gloss five color subway stunner

ANTIQUED & GLOSSY FINISH, GLAZED PORCELAIN STONEWARE


ARGENTO



GIATC210AR
2.5" x 10" Wall Tile



GIATC510ARD
5" x 10" Kit-Kat Decor Wall Tile



BIANCO


GIATC210BI
2.5" x 10" Wall Tile

GIATC510BID
5" x 10" Kit-Kat Decor Wall Tile


AQUA



GIATC210AQ
2.5" x 10" Wall Tile




GIATC510AQD
5" x 10" Kit-Kat Decor Wall Tile




COBALT



GIATC210CB
2.5" x 10" Wall Tile




GIATC510CBD
5" x 10" Kit-Kat Decor Wall Tile




NERO



GIATC210NE
2.5" x 10" Wall Tile



GIATC510NED
5" x 10" Kit-Kat Decor Wall Tile



PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2.5" x 10" Field Tile	50	8.07	32.50	85	685.95	2762.50
5" x 10" Kit-Kat Decor Wall Tile	26	8.71	29.38	81	705.51	2379.78

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Arabescato_Vagli, 24″ x 48″ Matte Rectified Field Tile

arabescato_vagli


arabescato_vagli

soft but striking white marble with vivid veining and complex coloration interpreted in a beautiful bevy of sizes in high performance honed and polished porcelain

INKJET POLISHED AND MATTE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GIARVA2448
24″x 48″ Matte Rectified Field Tile
GIARVA2448PO
24″x 48″ Polished & Rectified Field Tile




GIARVA3636
36″x 36″ Matte Rectified Field Tile
GIARVA3636PO
36″x 36″ Polished & Rectified Field Tile




GIARVARND
2.5″x 2.5″ Matte Round Mosaic
GIARVARNDPO
2.5″x 2.5″ Polished Round Mosaic




GIARVAMOS
2.5″x 2.5″ Honed Square Mosaic



GIARVA1224
12″x 24″ Matte Rectified Field Tile
GIARVA1224PO
12″x 24″ Polished & Rectified Field Tile



GIARVA324BN
3″x 24″ Matte Bullnose
GIARVA424BNPO
3″x 24″ Polished Bullnose




GIARVACVN
4″x 21″ Matte Rectified Chevron
GIARVACVNPO
4″x 21″ Polished & Rectified Chevron

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.39	65	40	615.70	2600
36x36 Rectified Field Tile	2	17.39	79	30	522	2346
12x24 Rectified Field Tile	8	15.62	57	32	499.93	1800
4x21 Chevron	8	4.41	21	64	282.72	1301
2.5x2.5 SquareMosaic	5	4.84	18	-	-	-
2.5x2.5 Round Mosaic	5	6.80	24	-	-	-
3x24 Bullnose	12	-	27	-	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	0.42 (Matte)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Ardesia, Dark Grey 24x48 Rectified Field Tile

ardesia

ardesia

The look is a shimmering symphony of terrazzo, concrete, and slate in lavish sizes plus a sexy hex; the quartet of cool neutrals is sure to harmonize with commercial designs

INKJET COLORED BODY RECTIFIED FLOOR & WALL PORCELAIN STONEWARE

BEIGE



GIARD2424BG
24" x 24"
Rectified Field Tile



GIARD2448BG
24" x 48"
Rectified Field Tile



GIGTCK2424ABG i/o
24" x 24" Rectified Field Tile/Porcelain Paver



GIARD1224BG
12" x 24"
Rectified Field Tile



GIARD44HXBG
4" x 4"
Hexagon Mosaic




GIARD424BNBG
4" x 24" Bullnose

DARK GREY



GIARD2424DG
24" x 24"
Rectified Field Tile




GIARD2448DG
24" x 48"
Rectified Field Tile



GIGTCK2424ADG i/o
24" x 24" Rectified Field Tile/Porcelain Paver



GIARD1224DG
12" x 24"
Rectified Field Tile



GIARD44HXDG
4" x 4"
Hexagon Mosaic



GIARD424BNDG
4" x 24" Bullnose

GREY




GIARD2424GY
24" x 24"
Rectified Field Tile



GIARD2448GY
24" x 48"
Rectified Field Tile



GIGTCK2424AGY i/o
24" x 24" Rectified Field Tile/Porcelain Paver



GIARD1224GY
12" x 24"
Rectified Field Tile



GIARD44HXGY
4" x 4"
Hexagon Mosaic



GIARD424BNGY
4" x 24" Bullnose

BIANCO

GIARD2424BI
24" x 24"
Rectified Field Tile



GIARD2448BI
24" x 48"
Rectified Field Tile




GIGTCK2424ABI i/o
24" x 24" Rectified Field Tile/Porcelain Paver



GIARD1224BI
12" x 24"
Rectified Field Tile

GIARD44HXBI
4" x 4"
Hexagon Mosaic



GIARD424BNBI
4" x 24" Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	61	36	558	2236
24x24 Rectified Field Tile	6	23.25	91.50	24	558	2236
12x24 Rectified Field Tile	8	15.50	61.40	32	496	1932.48
24x24 Rectified Field Tile/Porcelain Paver	2	7.75	71.17	32	248	2277.30
4x24 Bullnose	10	-	22	-	-	-
4x4 Hexagon Mosaic	10	10.71	37	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.54 (0.60 Paver)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm (2 cm Paver)	Factory Provided

SHADE VARIATION AND APPLICATIONS


V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

i/o - INSIDE AND OUTSIDE



Featuring GIO Arte´ Black, 5"x12" Three Dimensional Subway Tile

GIO
ARCHITECTURAL TILE + STONE

arte´

Dimensional, daring, audacious a modern take on ceramic
that transforms walls into custom works of art

THREE DIMENSIONAL GLAZED CERAMIC STONEWARE - WALL ONLY

BLACK



GIART512BLK
5" x 12"
Three Dimensional
Subway Tile



COBALT



GIART512COB
5" x 12"
Three Dimensional
Subway Tile



CREAM



GIART512CRE
5" x 12"
Three Dimensional
Subway Tile



BIANCO



GIART512BIAM
5" x 12" Matte
Three Dimensional
Subway Tile

GIART512BIAB
5" x 12" Bright

BORDEAUX



GIART512BOR
5" x 12"
Three Dimensional
Subway Tile



PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
5"x12" Three Dimensional Subway Tile	27	5.27	24.50	34	179.18	833

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI	N/A
C.O.F.	WALL RATED ONLY
Water Absorption	14%
Thickness	11 mm

SHADE VARIATION AND APPLICATIONS

V1		RESIDENTIAL	COMMERCIAL	INDUSTRIAL
UNIFORM VARIATION	Wall	•	•	•



Featuring GIO Artisan, White Glossy 3x12

GIO
ARCHITECTURAL TILE + STONE

artisan

artisanal aesthetics converge with classic ceramic subway style
in a variety of shades with a touch of texture

GLAZED & ANTIQUED CERAMIC WALL TILE AVAILABLE IN BRIGHT AND MATTE FINISH

MIST GREY



LA51105
3" x 6" Glossy Wall Tile



LA51098
3" x 12" Glossy Wall Tile



LA51120
12" Quarter Round

WHITE

LA51104
3" x 6" Glossy Wall Tile

LA51097
3" x 12" Glossy Wall Tile



LA51119
12" Quarter Round

SMOKE GREY



LA51106
3" x 6" Glossy Wall Tile



LA51099
3" x 12" Glossy Wall Tile



LA51121
12" Quarter Round

DESERT SAND

LA51107
3" x 6" Glossy Wall Tile



LA51100
3" x 12" Glossy Wall Tile



LA51122
12" Quarter Round

EARTH BEIGE



LA51108
3" x 6" Glossy Wall Tile




LA51101
3" x 12" Glossy Wall Tile




LA51123
12" Quarter Round

OCEAN TIDE



LA51109
3" x 6" Glossy Wall Tile



LA51102
3" x 12" Glossy Wall Tile



LA51124
12" Quarter Round

WHITE MATTE

LA51110
3" x 6" Matte Wall Tile

LA51103
3" x 12" Matte Wall Tile




LA51125
12" Quarter Round

PACKAGING

ACTUAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 6" Wall Tile	88	10.66	33.62	48	511.68	1613.76
3" x 12" Wall Tile	44	10.66	34.41	48	511.68	1651.68
12" Quarter Round	-	-	-	-	-	-

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
Thickness	8 mm



Featuring GIO Atelier, Grey 8x40

atelier

GIO
ARCHITECTURAL TILE + STONE

atelier

Wood-look porcelain goes minimal for maximum style—the result is flawless Norwegian chic in four fresh, lightly grained hues in standard or chevron planks

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREY





GIATL840GR
8" x 40" Rectified Field Tile



GIATL840CHGR
8" x 40" Rectified Chevron Field Tile



GIATL220BNGR
2" x 20" Bullnose

BIANCO



GIATL840BI
8" x 40" Rectified Field Tile

GIALT840CHBI
8" x 40" Rectified Chevron Field Tile

GIATL220BNBI
2" x 20" Bullnose

BEIGE





GIATL840BG
8" x 40" Rectified Field Tile



GIATL840CHBG
8" x 40" Rectified Chevron Field Tile



GIATL220BNBG
2" x 20" Bullnose

TAUPE





GIATL840TP
8" x 40" Rectified Field Tile



GIATL840CHTP
8" x 40" Rectified Chevron Field Tile




GIATL220BNTP
2" x 20" Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8" x 40" Rectified Field Tile	6	12.92	56.88	36	465	2047.63
8" x 40" Rectified Chevron Field Tile	6	10.33	43.39	30	310	1301.60
2" x 20" Bullnose	10	-	17.60	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.5%	ASTM C-323
C.O.F. (Dynamic)	0.42	ANSI 137.1
Chemical Resistance	EXCELLENT	ASTM C650
Thickness	9 mm	Factory Provided



Featuring GIO Bahia 24" x 48" Matte Rectified Field Tile


bahia

GIO
ARCHITECTURAL TILE + STONE


bahia

experience a porcelain portrayal of gorgeous blue granite, an exotic luxury with vivid veining in this version of polished & matte superior stoneware

INKJET RECTIFIED POLISHED AND MATTE FLOOR & WALL GLAZED PORCELAIN STONEWARE




GIBAHI2448
24"x 48" Matte Rectified Field Tile
GIBAHI2448PO
24"x 48" Polished & Rectified Field Tile



GIBAHI1224
12"x 24" Matte Rectified Field Tile
GIBAHI1224PO
12"x 24" Polished & Rectified Field Tile



GIBAHI3636
36"x 36" Matte Rectified Field Tile
GIBAHI3636PO
36"x 36" Polished & Rectified Field Tile



GIBAHIMOS
2"x 2" Matte Rectified Mosaic




GIBAHI424BN
4"x 24" Matte Bullnose
GIBAHI424BNPO
4"x 24" Polished Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.39	64.98	40	615.70	2599
36x36 Rectified Field Tile	2	17.40	78.20	30	522	2346
12x24 Rectified Field Tile	8	15.62	58.20	32	499.84	1862.40
2x2 Mosaic	5	4.84	17.64	-	-	-
4x24 Bullnose	16	-	39.46	-	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Matte)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Bardiglio, Bianco 24x48 Polished & Rectified Field Tile


bardiglio

bardiglio

Big design happens in the little details, as evidenced in this striking marble look with its lean, parallel veining. Offered in bold sizes and two shades of gray interpreted in durable porcelain


INKJET RECTIFIED POLISHED & MATTE, FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREIGE




GIBAR2448GRM
24" x 48" Rectified
Matte Field Tile

GIBAR2448GRP
24" x 48" Polished &
Rectified Field Tile



GIBAR1224GRM
12" x 24" Rectified
Matte Field Tile

GIBAR1224GRP
12" x 24" Polished &
Rectified Field Tile



GIBAR424BNGRM
4" x 24"
Matte Bullnose

GIBAR424BNGRP
4" x 24"
Polished Bullnose



GIBAR612CBGRM
6" x 12"
Matte Cove Base



GIBARMOSGR
2" x 2" Matte Mosaic

BIANCO



GIBAR2448WTM
24" x 48" Rectified
Matte Field Tile

GIBAR2448WTP
24" x 48" Polished &
Rectified Field Tile



GIBAR1224WTM
12" x 24" Rectified
Matte Field Tile

GIBAR1224WTP
12" x 24" Polished &
Rectified Field Tile



GIBAR424BNWTM
4" x 24"
Matte Bullnose

GIBAR424BNWTP
4" x 24"
Polished Bullnose



GIBAR612CBWTM
6" x 12"
Matte Cove Base



GIBARMOSWT
2" x 2" Matte Mosaic

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	4	31.66	113	18	570	2220
12x24 Rectified Field Tile	8	15.75	56	32	504.03	1831
4x24 Bullnose	16	-	48	-	-	-
2x2 Mosaic	5	4.90	20	-	-	-
6x12 Cove Base	8	-	14	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic) Matte	0.42	ANSI 137.1
C.O.F. (Dynamic) Polished	0.24 (Not Compliant)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Barista, Ivory and Dove Grey 4x12 Bright

barista


GIO
ARCHITECTURAL TILE + STONE

barista

Today's retro style meets subway tile in an antique chic look that pays homage to a handcrafted palette of gleaming neutrals

GLAZED CERAMIC WALL TILES AVAILABLE IN BRIGHT AND MATTE FINISH

IVORY



GIBA412IVO
4" x 12" Wall Tile
Glossy Finish

GIBA412IVOM
4" x 12" Matte Wall Tile
Matte Finish



GIBA412BNIVO
4" x 12" Bullnose
Glossy Finish

GIBA412BNIVOM
4" x 12" Bullnose
Matte Finish



BIANCO


GIBA412BIA
4" x 12" Wall Tile
Glossy Finish

GIBA412BIAM
4" x 12" Wall Tile
Matte Finish

GIBA412BNBIA
4" x 12" Bullnose
Glossy Finish

GIBA412BNBIAM
4" x 12" Bullnose
Matte Finish

DOVE GREY




GIBA412DOV
4" x 12" Wall Tile
Glossy Finish




GIBA412BNDOV
4" x 12" Bullnose
Glossy Finish



SILVER GREY



GIBA412SIL
4" x 12" Wall Tile
Glossy Finish



GIBA412BNSIL
4" x 12" Bullnose
Glossy Finish



PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4" x 12" Bright Wall Tile	34	10.98	31.50	66	724.68	2079
4" x 12" Matte Wall Tile	36	11.63	32	66	767.58	2112

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
MOHS	N/A
Thickness	8 mm

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM APPEARANCE

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Wall	•	•	•



Featuring GIO Barnwood, Bianco 6x24

barnwood

GIO
ARCHITECTURAL TILE + STONE

barnwood (2024)

All of wood's appeal, all of porcelain tile's advantages in a trio of weathered timber colors–rich details, ready for your latest designs

INK JET FLOOR & WALL GLAZED PORCELAIN STONEWARE

DARK BROWN






GIBW624DB
6" x 24" Field Tile

GREY





GIBW624GR
6" x 24" Field Tile

BIANCO






GIBW624BI
6" x 24" Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
6" x 24" Field Tile	13	12.60	54.74	44	554.40	2442.10

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	.05%	ASTM C-323
C.O.F. (Dynamic)	0.42	ANSI 137.1
Chemical Resistance	EXCELLENT	ASTM C650
Thickness	9 mm	Factory Provided

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Basaltina, Anthracite 18x36 Honed

basaltina

basaltina

All the wishes are granted for a sophisticated granite-look tile more enduring than its true stone inspiration, offered in a five-hue spectrum of nuanced neutrals and modern sizes

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE
AVAILABLE IN HONED AND SEMI-POLISHED FINISH

ANTHRACITE



GIBAS1836ANH
18″x36″
Rectified Honed Field Tile



GIBAS1224ANH
12″x24″
Rectified Honed Field Tile



GIBASMOSAN
2″x2″ Honed Mosaic



GIBAS424BNAN
4″x24″ Honed Bullnose



GIBAS612CBAN
6″x12″ Honed Cove Base

WHITE



GIBAS1836WHH
18″x36″
Rectified Honed Field Tile



GIBAS1224WHH
12″x24″
Rectified Honed Field Tile

GIBASMOSWH
2″x2″ Honed Mosaic

GIBAS424BNWH
4″x24″ Honed Bullnose



GIBAS612CBWH
6″x12″ Honed Cove Base


SAGE



GIBAS1836SGH
18″x36″
Rectified Honed Field Tile



GIBAS1224SGH
12″x24″
Rectified Honed Field Tile



GIBASMOSSG
2″x2″ Honed Mosaic



GIBAS424BNSG
4″x24″ Honed Bullnose



GIBAS612CBSG
6″x12″ Honed Cove Base

GREY



GIBAS1836GRH
18″x36″
Rectified Honed Field Tile



GIBAS1224GRH
12″x24″
Rectified Honed Field Tile



GIBASMOSGR
2″x2″ Honed Mosaic



GIBAS424BNGR
4″x24″ Honed Bullnose



GIBAS612CBGR
6″x12″ Honed Cove Base

BEIGE



GIBAS1836BGH
18″x36″
Rectified Honed Field Tile



GIBAS1224BGH
12″x24″
Rectified Honed Field Tile



GIBASMOSBG
2″x2″ Honed Mosaic



GIBAS424BNBG
4″x24″ Honed Bullnose



GIBAS612CBBG
6″x12″ Honed Cove Base

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12″x 24″ Rectified Field Tile	8	15.751	56.07	32	504.032	1836
18″x 36″ Rectified Field Tile	5	22.189	80.54	18	399.402	1488
4″x 24″ Bullnose	16	–	32	–	–	–
2″x 2″ Mosaic	5	–	18	–	–	–
6″x 12″ Cove Base	8	–	14	–	–	–

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.1%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERTE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

GREEN SQUARED
Certified by UL Environment



Featuring GIO Bergen, Natural 24" x 48" Rectified & Fluted Linear Wall Decor

bergen

GIO
ARCHITECTURAL TILE + STONE

bergen

creative, calm & clean natural warm wood aesthetics in 3 premium pattern porcelain options, paired with four modern colorations for full freedom in design functionality

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE, AVAILABLE IN HONED AND FLUTED WALL FINISH

ALMOND



GIBRG1060AL
10" x 60" Rectified Field Tile



GIBRG2448ALLND
24" x 48" Rectified & Fluted Linear Wall Decor

HONEY



GIBRG1060HO
10" x 60" Rectified Field Tile



GIBRG2448HOLND
24" x 48" Rectified & Fluted Linear Wall Decor

NATURAL



GIBRG1060NA
10" x 60" Rectified Field Tile



GIBRG2448NALND
24" x 48" Rectified & Fluted Linear Wall Decor

NUT




GIBRG1060NU
10" x 60" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
10x60 Rectified Field Tile	3	12.11	51.99	30	363.30	1559.70
24x48 Rectified & Fluted Linear Wall Decor	3	11.62	47.10	40	464.80	1884

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Floor Options Only)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Bianca, Carrara 24 x 48 Polished & Rectified

bianca

Classically contemporary, timelessly on-trend–this marble-look captures carrara's striations and variations in large and mosaic sizes in polished or matte finishes

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE
AVAILABLE IN BOTH POLISHED & MATTE FINISHES

CARRARA




GIBIA2448CAM
24" x 48" Matte & Rectified Field Tile
GIBIA2448CAP
24" x 48" Polished & Rectified Field Tile



GIBIA2424CAM
24" x 24" Matte Field Tile
GIBIA2424CAP
24" x 24" Polished & Rectified Field Tile



GIBIA33HXCAM
3" x 3" Matte Hexagon Mosaic
GIBIA33HXCAP
3" x 3" Polished Hexagon Mosaic



GIBIAMOSCAM
2" x 2" Matte Mosaic
GIBIAMOSCAP
2" x 2" Polished Mosaic



GIBIA1224CAM
12" x 24" Matte Field Tile
GIBIA1224CAP
12" x 24" Polished & Rectified Field Tile



GIBIA312BNCAM
3" x 12" Matte Bullnose
GIBIA312BNCAP
3" x 12" Polished Bullnose

NUVOLATO SILK



GIBIA2448NSM
24" x 48" Matte & Rectified Field Tile
GIBIA2448NSP
24" x 48" Polished & Rectified Field Tile



GIBIA2424NSM
24" x 24" Matte Field Tile
GIBIA2424NSP
24" x 24" Polished & Rectified Field Tile

GIBIA33HXNSM
3" x 3" Matte Hexagon Mosaic
GIBIA33HXNSP
3" x 3" Polished Hexagon Mosaic



GIBIAMOSNSM
2" x 2" Matte Mosaic
GIBIAMOSNSP
2" x 2" Polished Mosaic

GIBIA1224NSM
12" x 24" Matte Field Tile
GIBIA1224NSP
12" x 24" Polished & Rectified Field Tile

GIBIA312BNNSM
3" x 12" Matte Bullnose
GIBIA312BNNSP
3" x 12" Polished Bullnose

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Field Tile	2	16	76.80	32	512	2457.60
24x24 Field Tile	4	16	52.80	36	576	1900
12x24 Field Tile	8	16	52.80	48	786	2534
2x2 Mosaic	10	-	33	45	-	1485
3x12 Bullnose	15	-	14.66	168	-	2444.40
3x3 Hexagon Mosaic	10	-	33	45	-	1485

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Polished NOT COMPLIANT)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm (24x48 - 10 mm)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Bianco_Camouflage, 24" x 48" Matte Rectified Field Tile

bianco_camouflage

neutral & natural variations of ivory, gray and beige coupled with vivid veining in modern marble aesthetics presented & packaged in porcelain stoneware

INKJET POLISHED AND MATTE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GIBICMO2448
24" x 48" Matte & Rectified Field Tile
GIBICMO2448PO
24" x 48" Polished & Rectified Field Tile



GIBICMO3636
36" x 36" Matte & Rectified Field Tile
GIBICMO3636PO
36" x 36" Polished & Rectified Field Tile



GIBICMOMOS
2" x 2" Matte Mosaic



GIBICMO424BN
4" x 24" Matte Bullnose
GIBICMO424BNPO
4" x 24" Polished Bullnose




GIBICMO1224
12" x 24" Matte & Rectified Field Tile
GIBICMO1224PO
12" x 24" Polished & Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.39	64.98	40	615.70	1912
36x36 Rectified Field Tile	2	17.40	78.20	30	522	2346
12x24 Rectified Field Tile	8	15.62	58.20	32	499.93	1862.40
2x2 Mosaic	5	4.84	17.64	-	-	-
4x24 Bullnose	16	-	39.46	-	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Matte)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (Polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Blendstone, Blue 24 x 48 Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

blendstone

bright & bold colors merge with a soft satin metal patina,
porcelain perfect with a blended burnish

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO

GIOBLD2448BI
24" x 48" Rectified Field Tile

BLUE



GIOBLD2448BL
24" x 48" Rectified Field Tile

SILVER



GIOBLD2448SI
24" x 48" Rectified Field Tile

GRAPHITE



GIOBLD2448GR
24" x 48" Rectified Field Tile

VERDE



GIOBLD2448VD
24" x 48" Rectified Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	63	35	542.50	2205

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided


SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Bluestone_Pierre, Nero 16x24

bluestone_pierre

GIO
ARCHITECTURAL TILE + STONE


bluestone_pierre

A beautiful timeless limestone, Belgian Bluestone is a classic with rich colors, dark tones and ancient fossils all rolled into one series in this unique tumbled edge stunning porcelain interpretation

INKJET TUMBLED EDGE FLOOR & WALL GLAZED PORCELAIN STONEWARE

NERO





GIBEL1624NE
16" x 24" Field Tile



GIBEL816NE
8" x 16" Field Tile

GRIGIO






GIBEL1624GR
16" x 24" Field Tile




GIBEL816GR
8" x 16" Field Tile



GIBELVERNE
Versailles Pattern

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
16x24 Field Tile	4	10.44	48	30	501.12	1440
8x16 Field Tile	13	11.19	46	54	604.26	2484
Versailles Pattern	6	8	50	40	311.29	2000

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided




Featuring GIO Breccia_Crema, 24" x 48" Honed Rectified Field Tile

breccia_crema


marble sophistication married with tones of warm white, classic creams and varying veins creating a "delicate yet dynamic" display of prestigious porcelain

INKJET RECTIFIED POLISHED & HONED, FLOOR & WALL GLAZED PORCELAIN STONEWARE




GIBREC2448
24" x 48" Matte Rectified Field Tile

GIBREC2448PO
24" x 48" Polished & Rectified Field Tile




GIBREC1224
12" x 24" Matte Rectified Field Tile

GIBREC1224PO
12" x 24" Polished & Rectified Field Tile



GIBRECMOS
2" x 2" Honed Mosaic




GIBRECMOSHX
3" x 3" Polished Hexagon Mosaic

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	Matte - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Brick, Beige 2x10

GIO
ARCHITECTURAL TILE + STONE

brick

Urban character, industrial chic appeal—exposed brick's look captured in high-performance porcelain tile for the floor & wall

INKJET FLOOR AND WALL GLAZED PORCELAIN STONEWARE

BEIGE
GIBRK210BG
2"x 10" Brick Field Tile



NOCE
GIBRK210NO
2"x 10" Brick Field Tile




ANTHRACITE
GIBRK210AN
2"x 10" Brick Field Tile



SMOKE
GIBRK210SM
2"x 10" Brick Field Tile



RUST
GIBRK210RU
2"x 10" Brick Field Tile




BLACK
GIBRK210BLK
2"x 10" Brick Field Tile




WHITE
GIBRK210WH
2"x 10" Brick Field Tile



GREY
GIBRK210GR
2"x 10" Brick Field Tile



BIANCO
GIBRK412BI
4"x 12"
Brick Field Tile



CHARCOAL
GIBRK412CH
4"x 12"
Brick Field Tile



CLASSIC
GIBRK412CLA
4"x 12"
Brick Field Tile



PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4"x 12" Brick Field Tile	27	8.72	38	60	523	2297
2"x 10" Brick Field Tile	32	6.24	22	100	624	2200

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	350 lbs.	ASTMC648
PEI Rating	4	ASTM C-1027
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Brick_Cotto, Verde 3x10 Field Tile

GIO
ARCHITECTURAL TILE + STONE

brick_cotto

originality, individualism and architectural element excellence all converge on this cotto brick replication in 6 colors of pristine porcelain stoneware


INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

CAFE



GIOBRC310CAF
3" x 10" Field Tile

NERO



GIOBRC310NER
3" x 10" Field Tile

BIANCO




GIOBRC310BIA
3" x 10" Field Tile

NATURAL



GIOBRC310NAT
3" x 10" Field Tile

ROSSO



GIOBRC310ROS
3" x 10" Field Tile

VERDE



GIOBRC310VER
3" x 10" Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3x10 Field Tile	48	7.44	27.36	75	558	2052

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4 (Bianco 5)	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Brick_Dimension, Beige 2" x 9" Brick Decor (Wall)
and Taj, 24" x 48" Matte Rectified Field Tile (Floor)


brick_dimension

brick_dimension

beguiling bricks, glossy grooves & captivating colors
combine in a striking set of spectacular subway tiles


GLOSSY & GROOVED GLAZED PORCELAIN STONEWARE - WALL ONLY

VERDE





GIBRD29VDE
2" x 9" Glossy Field Tile





GIBRD29VDEDC
2" x 9" Grooved & Glossy
Decor Field Tile

BIANCO

GIBRD29BIA
2" x 9" Glossy Field Tile






GIBRD29BIADC
2" x 9" Grooved & Glossy
Decor Field Tile

BLUE





GIBRD29BLU
2" x 9" Glossy Field Tile






GIBRD29BLUDC
2" x 9" Grooved & Glossy
Decor Field Tile

NERO





GIBRD29NER
2" x 9" Glossy Field Tile





GIBRD29NERDC
2" x 9" Grooved & Glossy
Decor Field Tile

GRIGIO





GIBRD29GRI
2" x 9" Glossy Field Tile





GIBRD29GRIDC
2" x 9" Grooved & Glossy
Decor Field Tile

BEIGE





GIBRD29BEI
2" x 9" Glossy Field Tile





GIBRD29BEIDC
2" x 9" Grooved & Glossy
Decor Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2x9 Glossy Field Tile	36	5.72	25.70	95	543.40	2442
2x9 Grooved & Glossy Decor Field Tile	36	5.72	25.70	95	543.40	2442

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	N/A	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO.Brick_Filo' Blue Bright Wall Tile

GIO
ARCHITECTURAL TILE + STONE

brick_filo


a glazed & wirebrushed brick interpretation with a dynamic duo of finishes, complete with catchy clay character and organic sleek style

GLAZED PORCELAIN STONEWARE AVAILABLE IN GLOSSY & FLUTED FINISHES

BIANCO




GIBF38BI
3" x 8" Bright Wall Tile






GIBF38BIDC
3" x 8" Bright Deco Tile




BLUE




GIBF38BL
3" x 8" Bright Wall Tile






GIBF38BLDC
3" x 8" Bright Deco Tile



BASILICA GREY




GIBF38GR
3" x 8" Bright Wall Tile






GIBF38GRDC
3" x 8" Bright Deco Tile



PUTTY




GIBF38PU
3" x 8" Bright Wall Tile







GIBF38PUDC
3" x 8" Bright Deco Tile



SAGE




GIBF38SA
3" x 8" Bright Wall Tile







GIBF38SADC
3" x 8" Bright Deco Tile



TURQUOISE




GIBF38TU
3" x 8" Bright Wall Tile





GIBF38TUDC
3" x 8" Bright Deco Tile




PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 8" Wall Tile	56	9.04	34	76	687.17	2559
3" x 8" Deco Tile	52	8.40	35	60	503.76	2196

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	Wall Only	C1027 Test
C.O.F. (Dynamic)	Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm (Deco 11.5 mm)	Factory Provided



Featuring GIO Brick_Mood, Black 2x10 Glossy and Matte Field Tile


brick_mood

brick_mood

Brick's new trick–a trendy porcelain line featuring a handmade effect and stacked with options: 2x10 tiles, five must-use hues, and a duo of fab finishes: a glazed-look glossy and a matte that's all that

FLOOR AND WALL GLAZED PORCELAIN STONEWARE AVAILABLE IN GLOSSY & MATTE FINISHES

BLACK









GIATB210BLKP
2″ x 10″ Glossy Field Tile

GIATB210BLK
2″ x 10″ Matte Field Tile

GIATB210BNBLKP
2″ x 10″ Glossy Bullnose

GIATB210BNBLK
2″ x 10″ Matte Bullnose

GIATB26BLKP
2″ x 6″ Glossy Field Tile

GIATB26BLK
2″ x 6″ Matte Field Tile

WHITE



GIATB210WHTP
2″ x 10″ Glossy Field Tile

GIATB210WHT
2″ x 10″ Matte Field Tile


GIATB210BNWHTP
2″ x 10″ Glossy Bullnose


GIATB210BNWHT
2″ x 10″ Matte Bullnose

GIATB26WHTP
2″ x 6″ Glossy Field Tile

GIATB26WHT
2″ x 6″ Matte Field Tile

BLUE





GIATB210BLUP
2″ x 10″ Glossy Field Tile

GIATB210BLU
2″ x 10″ Matte Field Tile

GIATB210BNBLUP
2″ x 10″ Glossy Bullnose

GIATB210BNBLU
2″ x 10″ Matte Bullnose

GREY





GIATB210GREP
2″ x 10″ Glossy Field Tile

GIATB210GRE
2″ x 10″ Matte Field Tile

GIATB210BNGREP
2″ x 10″ Glossy Bullnose

GIATB210BNGRE
2″ x 10″ Matte Bullnose

BEIGE





GIATB210BEGP
2″ x 10″ Glossy Field Tile

GIATB210BEG
2″ x 10″ Matte Field Tile

GIATB210BNBEGP
2″ x 10″ Glossy Bullnose


GIATB210BNBEG
2″ x 10″ Matte Bullnose

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic) Matte	0.42	ANSI 137.1
C.O.F. (Dynamic) Glossy	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION (Matte Only)

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2″ x 10″ Field Tile	36	5.58	22	95	530.10	2185
2″ x 6″ Field Tile	108	8.72	40	64	558.08	2560
2″ x 10″ Bullnose	36	-	22	-	-	-



Featuring GIO Brick_Roma, Light Grey 2x18 Field Tile

brick_roma

a unique elongated expression of roman history and hip hues,
bricks boasting slender and staggered subway style!

INKJET GLAZED PORCELAIN STONEWARE - WALL ONLY

WHITE





GIOSTK218WHT
2" x 18" Field Tile

LIGHT GREY





GIOSTK218LGY
2" x 18" Field Tile


AQUAMARINE





GIOSTK218AQU
2" x 18" Field Tile


SKY BLUE





GIOSTK218SKY
2" x 18" Field Tile

RED





GIOSTK218RED
2" x 18" Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2x18 Field Tile	32	7.42	30.72	66	489.72	2027.52

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	3	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Calacatta 24x24

calacatta

calacatta

The classic, nuanced look and lustrous finish of premium calacatta marble becomes a modern marvel when authentically interpreted in porcelain tile

INKJET RECTIFIED GLAZED PORCELAIN STONEWARE
AVAILABLE IN SEMI-POLISHED LUSTER FINISH

GOLD




GICNX2424LUS
24" x 24" Rectified and Luster Finish
Field Tile




GICNX2448LUS
24" x 48" Rectified and Luster Finish
Field Tile



GICNX1224LUS
12" x 24" Rectified and Luster Finish
Field Tile




GICNXSTMOSLUS
1" x 3" Stacked Mosaic



GICNX324BNLUS
3" x 24" Bullnose



GICNXMOSLUS
1" x 3" Herringbone Mosaic



GICNX312LUS
3" x 12" Rectified and Luster Finish
Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 24" Rectified Field Tile	3	11.63	56	40	465.20	2240
24" x 48" Rectified Field Tile	2	15.50	80	21	325.50	1700
12" x 24" Rectified Field Tile	6	11.62	53.60	40	465.20	2240
3" x 12" Rectified Field Tile	26	6.29	28.50	60	377.52	1705
1" x 3" Herringbone Mosaic	-	-	-	-	-	-
1" x 3" Stacked Mosaic	-	-	-	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	5	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	250 lbs.	ASTMC648
Thickness	11 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Canela, 24" x 48" Honed Rectified Field Tile

canela

marble-inspired with cream coloration and vibrant veining in various formats for the pinnacle in porcelain and timeless trend of elegance

INKJET RECTIFIED HONED, FLOOR & WALL GLAZED PORCELAIN STONEWARE



GICNLA2448
24" x 48" Honed Rectified Field Tile




GICNLA424BN
4" x 24" Honed Rectified Bullnose



GICNLA2424
24" x 24" Honed Rectified Field Tile




GICNLA1224
12" x 24" Honed Rectified Field Tile



GICNLAMOS
2.5" x 2.5" Honed Mosaic

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Cardoso, Grey 24x48 Rectified Field Tile

cardoso

GIO
ARCHITECTURAL TILE + STONE

cardoso


Italian stone's sophisticated style interpreted in generous porcelain tile sizes and three dapper, authentically detailed colors–earthen elegance epitomized for modern design

INK JET COLORED BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREY



GICRD2448GR
24" x 48" Rectified Field Tile




GICRD2424GR
24" x 24" Rectified Field Tile



GICRD1224GR
12" x 24" Rectified Field Tile



GICRD324BNGR
3" x 24" Bullnose



GICRDMOSGR
2" x 2" Mosaic



GICRD612CBGR
6" x 12" Cove Base

BIANCO



GICRD2448BI
24" x 48" Rectified Field Tile



GICRD2424BI
24" x 24" Rectified Field Tile



GICRD1224BI
12" x 24" Rectified Field Tile

GICRD324BNBI
3" x 24" Bullnose



GICRDMOSBI
2" x 2" Mosaic



GICRD612CBBI
6" x 12" Cove Base

ANTHRACITE



GICRD2448AN
24" x 48" Rectified Field Tile



GICRD2424AN
24" x 24" Rectified Field Tile



GICRD1224AN
12" x 24" Rectified Field Tile



GICRD324BNAN
3" x 24" Bullnose




GICRDMOSAN
2" x 2" Mosaic



GICRD612CBAN
6" x 12" Cove Base

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	4	31.67	112.42	18	570	2220
12x24 Rectified Field Tile	8	15.75	56	32	504.03	1831
24x24 Rectified Field Tile	4	15.83	78	30	475	2318
3x24 Bullnose	16	-	32	-	-	-
2x2 Mosaic	5	4.90	17.80	-	-	-
6x12 Cove Base	8	-	15	-	-	-

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Carrara, Striato 24x48 Honed

carrara

GIO
ARCHITECTURAL TILE + STONE

carrara

Not just any marble look, but interpretations of Italian Carrara–with every elegant vein in three luminous versions and large format sizes

INKJET COLORED BODY RECTIFIED POLISHED AND HONED, FLOOR & WALL GLAZED PORCELAIN STONEWARE

VEIN



GICA1224VEI
12" x 24"
Rectified Field Tile

GICA1224VEIP
12" x 24"
Polished and
Rectified Field Tile



GICA2448VEI
24" x 48" Rectified Field Tile
GICA2448VEIP
24" x 48" Polished and
Rectified Field Tile



GICAMOSVEI
2" x 2" Mosaic
GICAMOSVEIP
2" x 2" Polished Mosaic



GICA424BNVEI
4" x 24" Bullnose
GICA424BNVEIP
4" x 24" Polished Bullnose



GICA612CBVEI
6" x 12"
Cove Base

GRIGIO



GICA1224GRI
12" x 24"
Rectified Field Tile

GICA1224GRIP
12" x 24"
Polished and
Rectified Field Tile




GICA2448GRI
24" x 48" Rectified Field Tile
GICA2448GRIP
24" x 48" Polished and
Rectified Field Tile



GICAMOSGRI
2" x 2" Mosaic
GICAMOSGRIP
2" x 2" Polished Mosaic



GICA424BNGRI
4" x 24" Bullnose
GICA424BNGRIP
4" x 24" Polished Bullnose



GICA612CBGRI
6" x 12"
Cove Base

CLASSICO

GICA1224CLA
12" x 24"
Rectified Field Tile

GICA1224CLAP
12" x 24"
Polished and
Rectified Field Tile

GICA2448CLA
24" x 48" Rectified Field Tile

GICA2448CLAP
24" x 48" Polished and
Rectified Field Tile

GICAMOSCLA
2" x 2" Mosaic
GICAMOSCLAP
2" x 2" Polished Mosaic

GICA424BNCLA
4" x 24" Bullnose
GICA424BNCLAP
4" x 24" Polished Bullnose



GICA612CBCLA
6" x 12"
Cove Base

STRIATO



GICA1224STR
12" x 24"
Rectified Field Tile

GICA1224STRP
12" x 24"
Polished and
Rectified Field Tile



GICA2448STR
24" x 48" Rectified Field Tile

GICA2448STRP
24" x 48" Polished and
Rectified Field Tile



GICAMOSSTR
2" x 2" Mosaic
GICAMOSSTRP
2" x 2" Polished Mosaic

GICA424BNSTR
4" x 24" Bullnose
GICA424BNSTRP
4" x 24" Polished Bullnose



GICA612CBSTR
6" x 12"
Cove Base

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Rectified Field Tile	4	31.66	122	20	633.36	2440
12" x 24" Rectified Field Tile	8	15.75	56	32	504.03	1831
2" x 2" Mosaic	5	4.90	17.80	–	–	–
4" x 24" Bullnose	16	–	47.27	–	–	–
6" x 12" Cove Base	8	–	–	–	–	–

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
C.O.F. (Dynamic)	0.24 (Polished) NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	350 lbs.	ASTMC648
PEI Rating	4	ASTM C-1027
Thickness	8 mm	FACTORY PROVIDED

SHADE VARIATION AND APPLICATIONS

V2



MODERTE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

GREEN SQUARED
Certified by UL Environment



Featuring GIO Cemento, Greige 48" x 48" Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

cemento

A cool, classic, and concrete solution for modern commercial design with big sizes, versatile hues, and sophisticated details–the peak of industrial chic

INKJET COLORED BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

DARK GREY



GISER4848DG
48" x 48" Rectified Field Tile



GISER2448DG
24" x 48" Rectified Field Tile



GISER1224DG
12" x 24" Rectified Field Tile




GISER324BNDG
3" x 24" Bullnose



GISER2424DG
24" x 24" Rectified Field Tile

LIGHT



GISER4848LT
48" x 48" Rectified Field Tile



GISER2448LT
24" x 48" Rectified Field Tile



GISER1224LT
12" x 24" Rectified Field Tile



GISER324BNLT
3" x 24" Bullnose




GISER2424LT
24" x 24" Rectified Field Tile

GREIGE



GISER4848GR
48" x 48" Rectified Field Tile



GISER2448GR
24" x 48" Rectified Field Tile



GISER1224GR
12" x 24" Rectified Field Tile



GISER324BNGR
3" x 24" Bullnose



GISER2424GR
24" x 24" Rectified Field Tile

SILVER



GISER4848SV
48" x 48" Rectified Field Tile



GISER2448SV
24" x 48" Rectified Field Tile



GISER1224SV
12" x 24" Rectified Field Tile



GISER324BNSV
3" x 24" Bullnose



GISER2424SV
24" x 24" Rectified Field Tile

TECHNICAL SPECIFICATIONS


Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.66	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Rectified Field Tile	7	13.56	57.33	40	542.40	2293.20
24x24 Rectified Field Tile	4	15.50	61.03	32	496	1952.96
24x48 Rectified Field Tile	2	15.50	47.37	40	620	1894.80
48x48 Rectified Field Tile	2	31.01	137.78	20	620.20	2755.60
3x24 Bullnose	18	-	50	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Ceppo Reale, Grigio 24" x 24" Rectified Field Tile
and 5" x 48" Scored & Rectified Decoria Field Tile


ceppo reale

ceppo_reale


fashionable fragments in a mineral matrix create this posh & peerless porcelain package of stylish sizes and shades

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO



GICPC2448BIA
24" x 48" Rectified Field Tile




GICPC2424BIA
24" x 24" Rectified Field Tile




GICPC548BIA
5" x 48" Scored & Rectified Decoria Field Tile

GRIGIO



GICPC2448GR
24" x 48" Rectified Field Tile




GICPC2424GR
24" x 24" Rectified Field Tile




GICPC548GR
5" x 48" Scored & Rectified Decoria Field Tile

BEIGE



GICPC2424BGE
24" x 48" Rectified Field Tile




GICPC2424BGE
24" x 24" Rectified Field Tile




GICPC548BGE
5" x 48" Scored & Rectified Decoria Field Tile

ANTHRACITE



GICPC2448AN
24" x 48" Rectified Field Tile



GICPC2424AN
24" x 24" Rectified Field Tile




GICPC548AN
5" x 48" Scored & Rectified Decoria Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x24 Rectified Field Tile	3	11.62	49.65	40	464.80	1986
24x48 Rectified Field Tile	2	15.49	33.58	36	557.64	1208.88
5x48 Rectified Listello Tile	4	7	66.12	30	210	1983.60

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Ceppo_Sicily, Taupe 24" x 48" Rectified Field Tile

ceppo_sicily

ceppo_sicily

a sophisticated & strong sicilian breccia stone interpretation blended with neutral warm tones in high performance large format porcelain

COLORED BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIOCPS2448BGE
24″ x 48″
Rectified Field Tile



GIOCPS4848BGE
48″ x 48″
Rectified Field Tile

TAUPE



GIOCPS2448TPE
24″ x 48″
Rectified Field Tile



GIOCPS4848TPE
48″ x 48″
Rectified Field Tile

CREAM



GIOCPS2448CRM
24″ x 48″
Rectified Field Tile



GIOCPS4848CRM
48″ x 48″
Rectified Field Tile

WHITE

GIOCPS2448WHT
24″ x 48″
Rectified Field Tile


GIOCPS4848WHT
48″ x 48″
Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
48″ x 48″ Rectified Field Tile	2	31.01	137.78	20	620.20	2755.60
24″ x 48″ Rectified Field Tile	2	15.50	61.72	35	542.50	2160.20

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Chalk, Tan 12x24 (Wall) and Terrazzo, Fleck Bianco 24x48 (Floor)

GIO
ARCHITECTURAL TILE + STONE

chalk

Hip hues of classic concrete colors, ideal for sleek, standard or sophisticated spaces

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE


BLACK




GICHK1224BL
12″ x 24″ Field Tile



GICHK312BNBL
3″ x 12″ Bullnose



GICHKMOSBL
2″ x 2″ Mosaic



GICHK612CBBL
6″ x 12″ Cove Base


NOCE




GICHK1224NO
12″ x 24″ Field Tile



GICHK312BNNO
3″ x 12″ Bullnose



GICHKMOSNO
2″ x 2″ Mosaic




GICHK612CBNO
6″ x 12″ Cove Base

CRÈME




GICHK1224CR
12″ x 24″ Field Tile



GICHK312BNCR
3″ x 12″ Bullnose



GICHKMOSCR
2″ x 2″ Mosaic




GICHK612CBCR
6″ x 12″ Cove Base

GREY



GICHK1224GR
12″ x 24″ Field Tile



GICHK312BNGR
3″ x 12″ Bullnose



GICHKMOSGR
2″ x 2″ Mosaic



GICHK612CBGR
6″ x 12″ Cove Base

TAN




GICHK1224TN
12″ x 24″ Field Tile



GICHK312BNTN
3″ x 12″ Bullnose



GICHKMOSTN
2″ x 2″ Mosaic



GICHK612CBTN
6″ x 12″ Cove Base

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12″ x 24″ Field Tile	8	15.75	59.07	32	503.04	1890.12
2″ x 2″ Mosaic	5	4.90	20	-	-	-
3″ x 12″ Bullnose	15	-	14.5	-	-	-
6″ x 12″ Cove Base	8	-	14	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.5%	ASTM C-373
C.O.F. (Dynamic)	0.55	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Chroma, Taupe 3x8 Glossy and Matte Field Tile

chroma


GIO
ARCHITECTURAL TILE + STONE

chroma


A trio of finishes in perfect porcelain pantones, classically designed in handmade artisan style blended with creative contemporary colors

FLOOR (MATTE ONLY) AND WALL GLAZED PORCELAIN STONEWARE AVAILABLE IN GLOSSY, MATTE & FLUTED FINISHES

AMORETTO




GICHR38AM
3″x 8″
Matte Field Tile




GICHR38AMP
3″x 8″
Glossy Field Tile




GICHR38AMF
3″x 8″
Fluted & Glossy Field Tile

BIANCO

GICHR38BI
3″x 8″
Matte Field Tile

GICHR38BIP
3″x 8″
Glossy Field Tile

GICHR38BIF
3″x 8″
Fluted & Glossy Field Tile

GREY




GICHR38GR
3″x 8″
Matte Field Tile




GICHR38GRP
3″x 8″
Glossy Field Tile




GICHR38GRF
3″x 8″
Fluted & Glossy Field Tile

TAUPE




GICHR38TP
3″x 8″
Matte Field Tile




GICHR38TPP
3″x 8″
Glossy Field Tile




GICHR38TPF
3″x 8″
Fluted & Glossy Field Tile

TURQUOISE





GICHR38TQP
3″x 8″
Glossy Field Tile




GICHR38TQF
3″x 8″
Fluted & Glossy Field Tile

ANTHRACITE




GICHR38ANP
3″x 8″
Glossy Field Tile





GICHR38ANF
3″x 8″
Fluted & Glossy Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3″x 8″ Field Tile	60	9.69	44	60	581.40	2640
3″x 8″ Fluted & Glossy Field Tile	50	8.40	41	60	504	2460

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic) Matte	0.42	ANSI 137.1
C.O.F. (Dynamic) Glossy	NOT COMPLIANT	ANSI 137.1
C.O.F. (Dynamic) Fluted & Glossy	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Claystone, Anthracite 18x36 and 12x24 Field Tile

claystone

Sophisticated striations and cool colors create the ideal accompaniment for your sleek, metropolitan spaces

INKJET COLORED BODY FLOOR & WALL GLAZED PORCELAIN STONEWARE

TENDER GREY



GICS1224TG
12" x 24" Field Tile



GICS612CBTG
6" x 12" Cove Base



GICSMOSTG
2" x 2" Mosaic



GICS324BNTG
3" x 24" Bullnose


ANTHRACITE



GICS1224AN
12" x 24" Field Tile



GICS612CBAN
6" x 12" Cove Base



GICSMOSAN
2" x 2" Mosaic



GICS324BNAN
3" x 24" Bullnose

SILVER



GICS1224SI
12" x 24" Field Tile



GICS612CBSI
6" x 12" Cove Base



GICSMOSSI
2" x 2" Mosaic



GICS324BNSI
3" x 24" Bullnose



PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Field Tile	8	15.751	56.07	32	504.032	1836
3" x 24" Bullnose	16	–	32	–	–	–
2" x 2" Mosaic	5	–	18	–	–	–
6" x 12" Cove Base	8	–	14	–	–	–

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	≥ 250 lbs.	ASTMC648
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2

MODERTE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

GREEN SQUARED
Certified by UL Environment



Featuring GIO Coccio, Silver Cenere 36 x 36 Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

coccio

With touches of terrazzo, stone, and cement presented in bold 36x36 tiles, this is the trifecta of modern surface style–daring design for your next project

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

IVORY CALCE



GICOC3636CAL
36" x 36" Rectified Field Tile

SILVER CENERE



GICOC3636CEN
36" x 36" Rectified Field Tile

GRIGIO CEMENTO



GICOC3636CTO
36" x 36" Rectified Field Tile

DARK GRAPHITE



GICOC3636GRP
36" x 36" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
36" x 36" Rectified Field Tile	2	17.43	79.36	20	348.60	1587.20

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	BOT 3000
Frost Resistance	RESISTANT	ASTM C1026
Thickness	11 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Colorplay, Crema 2x10 Bright Field Tile

GIO
ARCHITECTURAL TILE + STONE

colorplay

A burst of color and contoured edge subway tiles available to elevate any style of space

GLAZED CERAMIC STONEWARE AVAILABLE IN BRIGHT AND MATTE FINISHES

BIANCO

GICPY310BI
3" x 10" Matte Wall Tile

GICPY310BIB
3" x 10" Bright Wall Tile

BLACK





GICPY310BK
3" x 10" Matte Wall Tile

GICPY310BKB
3" x 10" Bright Wall Tile

BUFF





GICPY310BF
3" x 10" Matte Wall Tile

GICPY310BFB
3" x 10" Bright Wall Tile

GREY





GICPY310GR
3" x 10" Matte Wall Tile

GICPY310GRB
3" x 10" Bright Wall Tile

CREMA




GICPY310CR
3" x 10" Matte Wall Tile

GICPY310CRB
3" x 10" Bright Wall Tile

COBALT





GICPY310CBB
3" x 10" Bright Wall Tile

SAPPHIRE





GICPY310SPB
3" x 10" Bright Wall Tile

ROSSO






GICPY310ROB
3" x 10" Bright Wall Tile

VERDE





GICPY310VDB
3" x 10" Bright Wall Tile

GIALLO






GICPY310GIB
3" x 10" Bright Wall Tile

ORANGE






GICPY310OGB
3" x 10" Bright Wall Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 10" Wall Tile	30	5.60	13.5	152	851.20	2034

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	20%	ISO 10545-3
PEI	WALL ONLY	C1027 Test
C.O.F. (Dynamic)	Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	7 mm	Factory Provided



Featuring GIO Contempo, Fior 12x24 Polished and Rectified

GIO
ARCHITECTURAL TILE + STONE

contempo

The look of marble becomes a contemporary contender when interpreted in trendy shapes, tones, and juxtaposed finishes; an edgy blend of sophistication for modern styles

INKJET POLISHED AND MATTE FLOOR AND WALL GLAZED PORCELAIN STONEWARE.

CALCATTA

GICON2448CAL
24" x 48" Rectified Field Tile

GICON2448CALP
24" x 48" Polished & Rectified Field Tile



GICON2424CAL
24" x 24" Rectified Field Tile

GICON2424CALP
24" x 24" Polished & Rectified Field Tile

GICON1224CAL
12" x 24" Rectified Field Tile

GICON1224CALP
12" x 24" Polished & Rectified Field Tile



GICON1212CAL
12" x 12" Rectified Field Tile

GICON1212CALP
12" x 12" Polished & Rectified Field Tile


GICON312CAL
3" x 12" Bullnose

GICON312CALP
3" x 12" Polished Bullnose

GICONHEXCAL
9" x 11" Hexagon Mosaic

GICONHEXCALP
9" x 11" Polished
Hexagon Mosaic

FIOR




GICON2448FIO
24" x 48" Rectified Field Tile

GICON2448FIOP
24" x 48" Polished & Rectified Field Tile



GICON2424FIO
24" x 24" Rectified Field Tile

GICON2424FIOP
24" x 24" Polished & Rectified Field Tile



GICON1224FIO
12" x 24" Rectified Field Tile

GICON1224FIOP
12" x 24" Polished & Rectified Field Tile




GICON1212FIO
12" x 12" Rectified Field Tile

GICON1212FIOP
12" x 12" Polished & Rectified Field Tile

GICON312FIO
3" x 12" Bullnose

GICON312FIOP
3" x 12" Polished Bullnose



GICONHEXFIO
9" x 11" Hexagon Mosaic

GICONHEXCFIO
9" x 11" Polished
Hexagon Mosaic

PULPIS




GICON2448PUL
24" x 48" Rectified Field Tile

GICON2448PULP
24" x 48" Polished & Rectified Field Tile



GICON2424PUL
24" x 24" Rectified Field Tile

GICON2424PULP
24" x 24" Polished & Rectified Field Tile



GICON1224PUL
12" x 24" Rectified Field Tile

GICON1224PULP
12" x 24" Polished & Rectified Field Tile



GICON1212PUL
12" x 12" Rectified Field Tile

GICON1212PULP
12" x 12" Polished & Rectified Field Tile

GICON312PUL
3" x 12" Bullnose


GICON312PULP
3" x 12" Polished Bullnose



GICONHEXPUL
9" x 11" Hexagon Mosaic


GICONHEXPULP
9" x 11" Polished
Hexagon Mosaic

MARQUINA



GICON2448MAR
24" x 48" Rectified Field Tile

GICON2448MARP
24" x 48" Polished & Rectified Field Tile



GICON2424MAR
24" x 24" Rectified Field Tile

GICON2424MARP
24" x 24" Polished & Rectified Field Tile



GICON1224MAR
12" x 24" Rectified Field Tile

GICON1224MARP
12" x 24" Polished & Rectified Field Tile



GICON1212MAR
12" x 12" Rectified Field Tile

GICON1212MARP
12" x 12" Polished & Rectified Field Tile

GICON312MAR
3" x 12" Bullnose

GICON312MARP
3" x 12" Polished Bullnose



GICONHEXMAR
9" x 11" Hexagon Mosaic

GICONHEXMARP
9" x 11" Polished
Hexagon Mosaic

SHADE VARIATION AND APPLICATIONS



	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24"x 24" Rectified Field Tile	4	16	56	36	576	2016
24"x 48" Rectified Field Tile	2	16	115	21	504	2419
12"x 24" Rectified Field Tile	6	12	52.80	48	576	2534
12"x 12" Rectified Field Tile	16	15.04	51.14	48	721.92	2529.53
3"x 12" Rectified Field Tile	12	3	12.60	168	2016	2117
3"x 12" Bullnose	12	-	-	-	-	-
9"x 11" Hexagon Mosaic	10	7.25	37	45	450	1665

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.05%	ASTM C-373
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	10 mm	Factory Provided

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Corton, Beige 36x36 Honed & Rectified Field Tile

corton

a fashionable french limestone inspired porcelain pallet
complete with sophisticated sizes and high fashion finishes

INKJET RECTIFIED FLOOR, WALL & PAVER GLAZED PORCELAIN STONEWARE

WHITE



GICOR3636WT
36″ x 36″ Honed & Rectified Field Tile



GICOR2448WT
24″ x 48″ Honed & Rectified Field Tile
GICOR2448WTF
24″ x 48″ Flamed & Rectified Field Tile



GICOR2424WTPVR[i/o]
24″ x 24″ Honed & Rectified Paver



GICOR1224WT
12″ x 24″
Honed & Rectified
Field Tile



GICORMOSWT
12″ x 12″ Honed
Basketweave Mosaic



GICOR424BNWT
4″ x 24″ Honed Bullnose

GRAY



GICOR3636GR
36″ x 36″ Honed & Rectified Field Tile



GICOR2448GR
24″ x 48″ Honed & Rectified Field Tile
GICOR2448GRF
24″ x 48″ Flamed & Rectified Field Tile



GICOR2424GRPVR[i/o]
24″ x 24″ Honed & Rectified Paver



GICOR1224GR
12″ x 24″
Honed & Rectified
Field Tile



GICORMOSGR
12″ x 12″ Honed
Basketweave Mosaic



GICOR424BNGR
4″ x 24″ Honed Bullnose

BEIGE




GICOR3636BE
36″ x 36″ Honed & Rectified Field Tile



GICOR2448BE
24″ x 48″ Honed & Rectified Field Tile
GICOR2448BEF
24″ x 48″ Flamed & Rectified Field Tile



GICOR2424BEPVR[i/o]
24″ x 24″ Honed & Rectified Paver



GICOR1224BE
12″ x 24″
Honed & Rectified
Field Tile



GICORMOSBE
12″ x 12″ Honed
Basketweave Mosaic



GICOR424BNBE
4″ x 24″ Honed Bullnose

TAUPE




GICOR3636TP
36″ x 36″ Honed & Rectified Field Tile



GICOR2448TP
24″ x 48″ Honed & Rectified Field Tile
GICOR2448TPF
24″ x 48″ Flamed & Rectified Field Tile



GICOR1224TP
12″ x 24″
Honed & Rectified
Field Tile



GICORMOSTP
12″ x 12″ Honed
Basketweave Mosaic



GICOR424BNTP
4″ x 24″ Honed Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
36x36 Rectified Field Tile	2	17.40	78.20	30	522	2346
24x48 Rectified Field Tile	2	15.39	64.98	40	615.70	2649
12x24 Rectified Field Tile	8	15.62	58.20	32	499.84	1912
24x24 Rectified Paver	2	7.79	69	36	280.44	2534
Basketweave Mosaic	5	4.84	19.40	90	435.60	1796
4x24 Bullnose	16	-	39.46	-	-	-


i/o - INSIDE AND OUTSIDE

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (0.64 - Paver)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm (20mm Paver)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Cotto_Cemento, 48x48 White Rectified Field Tile (walls),
Rust 24x48 Rectified Field Tile (floor)

cotto_cemento

clean & contemporary, light cement blended with terra cotta, complete with creative colors and a touch of texture in large format forward fashion

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GICTC4848BE
48" x 48" Rectified Field Tile



GICTC2448BE
24" x 48" Rectified Field Tile

GREY



GICTC4848GR
48" x 48" Rectified Field Tile



GICTC2448GR
24" x 48" Rectified Field Tile

WHITE

GICTC4848WH
48" x 48" Rectified Field Tile


GICTC2448WH
24" x 48" Rectified Field Tile

BURGUNDY



GICTC2448BU
24" x 48" Rectified Field Tile

AQUA BLUE



GICTC2448ABL
24" x 48" Rectified Field Tile

RUST




GICTC2448RU
24" x 48" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	4	31.01	100.32	16	496.16	1605.12
48x48 Rectified Field Tile	1	15.50	78	36	558	2808

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	6.5 mm (24x48), 10 mm (48x48)	Factory Provided



Featuring GIO Crema_Avorio, 24 x 48 Polished & Rectified

crema_avorio

An expression of prestigious Sicilian marble and rich veining interpreted in a plush porcelain palette

INKJET RECTIFIED POLISHED AND HONED, FLOOR & WALL GLAZED PORCELAIN STONEWARE





GICRA2424H
24" x 24"
Antique Honed & Rectified Field Tile



GICRA2448P
24" x 48"
Polished & Rectified Field Tile

GICRA2448H
24" x 48"
Antique Honed & Rectified Field Tile



GICRASMOS
1" x 3"
Antique Honed Stacked Mosaic


PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	72.74	30	465	2182.20
24x24 Rectified Field Tile	3	11.62	54.24	40	464.80	2169.60
1x3 Stacked Mosaic	10	10	50	-	-	-

100 sq. ft. minimum

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Honed - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Curve, Blue 4" x 16" Matte & Grooved Reeded Wall Tile

curve

curve


a creative curation of convex and curved ceramic surfaces in glossy & matte finishes, decorative depth in tile design!

THREE DIMENSIONAL GLAZED CERAMIC STONEWARE IN TWO FINISHES & SURFACES - WALL ONLY

COTTO ALMOND



GICUR416ALRB
4" x 16" Matte & Raised Ribbed Wall Tile




GICUR416ALRD
4" x 16" Matte & Grooved Reeded Wall Tile

BLUE



GICUR416BLRB
4" x 16" Matte & Raised Ribbed Wall Tile



GICUR416BLRD
4" x 16" Matte & Grooved Reeded Wall Tile

BONE



GICUR416BNRB
4" x 16" Matte & Raised Ribbed Wall Tile

GICUR416BNRD
4" x 16" Matte & Grooved Reeded Wall Tile

WHITE

GICUR416WTRB
4" x 16" Matte & Raised Ribbed Wall Tile

GICUR416WTRD
4" x 16" Matte & Grooved Reeded Wall Tile

GICUR416WTRBG
4" x 16" Glossy & Raised Ribbed Wall Tile

GICUR416WTRDG
4" x 16" Glossy & Grooved Reeded Wall Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4" x 16" Grooved Ribbed Wall Tile	24	10.49	27	72	755.28	1944
4" x 16" Grooved Reeded Wall Tile	24	10.49	27	72	755.28	1944

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
Chemical Resistance	RESISTANT
Thickness (Factory Provided)	Grooved Reeded -10 mm
Thickness (Factory Provided)	Raised Ribbed -15 mm

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Crystal Glass Collection, 3x12 Grey Sage

crystal glass collection

Fine design crystallized in versatile glass mosaics in a range of shimmery, cool colors and an array of sizes

SOLID GLASS COLLECTION AVAILABLE IN BRIGHT FINISH, BRICK AND LINEAR MOSAICS, FIELD TILE & BLENDED MESH MOUNTED MOSAICS

random linear mosaics



GICGCRLMSI
silver beige



GICGCRLMDB
dark beige

GICGCRLMBI
bianco



GICGCRLMBON
bone



GICGCRLMGS
grey sage

blended random linear mosaics



GICGCBRLGB
graphite blend



GICGCBRLDBB
dark beige blend

2 x 6 brick mosaics



GICGC26BSI
silver beige



GICGC26BDB
dark beige

GICGC26BBI
bianco

GICGC26BBON
bone




GICGC26BGS
grey sage

straight stacked mosaics



GICGCSSMGS
graphite stacked



GICGCSSMDB
dark beige stacked

3 x 12



GICGC312SI
silver beige



GICGC312DB
dark beige



GICGC312GS
grey sage

GICGC312BON
bone

GICGC312BI
bianco

TECHNICAL SPECIFICATIONS		
DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Deep Abrasion Test	WALL ONLY	C1027
Water Absorption	0.5%	C373
Chemical Resistance/Stain Resistance	RESISTANT	C650 (Chemical), C1378 (Stain)
Dynamic	WALL ONLY	ASTM C1028-7: 2006
Thickness	10 mm	FACTORY PROVIDED



Featuring GIO Dorato, Silver Grey 12x24 (Wall) and Loft, Taupe 8x48 (Floor)


GIO
ARCHITECTURAL TILE + STONE

dorato


Travertine's luxe look in all its vein-cut, sophisticated glory – interpreted in durable porcelain, offered in undulating neutrals and modern sizes – a timeless style catches a modern wave

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIDO1224BE
12" x 24" Field Tile



GIDOMOSBE
12" x 12" Mesh Mounted Mosaic




GIDO424BE
4" x 24" Bullnose

IVORY



GIDO1224IV
12" x 24" Field Tile



GIDOMOSIV
12" x 12" Mesh Mounted Mosaic



GIDO424IV
4" x 24" Bullnose

SILVER GREY



GIDO1224SGR
12" x 24" Field Tile




GIDOMOSSGR
12" x 12" Mesh Mounted Mosaic



GIDO424SGR
4" x 24" Bullnose

WARM GREY



GIDO1224WGR
12" x 24" Field Tile



GIDOMOSWGR
12" x 12" Mesh Mounted Mosaic



GIDO424WGR
4" x 24" Bullnose

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Field Tile	8	15.82	66.58	32	506.32	2130.56
4" x 24" Bullnose	16	-	43.87	60	–	2632.20
12" x 12" Mesh Mounted Mosaic	4	3.87	16.53	81	313.87	1338.93

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	250 lbs.	ASTMC648
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Emilia, 16x24 Field Tile

emilia

a uniquely chiseled choice of lush limestone interpreted in porcelain patterns of neutral natural shades

INKJET CHISELED EDGE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GIOEMI816
8" x 16" Field Tile



GIOEMI1624
16" x 24" Field Tile



GIOEMIVER
Versailles Pattern

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
16x24 Field Tile	4	10.33	50	60	619.80	3000
8x16 Field Tile	13	11.19	47	45	503.55	2115
Versailles Pattern	6	7.75	33	80	620	2640

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Essentials, Light Grey 12x24 Field Tile

GIO
ARCHITECTURAL TILE + STONE

essentials

artistic aesthetics designed for utility and first class function
in versatile visuals for a range of design options

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

MANHATTAN GREY



GIESMAN2448CGR
24" x 48" Field Tile



GIESMAN1224CGR
12" x 24" Field Tile



GIESMANMOSCGR
2" x 2" Mosaic



GIESMANBNCGR
3" x 24" Bullnose

MANHATTAN WHITE

GIESMAN2448WHT
24" x 48" Field Tile

GIESMAN1224WHT
12" x 24" Field Tile

GIESMANMOSWHT
2" x 2" Mosaic

GIESMANBNWHT
3" x 24" Bullnose

WHITE

GIESSC1224WT
12" x 24" Field Tile

GIESSCMOSWT
2" x 2" Mosaic

GIESSCBNWT
3" x 24" Bullnose

LIGHT GREY



GIESSC1224LG
12" x 24" Field Tile



GIESSCMOSLG
2" x 2" Mosaic



GIESSCBNWT
3" x 24" Bullnose

DARK GREY



GIESSC1224DG
12" x 24" Field Tile



GIESSCMOSDG
2" x 2" Mosaic



GIESSCBNDG
3" x 24" Bullnose

BEIGE



GIESSC1224BE
12" x 24" Field Tile




GIESSCMOSBE
2" x 2" Mosaic



GIESSCBNBE
3" x 24" Bullnose

SHADE VARIATION AND APPLICATIONS



	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.5%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	8 mm	Factory Provided



Featuring GIO Fio, Glossy Gold 4" x 4" Field Tile

GIO
ARCHITECTURAL TILE + STONE

fio

a zealous zellige interpretation, vibrant and alive with fiery, flower-esque coloration, culminated into two functional finishes

INKJET RECTIFIED GLAZED PORCELAIN STONEWARE -
AVAILABLE IN GLOSSY & MATTE FINISHES (GLOSSY FINISH - WALL ONLY)

4x4 glossy finish


SAND





GIFIO44SAGLS
4" x 4" Glossy
Field Tile


GOLD





GIFIO44GOGLS
4" x 4" Glossy
Field Tile


DEEP BLUE





GIFIO44DBGLS
4" x 4" Glossy
Field Tile


SAGE





GIFIO44SGGLS
4" x 4" Glossy
Field Tile

MINT






GIFIO44MIGLS
4" x 4" Glossy
Field Tile

WHITE

GIFIO44WHGLS
4" x 4" Glossy
Field Tile

GREEN





GIFIO44GRGLS
4" x 4" Glossy
Field Tile

4x4 matte finish

NOCE





GIFIO44NOMT
4" x 4" Matte
Field Tile

WHITE

GIFIO44WHTMT
4" x 4" Matte
Field Tile

SAND





GIFIO44SDMT
4" x 4" Matte
Field Tile

CLAY






GIFIO44CLMT
4" x 4" Matte
Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4" x 4" Field Tile	44	5.38	22	108	581.25	2376

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor (Matte Only)	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	4
Water Absorption	0.5%
Chemical Resistance	RESISTANT
C.O.F. Glossy	WALL RATED ONLY
C.O.F. Matte	0.42
Thickness	9 mm



Featuring GIO Flora, Azure 4" x 4" Decor Wall Tile

flora


GIO
ARCHITECTURAL TILE + STONE

flora

vintage fashionable & floral encaustic decorative tiles in a bevy of beautiful colors and designs

GLAZED & ANTIQUED CERAMIC STONEWARE, GLOSSY & MATTE FINISH - WALL ONLY

ASH





GIOFLR44ASH
4" x 4" Decor Wall Tile


MARIGOLD





GIOFLR44MRG
4" x 4" Decor Wall Tile

LACE





GIOFLR44LAC
4" x 4" Decor Wall Tile

VINE





GIOFLR44VIN
4" x 4" Decor Wall Tile


LATTE





GIOFLR44LAT
4" x 4" Decor Wall Tile

AZURE





GIOFLR44AZU
4" x 4" Decor Wall Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4x4 Decor Wall Tile	51	5.49	18.22	98	537.78	1811.80

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	14%	ISO 10545-3
PEI	WALL ONLY	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm	Factory Provided



Featuring GIO Fountaine, Noce 3 x 18

GIO
ARCHITECTURAL TILE + STONE

fountaine

Parlay wood-look porcelain planks into historically cool herringbone configurations, infusing the zig and zag of centuries-old style into your contemporary surface designs

INK JET COLOR BODY FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO

GIFOU318BI
3" x 18" Field Tile



WARM GREY

GIFOU318WG
3" x 18" Field Tile



NOCE

GIFOU318NO
3" x 18" Field Tile



ANTHRACITE

GIFOU318AN
3" x 18" Field Tile



ASH GREY

GIFOU318AG
3" x 18" Field Tile



PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 18" Field Tile	26	9.69	40.04	42	407	1696.80

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.5%	ASTM C-373
C.O.F. (Dynamic) Matte	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Frammento, Beige 24x48 Rectified Field Tile

Frammento

frammento


a mix of on-trend colors collaborate with edgy elements of cement, terrazzo, sandstone and pebbles in a picturesque porcelain material with old world stone originality

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIFRM2448BG
24" x 48" Rectified Field Tile



GIFRM1224BG
12" x 24" Rectified Field Tile



GIFRMMOSBG
2" x 2" Mosaic



GIFRM612CBBG
6" x 12" Cove Base




GIFRM324BNBG
3" x 24" Bullnose


GREIGE



GIFRM2448GR
24" x 48" Rectified Field Tile



GIFRM1224GR
12" x 24" Rectified Field Tile



GIFRMMOSGR
2" x 2" Mosaic



GIFRM612CBGR
6" x 12" Cove Base




GIFRM324BNGR
3" x 24" Bullnose


LIGHT GREY



GIFRM2448BG
24" x 48" Rectified Field Tile



GIFRM1224LG
12" x 24" Rectified Field Tile



GIFRMMOSLG
2" x 2" Mosaic



GIFRM612CBLG
6" x 12" Cove Base



GIFRM324BNLG
3" x 24" Bullnose


WHITE



GIFRM2448WT
24" x 48" Rectified Field Tile



GIFRM1224WT
12" x 24" Rectified Field Tile



GIFRMMOSWT
2" x 2" Mosaic



GIFRM612CBWT
6" x 12" Cove Base

GIFRM324BNWT
3" x 24" Bullnose

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	60	35	542.50	2100
12x24 Rectified Field Tile	2	15.75	56	32	504.03	1831
2x2 Mosaic	5	4.90	17.80	-	-	-
6x12 Cove Base	8	-	15	-	-	-
3x24 Bullnose	16	-	32	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

Featuring GIO Fusion, Platinum 24x24 Rectifed

GIO
ARCHITECTURAL TILE + STONE

fusion

The style of cement with subtle striations offered in rich, versatile neutrals and generous sizes and trims– a concrete solution and your go-to tile of choice for contemporary commercial projects

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO

GIFU1224BI
12″ x 24″ Rectified Field Tile

GIFU2424BI
24″ x 24″ Rectified Field Tile



GIFUMOBI
2″ x 2″ Mosaic

GIFU324BNBI
3″ x 24″ Bullnose

GIFU612CBBI
6″ x 12″ Cove Base

PLATINUM



GIFU1224PL
12″ x 24″ Rectified Field Tile



GIFU2424PL
24″ x 24″ Rectified Field Tile



GIFUMOPL
2″ x 2″ Mosaic



GIFU324BNPL
3″ x 24″ Bullnose



GIFU612CBPL
6″ x 12″ Cove Base

BONE



GIFU1224BN
12″ x 24″ Rectified Field Tile



GIFU2424BN
24″ x 24″ Rectified Field Tile



GIFUMOBN
2″ x 2″ Mosaic



GIFU324BNBN
3″ x 24″ Bullnose




GIFU612CBBN
6″ x 12″ Cove Base

IRON



GIFU1224IR
12″ x 24″ Rectified Field Tile



GIFUMOIR
2″ x 2″ Mosaic



GIFU324BNIR
3″ x 24″ Bullnose



GIFU612CBIR
6″ x 12″ Cove Base

TECHNICAL SPECIFICATIONS


DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24″x 24″ Rectified Field Tile	3	11.63	47.62	40	465	1904.77
12″x 24″ Rectified Field Tile	7	13.56	55.55	40	542.51	2222
2″x 2″ Mosaic	10	9.69	40	-	-	-
3″x 24″ Bullnose	10	-	20	-	-	-
6″x 12″ Cove Base	20	-	40	-	-	-


SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Geometry Hex Collection, 2x2 Brite White & Black Carbon Unglazed

geometry hex collection

GIO
ARCHITECTURAL TILE + STONE

geometry hex collection (2.0)

Six sides, endless possibilities in a spectrum of urban colors
mix and match for modern or retro hex appeal

2x2 glazed hexagon mosaic

GIGHX22SWTGL
standard white

GIGHX22AGAGL
architectural grey



GIGHX22BLGL
blue



GIGHX22SAGL
sage



GIGHX22STGL
stone taupe

GIGHX22VGGL
vintij

2x2 unglazed hexagon mosaic

GIGHX22BWUN
brite white



GIGHX22BLUN
black carbon

GIGHX22AGUN
architectural grey



GIGHX22DLUN
dark lead



GIGHX22PLUN
platino

GIGHX22VIUN
vintij

2x2 glazed & structured

GIGHX22AWGS
simple white



GIGHX22BCGS
black charcoal

GIGHX22BSGS
new biscuit



GIGHX22KHGS
buff khaki



GIGHX22SAGS
sand beige




GIGHX22CGGS
cool grey




GIGHX22CRRGS
carrara

1x1 glazed hexagon mosaic

GIGHX11WTGL
standard white matte




GIGHX11BCGL
black charcoal glossy



GIGHX11CGGL
cool grey glossy

GIGHX11SWGL
simple white glossy

GIGHX11AGGL
architectural grey matte



GIGHX11STGL
stone taupe matte

GIGHX11VGGL
vintij matte



GIGHX11WTBGL
standard white
with blue matte



GIGHX11WSTGL
standard white
with stone taupe matte



GIGHX11WTSGL
standard white
with sage matte



GIGHX11WWBGL
standard white
with black matte



GIGHX11WBFGL
black & white
flower

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	CLASS A	C650 Test
Water Absorption	0.05%	C373 Test
PEI	3	C1027 Test
C.O.F. (Wet) UNGLAZED	1.09	ASTM C1028
C.O.F. (Dry) UNGLAZED	0.77	ASTM C1028
C.O.F. (Wet) GLAZED	0.82	ASTM C1028
C.O.F. (Dry) GLAZED	0.61	ASTM C1028
Thickness	1/4" / 5.5mm	-
D.C.O.F. UNGLAZED	0.51	BOT 3000




Featuring GIO Geometry, Options Convex Standard White Glossy

GIO
ARCHITECTURAL TILE + STONE


geometry options collection (2.0)

So many shapes and shades—elegantly, geometrically superlative selections for your every design whimsy

mini stacked linea mosaics



GIGOPMSLSTG
steel grey
antiqued & glossy




GIGOPMSLSRF
surf green
antiqued & glossy



GIGOPMSLMVG
villa grey
antiqued & glossy



GIGOPMSLMMG
mist grey
antiqued & glossy



GIGOPMSLMBL
blue
antiqued & glossy




GIGOPMSLMPW
pure white
antiqued & glossy



GIGOPMSLMAW
antique white
antiqued & glossy

black & white



GIGOP13BRKBLM
1x3 brick black
matte



GIGOP13BRKWT
1x3 brick white
glossy



GIGOP13HBBLM
1x3 brick black
matte herringbone



GIGOP13HBWT
1x3 brick white
glossy herringbone

riad



GIGOPRISWB
white glossy

convex



GIGOPCONSW
standard white glossy

2x6 brick

GIGOP26BRKWTMT
standard white matte


GIGOP26BRKWTGL
standard white glossy

GIGOP26BRKVNMT
vintij matte

GIGOP26BRKVNGL
vintij glossy


GIGOP26BRKAGMT
architectural grey matte

GIGOP26BRKAGGL
architectural grey glossy




GIGOP26BRKSTMT
stone taupe matte

GIGOP26BRKSTGL
stone taupe glossy



GIGOP26BRKWBMT
warm black matte

GIGOP26BRKWBGL
warm black glossy



GIGOP26BRKBLMT
blue matte

GIGOP26BRKBLGL
blue glossy

2x6 herringbone

GIGOP26HBWTMT
standard white matte

GIGOP26HBWTGL
standard white glossy

GIGOP26HBVNMT
vintij matte

GIGOP26HBVNGL
vintij glossy



GIGOP26HBAGMT
architectural grey matte

GIGOP26HBAGGL
architectural grey glossy



GIGOP26HBSTMT
stone taupe matte

GIGOP26HBSTGL
stone taupe glossy



GIGOP26HBWBMT
warm black matte

GIGOP26HBWBGL
warm black glossy



GIGOP26HBBLMT
blue matte

GIGOP26HBBLGL
blue glossy

basketweave



GIGOPBASWB
standard white with
black dot matte



GIGOPBASWG
standard white with
grey dot matte



GIGOPBASWT
standard white with
stone taupe dot matte



GIGOPBASWS
standard white with
sage dot matte



GIGOPBASBL
standard white with
blue dot matte

pinwheel



GIGOPPINW
pinwheel matte


octagon

GIGOPOCSWT
snow white

GIGOPOCSWTAS
snow white
anti-slip




GIGOPCOSWG
snow white & glossy grey



GIGOPOCSWB
snow white & black

GIGOPOCSWBAS
snow white & black
anti-slip

mini-herringbone



GIGOPMHRSWB
white glossy

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	CLASS A	C650 Test
Water Absorption	0.05%	C373 Test
PEI	3	C1027 Test
C.O.F. (Wet) GLAZED	0.61	ASTM C1028
C.O.F. (Dry) GLAZED	0.82	ASTM C1028
Thickness	1/4" / 5.5mm	-
D.C.O.F.	N/A	BOT 3000



Featuring GIO Geometry Pennyround Collection, Black Bright

geometry pennyround collection

GIO
ARCHITECTURAL TILE + STONE


geometry pennyround collection (2.0)


So many styles and shades, elegant pennyround selections for your every design whimsy


standard glossy


GIPNAGBR
architectural grey bright

GIPNSWBR
standard white bright



GIPNBLKBR
black bright


GIGOPRSTGL
stone taupe bright


GIGOPRBLGL
blue bright


GIGOPRSGGL
sage bright


GIGOPRVNB
vintij bright



GIGOPWBKB
warm black


standard matte


GIPNAGMT
architectural grey matte

GIPNSWMT
white matte



GIPNCBLMT
black matte


GIGOPRSTMT
stone taupe matte


GIGOPRBLMT
blue matte



GIGOPRSGMT
sage matte


GIGOPRVNMT
vintij matte



GIGOPWBKMT
warm black

unglazed


GIGOPRBWUG
brite white


GIGOPRBCUG
black carbon



GIGOPRDLUG
dark lead



GIGOPRPLUG
platino

antiqued & glossy



GIPNCBLBR
cobalt blue bright



GIPNPWTBR
pure white bright



GIPNSGRBR
surf green bright



GIPNVGRBR
villa grey bright

satin structured



GIPNPBLSS
pale blue



GIPNMDNSS
midnight navy



GIPNCTPSS
coastal taupe


GIPNGRYSS
grey


GIPNSNDSS
sand



GIPNBLKSS
black



GIPNGRNSS
green



GIPNTELSS
teal

satin structured (2”)



GIPNPBLSS2
pale blue



GIPNMDNSS2
midnight navy



GIPNCTPSS2
coastal taupe


GIPNGRYSS2
grey


GIPNSNDSS2
sand



GIPNBLKSS2
black



GIPNGRNSS2
green


GIPNTELSS2
teal

rounds (2”)


GIGOPDTWHM
white matte 2”


GIGOPDTCAM
carrara matte 2”


GIGOPDTAWB
antique white bright 2”

TECHNICAL SPECIFICATIONS		
Description	Result	Test Method (Standard)
Chemical Resistance	CLASS A	C650 Test
Water Absorption	0.05%	C373 Test
PEI	3	C1027 Test
C.O.F. (Wet) GLAZED	0.61	ASTM C1028
C.O.F. (Dry) GLAZED	0.82	ASTM C1028
Thickness	1/4” / 5.5mm	-
D.C.O.F.	N/A	BOT 3000

NOT ALL PENNYROUNDS ARE COMPATIBLE TO BE BLENDED. PLEASE CONTACT SALES@GIOTILE.COM BEFORE SPECIFYING MULTIPLE COLORS/FINISHES TO BE SURE “CERTAIN COMBINATIONS” ARE SUITABLE FOR INSTALLATION!



Featuring GIO Geometry Picket, Purity White 2x5 Beveled Glossy Mosaic

geometry picket

geometry picket collection


"pick" your preferred picket style, vertical, horizontal, beveled, matte & glossy colors in a classic elongated hexagon shape, mesh mounted mosaics ready for market

GLAZED PORCELAIN STONEWARE MESH MOUNTED MOSAICS - WALL ONLY

2x5 beveled and glossy



GIGPKPWBVL
purity white
glossy




GIGPKCBBVL
cool blend
glossy



GIGPKLGBVL
light grey
glossy




GIGPKTPBVL
taupe
glossy




GIGPKDBBVL
dark blue
glossy

2x5 matte finish

GIGPKVNMT
vintij
matte




GIGPKAGMT
architectural grey
matte



GIGPKSTMT
stone taupe
matte


GIGPKSWMT
standard white
matte




GIGPKWBMT
warm black
matte

2x5 glossy finish

GIGPKVNGL
vintij
glossy




GIGPKAGGL
architectural grey
glossy



GIGPKSTGL
stone taupe
glossy

GIGPKSWGL
standard white
glossy




GIGPKWBGL
warm black
glossy

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	3	C1027 Test
C.O.F. (Dynamic) Matte	NOT COMPLIANT	ANSI 137.1
C.O.F. (Dynamic) Glossy	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	6 mm (Beveled 8 mm)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•		
Wall	•	•	•
Countertop			

Featuring GIO Geometry Squared Collection
Jet Black and Ice White 2x2 Unglazed Mosaic

geometry squared collection

geometry squared collection (2.0)

It's hip to be squared with these mosaic pieces combining for functional, custom style, cornering the market on classic design


2x2 unglazed




GIGSQ22WBLUN
warm black

GIGSQ22VNUN
vintij

GIGSQ22ARGUN
architectural grey



GIGSQ22JBUN
jet black




GIGSQ22ICWUN
ice white




GIGSQ22TPEUN
taupe

2x2 glazed

GIGSQ22STWGL
standard white



GIGSQ22ARGGL
architectural grey




GIGSQ22STPGL
stone taupe




GIGSQ22WBLGL
warm black

GIGSQ22VNGL
vintij


2x2 satin structured




GIGSQ22COTPE
coastal taupe



GIGSQ22GREY
grey



GIGSQ22SMDNY
midnight navy



GIGSQ22BLCK
black

GIGSQ22SAND
sand


3x3 glazed




GIGSQ33TRV
travertine



GIGSQ33WTM
white marble



GIGSQ33DGR
dark grey



GIGSQ33LGY
light grey

2x2 glazed & structured

GIGSQ22SIWGLS
simple white

GIGSQ22NBSGLS
new biscuit

GIGSQ22CGRGLS
cool grey

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	CLASS A	C650 Test
Water Absorption	0.05%	C373 Test
PEI	3	C1027 Test
C.O.F. (Wet) UNGLAZED	1.09	ASTM C1028
C.O.F. (Dry) UNGLAZED	0.77	ASTM C1028
C.O.F. (Wet) GLAZED	0.82	ASTM C1028
C.O.F. (Dry) GLAZED	0.61	ASTM C1028
Thickness	1/4" / 5.5mm	-
D.C.O.F. UNGLAZED	0.51	BOT 3000



Featuring GIO Glass & Stone Collection, Olive Linear Mosaic

glass & stone collection

glass & stone collection

Linear and square mosaics with sleak streaks of stone
and glass in a range of natural color collections

SOLID GLASS AND NATURAL STONE MESH MOUNTED RANDOM LINEAR AND SQUARE MOSAICS

linear blend mosaics



GIG&SLINOL
olive



GIG&SLINEM
emperador



GIG&SLINAQU
aqua



GIG&SLINOP
opus



GIG&SLINCR
crema



GIG&SLINBI
blue ice



GIG&SLINANT
anthracite




GIG&SLINBMA
blue marine


5/8 x 5/8 mosaics




GIG&S5858OL
olive




GIG&S5858EM
emperador



GIG&S5858AQU
aqua




GIG&S5858OP
opus




GIG&S5858CR
crema



GIG&S5858BI
blue ice



GIG&S5858ANT
anthracite



GIG&S5858BMA
blue marine

TECHNICAL SPECIFICATIONS	
Recommended Installation	Wall Only
Thickness	10.5 mm



Featuring GIO Granello, Clay Griege 24" x 24" Vivid Semi-Polished Finish, Rectified Field Tile

granello

GIO
ARCHITECTURAL TILE + STONE

granello


sophisticated surfaces in a lush limestone inspired offering with two tremendous tile textures, flawless finishes in natural or semi-polished porcelain

INKJET RECTIFIED NATURAL & SEMI-POLISHED FLOOR & WALL GLAZED PORCELAIN STONEWARE

ANTHRACITE



GIGNL2448ANT
24" x 48" Natural Finish,
Rectified Field Tile




GIGNL2424ANTSP
24" x 24" Vivid Semi-Polished
Finish, Rectified Field Tile

BEIGE



GIGNL2448BEI
24" x 48" Natural Finish,
Rectified Field Tile




GIGNL2424BEISP
24" x 24" Vivid Semi-Polished
Finish, Rectified Field Tile

AVORIO



GIGNL2448IVO
24" x 48" Natural Finish,
Rectified Field Tile



GIGNL2424IVOSP
24" x 24" Vivid Semi-Polished
Finish, Rectified Field Tile

CLAY GREIGE



GIGNL2448ARG
24" x 48" Natural Finish,
Rectified Field Tile




GIGNL2424ARGSP
24" x 24" Vivid Semi-Polished
Finish, Rectified Field Tile

WARM GREY



GIGNL2448GRI
24" x 48" Natural Finish,
Rectified Field Tile



GIGNL2424GRISP
24" x 24" Vivid Semi-Polished
Finish, Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	63	36	558	2268
24x24 Rectified Field Tile	4	15.72	66	32	503.04	2112

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	Natural Finish - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Semi-Polished - NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Handmade, Silver 3x12 Metallic

GIO
ARCHITECTURAL TILE + STONE

handmade

Chic meets antique in this modern collection masterfully crafted to converge old world style with fashion forward finishes, creating timeless or trendy looks your designing heart desires

GLAZED CERAMIC STONEWARE, AVAILABLE IN BRIGHT AND METALLIC FINISHES – WALL ONLY

3" x 12"

BONE

GIHAN312BO
3" x 12" Field Tile

CONCRETE



GIHAN312CON
3" x 12" Field Tile

GREY



GIHAN312GR
3" x 12" Field Tile

TAUPE



GIHAN312TP
3" x 12" Field Tile

BLUE



GIHAN312BL
3" x 12" Field Tile

ARGENTO



GIHAN312ARG
3" x 12" Field Tile

WARM WHITE

GIHAN312WW
3" x 12" Field Tile

SUPER WHITE

GIHAN312SW
3" x 12" Field Tile

SUPER WHITE MATTE

GIHAN312SWM
3" x 12" Matte Field Tile

4" x 4"

WARM WHITE

GIHAN44WW
4" x4" Field Tile

SUPER WHITE

GIHAN44SW
4" x4" Field Tile

2.5" x 10"

WARM WHITE

GIHAN210WW
2.5" x10" Field Tile

SUPER WHITE

GIHAN210SW
2.5" x10" Field Tile

7" hex

BONE



GIHANHEXBO
Hex Field Tile

SUPER WHITE

GIHANHEXSW
Hex Field Tile

GREY



GIHANHEXGR
Hex Field Tile

3" x 12" metallic

BRONZE



GIHAN312MBR
3" x 12" Field Tile

SILVER



GIHAN312MSV
3" x 12" Field Tile

3" x 6"

BONE

GIHAN36BO
3" x 6" Field Tile

SUPER WHITE

GIHAN36SW
3" x 6" Field Tile

GREY



GIHAN36GR
3" x 6" Field Tile

TAUPE



GIHAN36TP
3" x 6" Field Tile

CONCRETE



GIHAN36CON
3" x 6" Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 12" Field Tile	22	5.38	16.25	120	645.60	1950
3" x 6" Field Tile	44	5.38	16.25	120	645.60	1950
4" x 4" Field Tile	-	-	-	-	-	-
2.5" x 10" Field Tile	-	-	-	-	-	-
3" x 12" Crackle Field Tile	22	5.38	16.25	120	645.60	1950
7" Hex Field Tile	37	10.76	33	48	516.48	1584

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
MOHS	N/A
Thickness (Factory Provided)	10 mm

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			




Featuring GIO Hex_Frame, Graphite 7x8 Hexagon Framed Decor

hex_frame


The popular look of concrete + the preferred hexagonal shape = a powerhouse tile collection – Play with five chic neutrals, including fashionably framed options, to create sassy, classy surfaces

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

GRAPHITE



GIHXF78GRAHX
7″ x 8″ Hexagon Field Tile




GIHXF78GRADCR
7″ x 8″ Hexagon Framed Decor

LIGHT GREY



GIHXF78LGRHX
7″ x 8″ Hexagon Field Tile



GIHXF78LGRDCR
7″ x 8″ Hexagon Framed Decor


IVORY

GIHXF78IVYHX
7″ x 8″ Hexagon Field Tile




GIHXF78IVYDCR
7″ x 8″ Hexagon Framed Decor

BEIGE




GIHXF78BGEHX
7″ x 8″ Hexagon Field Tile




GIHXF78BGEDCR
7″ x 8″ Hexagon Framed Decor

AZURE



GIHXF78AZUHX
7″ x 8″ Hexagon Field Tile




GIHXF78AZUDCR
7″ x 8″ Hexagon Framed Decor

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
7″ x 8″ Hexagon	10	2.80	12.50	168	470.40	2100

SHADE VARIATION AND APPLICATIONS

V2




MODERATE VARIATION


	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.55	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided







Featuring CIO Hex_Leonis_White 7 x 8 Field Tile


GIO
ARCHITECTURAL TILE + STONE

hex_leonis


Bring rays of delight to floors and walls with this customizably cool collection of hexagonal porcelain tiles–offered in four versatile hues sleekly decorated with all the right angles

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE


BLACK




GIHLO78BLK
7" x 8" Field Tile




GREY




GIHLO78GRY
7" x 8" Field Tile



WHITE



GIHLO78WH
7" x 8" Field Tile




PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
7x8 Field Tile	25	7.69	30	80	615.05	2400

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic)	0.42	ANSI 137.1
Thickness	9 mm	Factory Provided
Chemical Resistance	EXCELLENT	ASTMC 650
Water Absorption	0.05%	C373 Test



Featuring GIO Hex_Prima, Black 7 x 8 Hexagon Field Tile

hex_prima

Discover the power of six in this classically contemporary collection: geometrically appealing hex tiles in a sextet of versatile neutral tones ready to dress walls and floors in style

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO


GIHPRHEXBIA
7" x 8" Hexagon Field Tile

BLACK



GIHPRHEXBLK
7" x 8" Hexagon Field Tile

BLUE




GIHPRHEXBLU
7" x 8" Hexagon Field Tile

DARK GREY




GIHPRHEXDGR
7" x 8" Hexagon Field Tile

LIGHT GREY



GIHPRHEXLTG
7" x 8" Hexagon Field Tile

TAUPE



GIHPRHEXTPE
7" x 8" Hexagon Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
7"x8" Hexagon Field Tile	16	4.94	23	100	494	2300

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.5%	C373 Test
C.O.F. (Dynamic)	0.50	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
PEI Rating	4	ASTM C-1027
Thickness	9.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM APPEARANCE

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Jura, Light Beige 24x48 Rectified Field Tile

jura

GIO
ARCHITECTURAL TILE + STONE

jura

rich, neutral and light organic tones, blended with fossils and shells in a timeless limestone interpretation, available in a trio of finishes

COLORBODY INKJET FLOOR, WALL & PAVER GLAZED PORCELAIN STONEWARE

LIGHT BEIGE



GIJUR2448LB
24" x 48" Honed & Rectified Field Tile



GIJUR1224LB
12" x 24"
Honed & Rectified Field Tile



GIJUR22MOSLB
2" x 2" Mosaic



GIJUR312BNLB
3" x 12" Bullnose



GIJUR2448LBL
24" x 48" Linear Rectified Field Tile



GIJUR1224LBL
12" x 24"
Linear Field Tile



GIPAV2448JRLB i/o
24" x 48" Porcelain Paver




GIPAV2424JRLB i/o
24" x 24" Porcelain Paver

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	16	55	36	576	2034
12x24 Rectified Field Tile	6	12	41	48	576	1968
24x48 Linear Rectified Field Tile	2	16	55	36	576	2034
12x24 Linear Rectified Field Tile	6	12	41	48	576	1968
24x48 Porcelain Paver	2	16	144	16	256	2304
24x24 Porcelain Paver	2	8	72	36	288	2592
2x2 Mosaic	10	-	40	-	-	-
3x12 Bullnose	12	-	12.90	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.5 (Paver - 0.75)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm (Paver - 20 mm)	Factory Provided

i/o - INSIDE AND OUTSIDE



Featuring GIO Layers, Shadow 12" x 24" Field Tile

GIO
ARCHITECTURAL TILE + STONE

layers

layers of limestone, basalt, and cement converge on this fashionable and functional fusion in porcelain stoneware

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

FROST



GILAY1224FRO
12" x 24" Field Tile

GILAYMOSFRO
2" x 2" Mosaic




GILAY312BNFRO
3" x 12" Bullnose


NICKEL



GILAY1224NIK
12" x 24" Field Tile



GILAYMOSNIK
2" x 2" Mosaic



GILAY312BNNIK
3" x 12" Bullnose

LATTE



GILAY1224LAT
12" x 24" Field Tile



GILAYMOSLAT
2" x 2" Mosaic




GILAY312BNLAT
3" x 12" Bullnose

SHADOW



GILAY1224SDW
12" x 24" Field Tile



GILAYMOSSDW
2" x 2" Mosaic



GILAY312BNSDW
3" x 12" Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT.PER PALLET	WEIGHT PER PALLET
12x24 Field Tile	7	13.79	57.23	56	772.24	2289.20
2x2 Mosaic	10	-	35.01	36	-	1260.36
3x12 Bullnose	6	-	7.80	126	-	982.80



Featuring GIO Linea, Grey 24x48 Polished & Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

linea

The timeless yet timely style of vein-cut stone brought forth in enduring porcelain with palatial sizes, two finishes and four lavish neutrals

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE

GILNE2448BG
24" x 48" Matte & Rectified Field Tile
GILNE2448BGP
24" x 48" Polished & Rectified Field Tile

GILNE1224BG
12" x 24" Matte & Rectified Field Tile
GILNE1224BGP
12" x 24" Polished & Rectified Field Tile

GILNEMOSBG
2" x 2" Matte Mosaic

GILNE612CBBG
6" x 12"
Matte Cove Base

GILNE424BNBG
4" x 24" Matte Bullnose

WHITE

GILNE2448WT
24" x 48" Matte & Rectified Field Tile
GILNE2448WTP
24" x 48" Polished & Rectified Field Tile

GILNE1224WT
12" x 24" Matte & Rectified Field Tile
GILNE1224WTP
12" x 24" Polished & Rectified Field Tile

GILNEMOSWT
2" x 2" Matte Mosaic

GILNE612CBWT
6" x 12"
Matte Cove Base

GILNE424BNWT
4" x 24" Matte Bullnose

TAUPE



GILNE2448TP
24" x 48" Matte & Rectified Field Tile
GILNE2448TPP
24" x 48" Polished & Rectified Field Tile



GILNE1224TP
12" x 24" Matte & Rectified Field Tile
GILNE1224TPP
12" x 24" Polished & Rectified Field Tile



GILNEMOSTP
2" x 2" Matte Mosaic



GILNE612CBTP
6" x 12"
Matte Cove Base



GILNE424BNTP
4" x 24" Matte Bullnose

GREY



GILNE2448GR
24" x 48" Matte & Rectified Field Tile
GILNE2448GRP
24" x 48" Polished & Rectified Field Tile



GILNE1224GR
12" x 24" Matte & Rectified Field Tile
GILNE1224GRP
12" x 24" Polished & Rectified Field Tile



GILNEMOSGR
2" x 2" Matte Mosaic



GILNE612CBGR
6" x 12"
Matte Cove Base




GILNE424BNGR
4" x 24" Matte Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Matte - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Rectified Field Tile	8	15.50	55	32	496	2293.20
24x48 Rectified Field Tile	4	31	118.73	20	620	1894.80
4x24 Bullnose	16	-	32	-	-	-
2x2 Mosaic	5	4.84	20	-	-	-
6x12 Cove Base	8	-	14	-	-	-



Featuring GIO Linen, Grey 12x24

linen

GIO
ARCHITECTURAL TILE + STONE

linen

A contemporary collection inspired by the look and feel of crisp, fashion-forward linen

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

TAUPE



GIL1224TP
12" x 24" Rectified Field Tile



GIL312BNTP
3" x 12" Bullnose

GREY



GIL1224GR
12" x 24" Rectified Field Tile



GIL312BNGR
3" x 12" Bullnose

ALABASTER



GIL1224AL
12" x 24" Rectified Field Tile




GIL312BNAL
3" x 12" Bullnose

BEIGE



GIL1224BG
12" x 24" Rectified Field Tile




GIL312BNBG
3" x 12" Bullnose

BIANCO



GIL1224BI
12" x 24" Rectified Field Tile



GIL312BNBI
3" x 12" Bullnose

SHADE VARIATION AND APPLICATIONS

V1
UNIFORM APPEARANCE

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Rectified Field Tile	8	15.71	55	32	504.03	1830.70
3" x 12" Bull Nose	15	–	–	–	–	–

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.5%	ASTM C-373
C.O.F. (Dynamic)	0.58	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Thickness	8mm	Factory Provided

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Luce, Cream 24" x 48" Rectified Field Tile
and 24" x 48" Rectified 3D Decoria

GIO
ARCHITECTURAL TILE + STONE

luce

limitless limestone inspired shapes & sizes sculpted into a creative yet contemporary porcelain palette

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE AVAILABLE IN HONED & 3D FINISHES

IVORY



GILUC2448IVY
24" x 48"
Rectified Field Tile



GILUC1224IVY
12" x 24"
Rectified Field Tile



GILUCCHEVIVY
3" x 18" Chevron



GILUC2448IVYD
24" x 48"
Rectified 3D Decoria

GREY



GILUC2448GRY
24" x 48"
Rectified Field Tile



GILUC1224GRY
12" x 24"
Rectified Field Tile



GILUCCHEVGRY
3" x 18" Chevron



GILUC2448GRYD
24" x 48"
Rectified 3D Decoria

WHITE

GILUC2448WHT
24" x 48"
Rectified Field Tile

GILUC1224WHT
12" x 24"
Rectified Field Tile

GILUCCHEVWHT
3" x 18" Chevron



GILUC2448WHTD
24" x 48"
Rectified 3D Decoria

CREAM

GILUC2448CRE
24" x 48"
Rectified Field Tile

GILUC1224CRE
12" x 24"
Rectified Field Tile

GILUCCHEVCRE
3" x 18" Chevron



GILUC2448ICRE
24" x 48"
Rectified 3D Decoria

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	61.28	35	542.50	2144.80
24x48 Rectified 3D Decoria	2	15.50	61.28	35	542.50	2144.80
12x24 Rectified Field Tile	7	13.56	56.42	40	542.40	2256.80
3x18 Chevron	26	9.44	39.52	56	528.64	2213.12

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Macro, White 48x48 Rectified Field Tile


GIO
ARCHITECTURAL TILE + STONE

macro

unique visuals of clay, stone and venetian chips blended in a technical large format porcelain set to punctuate various high-traffic tile applications

COLOR BODY FLOOR & WALL PORCELAIN STONEWARE

BEIGE



GIMAC4848BG
48" x 48" Rectified Field Tile

GREY



GIMAC4848GR
48" x 48" Rectified Field Tile

DARK GREY



GIMAC4848DG
48" x 48" Rectified Field Tile

WHITE




GIMAC4848WT
48" x 48" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
48x48 Rectified Field Tile	1	15.50	80	36	558	2930

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10.5 mm	Factory Provided



Featuring GIO Marmi_Lux, Amina (DG) 30x30 Matte Field Tile,
and Grigio (LG) and Calacatta (GO) 12x12 Matte Field Tile (NEW SIZE)

marmi_lux

marmi_lux

Big on luxury... Marble's elegant look – lush veining and authentic tones – is most grand in generously-sized porcelain tiles. Go polished or matte for stunning walls and floors

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE AVAILABLE IN BOTH POLISHED & MATTE FINISHES

STATUARY (BI)

30" x 60" Rectified Polished Field Tile
GISTM3060STPO

12" x 24" Rectified Matte Field Tile
GISTM1224STMT

12" x 24" Rectified Polished Field Tile
GISTM1224STPO



30" x 30" Rectified Matte Field Tile
GISTM3030STMT

12" x 12" Rectified Matte Field Tile
GISTM1212STMT

12" x 12" Rectified Polished Field Tile
GISTM1212STPO

AMINA (DG)



30" x 60" Rectified Polished Field Tile
GISTM3060DGPO



12" x 24" Rectified Matte Field Tile
GISTM1224DGMT

12" x 24" Rectified Polished Field Tile
GISTM1224DGPO




30" x 30" Rectified Matte Field Tile
GISTM3030DGMT



12" x 12" Rectified Matte Field Tile
GISTM1212DGMT

12" x 12" Rectified Polished Field Tile
GISTM1212DGPO

NERO MARQUINA (MQ)



30" x 60" Rectified Polished Field Tile
GISTM3060NMPO



12" x 24" Rectified Matte Field Tile
GISTM1224NMMT

12" x 24" Rectified Polished Field Tile
GISTM1224NMPO



30" x 30" Rectified Matte Field Tile
GISTM3030NMMT



12" x 12" Rectified Matte Field Tile
GISTM1212NMMT

12" x 12" Rectified Polished Field Tile
GISTM1212NMPO


CALACATTA (GO)



30" x 60" Rectified Polished Field Tile
GISTM3060BCPO

12" x 24" Rectified Matte Field Tile
GISTM1224BCMT

12" x 24" Rectified Polished Field Tile
GISTM1224BCPO




30" x 30" Rectified Matte Field Tile
GISTM3030BCMT

12" x 12" Rectified Matte Field Tile
GISTM1212BCMT

12" x 12" Rectified Polished Field Tile
GISTM1212BCPO

GRIGIO (LG)



30" x 60" Rectified Polished Field Tile
GISTM3060GIPO



12" x 24" Rectified Matte Field Tile
GISTM1224GIMT

12" x 24" Rectified Polished Field Tile
GISTM1224GIPO



30" x 30" Rectified Matte Field Tile
GISTM3030GIMT



12" x 12" Rectified Matte Field Tile
GISTM1212GIMT

12" x 12" Rectified Polished Field Tile
GISTM1212GIPO

GREIGE (GG)



30" x 60" Rectified Polished Field Tile
GISTM3060GRPO



12" x 24" Rectified Matte Field Tile
GISTM1224GRMT

12" x 24" Rectified Polished Field Tile
GISTM1224GRPO



30" x 30" Rectified Matte Field Tile
GISTM3030GRMT



12" x 12" Rectified Matte Field Tile
GISTM1212GRMT

12" x 12" Rectified Polished Field Tile
GISTM1212GRPO

PACKAGING

ACTUAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Rectified Field Tile	6	11.62	51.84	40	464.80	2073.60
30" x 30" Rectified Field Tile	2	11.78	52.90	42	494.76	2221.80
30" x 60" Rectified Field Tile	1	11.79	52.91	28	330.12	1481.48
12" x 12" Rectified Field Tile	9	8.72	-	-	-	-


100 sq. ft. minimum

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
C.O.F. (Dynamic) Matte	0.42	ANSI A137.1
C.O.F. (Dynamic) Polished	0.24 (Not Compliant)	ANSI A137.1
PEI	4	EN ISO 10545-6
Chemical Resistance	Excellent	EN ISO 10545-13
Water Absorption	0.5%	ISO 10545-3
Thickness	11 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Marmi_Revival, Nero and Oro 12″ x 12″ Rectified Field Tile

marmi_revival

a square statement of style in a timeless elegant expression of marble,
perfect for porcelain patterns or solid sophistication

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO






GIMRV1212BIA
12″ x 12″ Rectified Field Tile

GIMRV2424BIA
24″ x 24″ Rectified Field Tile

CENERE







GIMRV1212CEN
12″ x 12″ Rectified Field Tile

GIMRV2424CEN
24″ x 24″ Rectified Field Tile

NERO





GIMRV1212NER
12″ x 12″ Rectified Field Tile

GIMRV2424NER
24″ x 24″ Rectified Field Tile

ORO






GIMRV1212ORO
12″ x 12″ Rectified Field Tile

GIMRV2424ORO
24″ x 24″ Rectified Field Tile

BLUE



GIMRV1212BLU
12″ x 12″ Rectified Field Tile

ROSSO




GIMRV1212ROS
12″ x 12″ Rectified Field Tile

CREMA



GIMRV1212CRE
12″ x 12″ Rectified Field Tile

VERDI




GIMRV1212VER
12″ x 12″ Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x24 Rectified Field Tile	4	15.50	62.84	30	465	1885.20
12x12 Rectified Field Tile	14	13.56	55.02	60	813.60	3301.20

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Marmi_Satin, Bluette 24x24 Rectified and Brushed Field Tile


marmi_satin

marmi_satin


A collection of magnificent marbles matched with a brushed satin surface, a touch of spectacular stone for any setting

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE - BRUSHED FINISH

BLUETTE




GIMRS2448BLU
24" x 48" Rectified and Brushed Field Tile



GIMRS2424BLU
24" x 24" Rectified and Brushed Field Tile




GIMRS848BLU
8" x 48" Rectified and Brushed Field Tile



GIMRSMOSBLU
1" x 3" Rectified and Brushed Stacked Mosaic


PALLADIUM



GIMRS2448PAL
24" x 48" Rectified and Brushed Field Tile



GIMRS2424PAL
24" x 24" Rectified and Brushed Field Tile



GIMRS848PAL
8" x 48" Rectified and Brushed Field Tile




GIMRSMOSPAL
1" x 3" Rectified and Brushed Stacked Mosaic


TOSCANA GREY




GIMRS2448TOS
24" x 48" Rectified and Brushed Field Tile



GIMRS2424TOS
24" x 24" Rectified and Brushed Field Tile



GIMRS848TOS
8" x 48" Rectified and Brushed Field Tile



GIMRSMOSTOS
1" x 3" Rectified and Brushed Stacked Mosaic


CORCHIA WHITE



GIMRS2448COR
24" x 48" Rectified and Brushed Field Tile



GIMRS2424COR
24" x 24" Rectified and Brushed Field Tile



GIMRS848COR
8" x 48" Rectified and Brushed Field Tile



GIMRSMOSCOR
1" x 3" Rectified and Brushed Stacked Mosaic


PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	68.34	35	542.50	2391.90
24x24 Rectified Field Tile	3	11.62	49.59	40	464.80	1983.60
8x48 Rectified Field Tile	-	-	-	-	-	-
1x3 Stacked Mosaic	10	10	50	-	-	-

100 sq. ft. minimum

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided


Featuring GIO Maximus, Grey 24x48 Rectified
maximus

maximus

A travertine look of a different stripe with natural, linear detailing and dramatic, true stone colors for maximum impact

INKJET COLORED BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

TAUPE



GIMX1224TP
12″ x 24″
Rectified Field Tile



GIMX2448TP
24″ x 48″
Rectified Field Tile



GIMX424BNTP
4″ x 24″
Bullnose



GIMXMOSTP
2″ x 2″
Mosaic

BIANCO



GIMX1224BI
12″ x 24″
Rectified Field Tile



GIMX2448BI
24″ x 48″
Rectified Field Tile



GIMX424BNBI
4″ x 24″
Bullnose



GIMXMOSBI
2″ x 2″
Mosaic


GREY



GIMX1224GR
12″ x 24″
Rectified Field Tile



GIMX2448GR
24″ x 48″
Rectified Field Tile



GIMX424BNGR
4″ x 24″
Bullnose



GIMXMOSGR
2″ x 2″
Mosaic

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24″ x 48″ Rectified Field Tile	4	31.67	112.42	18	570	2220
12″ x 24″ Rectified Field Tile	8	15.75	56	32	504.03	1831
2″ x 2″ Mosaic	5	–	17.80	–	–	–
4″ x 24″ Bullnose	16	–	47.27	–	–	–

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	350 lbs.	ASTMC648
PEI Rating	4	ASTM C-1027
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERTE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

GREEN SQUARED
Certified by UL Environment



Featuring GIO Metallo, Rust 24x48 Rectified

metallo

metallo

Heralding the concrete evolution in a porcelain tile with sleek style cemented with a subtle metal sheen, interpreted in the latest large formats

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

RUST



GIMT2448RU
24" x 48" Rectified Field Tile



GIMT1224RU
12" x 24" Rectified Field Tile



GIMT324BNRU
3" x 24" Bullnose

DARK GREY



GIMT2448DGR
24" x 48" Rectified Field Tile



GIMT1224DGR
12" x 24" Rectified Field Tile



GIMT324BNDGR
3" x 24" Bullnose

BIANCO



GIMT2448BIA
24" x 48" Rectified Field Tile

GIMT1224BIA
12" x 24" Rectified Field Tile

GIMT324BNBIA
3" x 24" Bullnose

LIGHT GREY



GIMT2448LTG
24" x 48" Rectified Field Tile



GIMT1224LTG
12" x 24" Rectified Field Tile



GIMT324BNLTG
3" x 24" Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Rectifed Field Tile	2	15.5	68.34	35	542.50	2391.90
12" x 24" Rectifed Field Tile	6	11.62	49.74	48	557.76	2387.52
3" x 24" Bullnose	-	-	-	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERTE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
C.O.F. (Dynamic)	0.42	ANSI A137.1
Deep Abrasion Resistance	Conforms	EN ISO 10545-6
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.5%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Mia, Bone 5x5 Cross and Terracotta 6x6 Star.

mia

Moroccan inspired artistic decorative porcelain patterns in 4 classic turned trendy tones, "MIA" can be featured for fabulous floors or wonderful walls!

FLOOR & WALL GLAZED PORCELAIN STONEWARE

BONE



GIMIA55BOC
5"x 5" Cross

GIMIA66BOS
6"x 6" Star


SMOKE



GIMIA55SMC
5"x 5" Cross

GIMIA66SMS
6"x 6" Star


TERRACOTTA



GIMIA55TEC
5"x 5" Cross

GIMIA66TES
6"x 6" Star

CHARCOAL



GIMIA55CHC
5"x 5" Cross


GIMIA66CHS
6"x 6" Star

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
5"x 5" Cross	34	5.31	18	126	668.68	2225.31
6"x 6" Star	34	5.31	23	80	477.63	2029

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided



Featuring GIO Midtown, Anthracite 12 x 24 Field Tile

midtown

GIO
ARCHITECTURAL TILE + STONE

midtown

A hip, big city look that happens at the point where uptown elegance and downtown edginess meet

INKJET COLORED BODY FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREY



GIMT1224GR
12″ x 24″ Field Tile



GIMT612GR
6″ x 12″ Cove Base



GIMTMOSGR
2″ x 2″ Mosaic



GIMT324BNGR
3″ x 24″ Bullnose

BIANCO

GIMT1224BI
12″ x 24″ Field Tile

GIMT612BI
6″ x 12″ Cove Base

GIMTMOSBI
2″ x 2″ Mosaic

GIMT324BNBI
3″ x 24″ Bullnose

BEIGE



GIMT1224BG
12″ x 24″ Field Tile



GIMT612BG
6″ x 12″ Cove Base



GIMTMOSBG
2″ x 2″ Mosaic



GIMT324BNBG
3″ x 24″ Bullnose

TAUPE



GIMT1224TP
12″ x 24″ Field Tile



GIMT612TP
6″ x 12″ Cove Base




GIMTMOSTP
2″ x 2″ Mosaic




GIMT324BNTP
3″ x 24″ Bullnose


ANTHRACITE



GIMT1224AN
12″ x 24″ Field Tile



GIMT612AN
6″ x 12″ Cove Base



GIMTMOSAN
2″ x 2″ Mosaic



GIMT324BNAN
3″ x 24″ Bullnose

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	C1027 Test
Water Absorption	0.5%	C373 Test
C.O.F. (Dynamic)	0.42 (0.26 Semi Polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	≥ 250 lbs.	ASTMC648
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2

MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12″ x 24″ Field Tile	8	15.751	57	32	504.032	1837
6″ x 12″ Cove Base	8	-	15	-	-	-
3″ x 24″ Bullnose	16	–	28.80	–	–	–
2″ x 2″ Mosaic	5	4.896	17.80	–	–	–

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Mirabella, Ivory 24x48 Rectified Field Tile

mirabella

GIO
ARCHITECTURAL TILE + STONE

mirabella

A lively limestone influenced by the quarries of Portugal blended with a quartet of contemporary colors and subtle striations in quite the porcelain presence

INKJET RECTIFIED COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

IVORY



GIMBL2448IV
24" x 48" Rectified Field Tile



GIMBL2424IV
24" x 24" Rectified Field Tile



GIMBL1224IV
12" x 24" Rectified Field Tile



GIMBLMOSIV
1.5" x 1.5" Mosaic



GIMBLBMOSIV
2" x 4" Brick Mosaic



GIMBL424BNIV
4" x 24" Bullnose

GRAY



GIMBL2448GR
24" x 48" Rectified Field Tile



GIMBL2424GR
24" x 24" Rectified Field Tile



GIMBL1224GR
12" x 24" Rectified Field Tile



GIMBLMOSGR
1.5" x 1.5" Mosaic



GIMBLBMOSGR
2" x 4" Brick Mosaic



GIMBL424BNGR
4" x 24" Bullnose

WHITE



GIMBL2448WH
24" x 48" Rectified Field Tile

GIMBL2424WH
24" x 24" Rectified Field Tile

GIMBL1224WH
12" x 24" Rectified Field Tile

GIMBLMOSWH
1.5" x 1.5" Mosaic

GIMBLBMOSWH
2" x 4" Brick Mosaic




GIMBL424BNWH
4" x 24" Bullnose

ANTHRACITE




GIMBL2448AN
24" x 48" Rectified Field Tile




GIMBL2424AN
24" x 24" Rectified Field Tile



GIMBL1224AN
12" x 24" Rectified Field Tile



GIMBLMOSAN
1.5" x 1.5" Mosaic



GIMBLBMOSAN
2" x 4" Brick Mosaic



GIMBL424BNAN
4" x 24" Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Rectified Field Tile	8	15.50	61	32	496	1932.48
24x48 Rectified Field Tile	2	15.50	61	36	558	2236
24x24 Rectified Field Tile	6	23.25	91.50	24	558	2236
4x24 Bullnose	10	-	22	-	-	-
1.5 x1.5 Mosaic	10	-	38	-	-	-
Herringbone Mosaic	10	-	38	-	-	-



Featuring GIO Mix, Greige 12" x 24" Field Tile

mix

GIO
ARCHITECTURAL TILE + STONE

mix

elegant, enduring colors of contemporary concrete in a versatile porcelain palette of modern "mix"

INKJET COLORED BODY FLOOR & WALL GLAZED PORCELAIN STONEWARE

WHITE



GIXIM1224WHT
12" x 24" Field Tile



GIXIM624WHT
6" x 24" Field Tile



GIXIMMOSWT
2.5" x 2.5" Mosaic




GIXIM324BNWHT
3" x 24" Bullnose

BEIGE



GIXIM1224BEG
12" x 24" Field Tile



GIXIM624BEG
6" x 24" Field Tile



GIXIMMOSBEG
2.5" x 2.5" Mosaic



GIXIM324BNBEG
3" x 24" Bullnose

GREY



GIXIM1224GRY
12" x 24" Field Tile



GIXIM624GRY
6" x 24" Field Tile



GIXIMMOSGRY
2.5" x 2.5" Mosaic



GIXIM324BNGRY
3" x 24" Bullnose

GREIGE



GIXIM1224GGE
12" x 24" Field Tile



GIXIM624GGE
6" x 24" Field Tile



GIXIMMOSGGE
2.5" x 2.5" Mosaic



GIXIM324BNGGE
3" x 24" Bullnose

BLACK



GIXIM1224BLK
12" x 24" Field Tile



GIXIM624BLK
6" x 24" Field Tile



GIXIMMOSBLK
2.5" x 2.5" Mosaic




GIXIM324BNBLK
3" x 24" Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT.PER PALLET	WEIGHT PER PALLET
12 x 24 Field Tile	9	18	60	32	576	1820
6x 24 Field Tile	17	17	56	60	1020	3360
2.5x 2.5 Mosaic	5	4.85	18	-	-	-
3x 12 Bullnose	12	-	27	-	-	-



Featuring GIO Modern Charcoal 8x36

modern

Minimalist style meets sleek wood grain in a contemporary collection of porcelain tile planks, offered in four gorgeous, go-anywhere colors and designer herringbone accents

INKJET COLOR BODY FLOOR AND WALL GLAZED PORCELAIN STONEWARE

COFFEE





GIMOD836CO
8" x 36" Field Tile



GIMOD1024HBCO
10" x 24" Herringbone

GREY





GIMOD836GR
8" x 36" Field Tile



GIMOD1024HBGR
10" x 24" Herringbone

BIRCH





GIMOD836BI
8" x 36" Field Tile



GIMOD1024HBBI
10" x 24" Herringbone

CHARCOAL





GIMOD836CH
8" x 36" Field Tile




GIMOD1024HBCH
10" x 24" Herringbone

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8" x 36" Field Tile	6	11.95	54.23	48	573	2604
10" x 24" Herringbone	6	5.54	27.60	35	194	966

SHADE VARIATION AND APPLICATIONS (FLECK)

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	3 (Grey, Birch) 4 (Coffe, Charcoal)	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

GREEN SQUARED
Certified by UL Environment



Featuring GIO Mosa, Beige 24 x 48 Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

mosa

engaging elements of eramosa linear limestone married with pleasing portland stone in a durable porcelain parcel

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIMOS2448BG
24" x 48" Rectified Field Tile



GIMOS1224BG
12" x 24" Rectified Field Tile



GIMOSMOSBG
1" x 3" Mosaic



GIMOS312BNBG
3" x 12" Bullnose



GIMOS612CVBG
6" x 12" Cove Base

BIANCO




GIMOS2448BI
24" x 48" Rectified Field Tile

GIMOS1224BI
12" x 24" Rectified Field Tile

GIMOSMOSBI
1" x 3" Mosaic



GIMOS312BNBI
3" x 12" Bullnose



GIMOS612CVBI
6" x 12" Cove Base

TAUPE



GIMOS2448TP
24" x 48" Rectified Field Tile



GIMOS1224TP
12" x 24" Rectified Field Tile



GIMOSMOSTP
1" x 3" Mosaic



GIMOS312BNTP
3" x 12" Bullnose



GIMOS612CVTP
6" x 12" Cove Base

GREY



GIMOS2448GR
24" x 48" Rectified Field Tile



GIMOS1224GR
12" x 24" Rectified Field Tile



GIMOSMOSGR
1" x 3" Mosaic



GIMOS312BNGR
3" x 12" Bullnose



GIMOS612CVGR
6" x 12" Cove Base

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	16	56	36	576	2016
12x24 Rectified Field Tile	8	15	56	36	768	2688
1x3 Mosaic	10	10	33	-	-	-
6x12 Cove Base	10	-	18	-	-	-
3x12 Bullnose	15	-	15	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Mural, Aqua Onyx 24x48 Polished & Rectified

mural


mural

Bring the bold art of nature to your wall-to-wall interior design with this daring collection of polished, 24x48 tiles in two stunning groupings–sumptuous marbles and two animal-inspired styles

INKJET POLISHED & RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE - GROUP 1
GROUP 2 - WALL ONLY


group 1

AQUA ONYX




GIMUR2448AQ
24" x 48" Polished & Rectified Field Tile

AZUL




GIMUR2448AZ
24" x 48" Polished & Rectified Field Tile

DARK



GIMUR2448DK
24" x 48" Polished & Rectified Field Tile

VERDE



GIMUR2448IG
24" x 48" Polished & Rectified Field Tile

DOLOMITE VEIN




GIMUR2448DV
24" x 48" Polished & Rectified Field Tile

GRIGIO



GIMUR2448GR
24" x 48" Polished & Rectified Field Tile

MARQUINA GRAND



GIMUR2448MG
24" x 48" Polished & Rectified Field Tile

GREY CANNELA




GIMUR2448RO
24" x 48" Polished & Rectified Field Tile

RAINFOREST



GIMUR2448RF
24" x 48" Polished & Rectified Field Tile

VEINA



GIMUR2448VE
24" x 48" Polished & Rectified Field Tile

CREMA



GIMUR2448CR
24" x 48" Polished & Rectified Field Tile

group 2 (wall only)

LEOPARD




GIMUR2448LE
24" x 48" Polished & Rectified Field Tile

SNAKE



GIMUR2448SN
24" x 48" Polished & Rectified Field Tile

CROC



GIMUR2448CR
24" x 48" Polished & Rectified Field Tile

PYTHON



GIMUR2448PY
24" x 48" Polished & Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Polished & Rectified Field Tile (Group 1)	4	31	106	16	496	1696
24" x 48" Polished & Rectified Field Tile (Dark, Grigio & Azul - Group 1)	3	23.25	83	30	697.50	2490
24" x 48" Polished & Rectified Field Tile (Group 2)	2	15.5	54	24	372	1272

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Not Compliant (wall only)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	6.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•		
Wall	•	•	•
Countertop			



Featuring GIO Naxos, Grey 3x16 Wall Tile

naxos

naxos


Dress walls in the lasting look of handcrafted tiles, subtly beveled for Old World style that's on-trend in six glossy hues and a modern, linear size

GLOSSY FINISH, GLAZED PORCELAIN STONEWARE - WALL ONLY

ANTHRACITE



GINAX316AN
3"x 16" Wall Tile



BIANCO




GINAX316BI
3"x 16" Wall Tile



DARK BLUE




GINAX316DB
3"x 16" Wall Tile



GREEN




GINAX316GRN
3"x 16" Wall Tile



GREY




GINAX316GRY
3"x 16" Wall Tile



LIGHT BLUE



GINAX316LB
3"x 16" Wall Tile



PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3"x 16"Wall Tile	44	14.21	54.19	36	511.50	1995.20

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	N/A (wall only)	C1027 Test
C.O.F. (Dynamic)	Not Compliant (wall only)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Neo_Brick Bianco 2x9

neo_brick

Brick's timeless appeal comes of age in a durable porcelain tile interpreted in six cool colors and a most modern size, awash in a hand crafted, textured glaze

INKJET GLAZED PORCELAIN STONEWARE - WALLS ONLY

ANTIQUE






GINBR29ANT
2" x 9" Field Tile



GINBRQRTANT
0.5" x 9" Quarter Round

BIANCO






GINBR29BIA
2" x 9" Field Tile



GINBRQRTBIA
0.5" x 9" Quarter Round

CREMA





GINBR29CRE
2" x 9" Field Tile




GINBRQRTCRE
0.5" x 9" Quarter Round

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2" x 9" Field Tile	44	4.95	23	60	297	1379.65
0.5" x 9" Quarter Round	20	-	4.50	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•		
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.5%	ASTM C-323
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Chemical Resistance	EXCELLENT	ASTM C650
Thickness	9.5 mm	Factory Provided

neolith

Featuring GIO Neolith, Argent 8 x 48 Rectified

GIO
ARCHITECTURAL TILE + STONE

neolith

The look of ancient stone and fossilized wood grain converge in a most modern tile collection offered in three chic neutrals and a bevy of sizes for floors and walls

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

ARGENT



GINE1248AR
12" x 48" Rectified Field Tile



GINE1224AR
12" x 24" Field Tile



GINE324BNAR
3" x 24" Bullnose



GINEMOSAR
12" x 12" Mosaic

DARK



GINE1248DK
12" x 48" Rectified Field Tile



GINE1224DK
12" x 24" Field Tile




GINE324BNDK
3" x 24" Bullnose



GINEMOSDK
12" x 12" Mosaic

BIANCO



GINE1248BI
12" x 48" Rectified Field Tile



GINE1224BI
12" x 24" Field Tile

GINE324BNBI
3" x 24" Bullnose



GINEMOSBI
12" x 12" Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 48" Rectified Field Tile	5	19.69	69.89	36	708.80	2558.68
12" x 24" Field Tile	8	15.75	59.07	32	504.03	1931.51
3" x 24" Bullnose	16	-	37.20	-	-	-
12" x 12" Mosaic	5	4.87	19.35	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic)	0.55	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.5%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Nuance, Verde 2x6 Matte Field Tile

nuance


beautiful and bold brick style in two fantastic finishes, designed with zellige artisanal effect

INKJET FLOOR (MATTE ONLY) & WALL GLAZED PORCELAIN STONEWARE

WHITE



GINUA26WTM
2" x 6" Matte Field Tile



GINUA26WT
2" x 6" Glossy Field Tile

BLUE




GINUA26BLM
2" x 6" Matte Field Tile






GINUA26BL
2" x 6" Glossy Field Tile



VERDE




GINUA26VEM
2" x 6" Matte Field Tile






GINUA26VE
2" x 6" Glossy Field Tile



BLACK




GINUA26BKM
2" x 6" Matte Field Tile





GINUA26BK
2" x 6" Glossy Field Tile



NEUTRAL




GINUA26CAM
2" x 6" Matte Field Tile






GINUA26CA
2" x 6" Glossy Field Tile



GREY



GINUA26GRM
2" x 6" Matte Field Tile





GINUA26GR
2" x 6" Glossy Field Tile




PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2" x 6" Field Tile	66	5.33	20	120	639.14	2365

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION
(Matte Only)

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic) Matte	0.42	ANSI 137.1
C.O.F. (Dynamic) Glossy	Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided



Featuring GIO Onyx_Astra, Amber 24" x 48" Rectified Field Tile

onyx_astra

GIO
ARCHITECTURAL TILE + STONE

onyx_astra


onyx inspiration with plush layering in a posh porcelain quartet of stylish shades & sizes

COLORED BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

AMBER



GIOOXA2448AMB
24" x 48" Rectified Field Tile



GIOOXA1224AMB
12" x 24" Rectified Field Tile

BEIGE



GIOOXA2448BGE
24" x 48" Rectified Field Tile



GIOOXA1224BGE
12" x 24" Rectified Field Tile

IVORY



GIOOXA2448IVO
24" x 48" Rectified Field Tile



GIOOXA1224IVO
12" x 24" Rectified Field Tile

PEARL



GIOOXA2448PRL
24" x 48" Rectified Field Tile




GIOOXA1224PRL
12" x 24" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Rectified Field Tile	7	13.56	54.67	40	542.40	2186.80
24" x 48" Rectified Field Tile	2	15.49	62.62	32	495.68	2003.84

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Onyx_Lux, Dark 29 x 58 Polished & Rectified Field Tile

onyx_lux

luxury large - elegant onyx with rich and contrasting colors, polished porcelain with pastel shades, stunning swirls for walls & floors

INKJET RECTIFIED POLISHED FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREY




GIOXL3535GR
35"x 35" Polished & Rectified Field Tile



GIOXL2958GR
29"x 58" Polished & Rectified Field Tile

DARK



GIOXL3535DK
35"x 35" Polished & Rectified Field Tile



GIOXL2958DK
29"x 58" Polished & Rectified Field Tile

GREEN



GIOXL3535GN
35"x 35" Polished & Rectified Field Tile



GIOXL2958GN
29"x 58" Polished & Rectified Field Tile

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
29"x 58" Polished & Rectified Field Tile	1	11.79	61	24	282.96	1464
35"x 35" Polished & Rectified Field Tile	2	17.06	81	20	341.20	1620



Featuring GIO Padana, Pearl 24x24 Rectified Field Tile


GIO
ARCHITECTURAL TILE + STONE

padana

Design, innovation & history converge on this timeless terrazzo tile trend,
four colors vibrantly styled for a variety of venues

INKJET RECTIFIED COLOR BODY FLOOR & WALL GLAZED PORCELAIN STONEWARE

BLACK




GIPDM2424BL
24″ x 24″
Rectified Field Tile



GIPDM1224BL
12″ x 24″
Rectified Field Tile

GREY



GIPDM2424GR
24″ x 24″
Rectified Field Tile



GIPDM1224GR
12″ x 24″
Rectified Field Tile

WHITE




GIPDM2424WH
24″ x 24″
Rectified Field Tile




GIPDM1224WH
12″ x 24″
Rectified Field Tile

PEARL



GIPDM2424PL
24″ x 24″
Rectified Field Tile



GIPDM1224PL
12″ x 24″
Rectified Field Tile

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Rectified Field Tile	6	11.63	49.98	48	558.24	2399.04
24x24 Rectified Field Tile	4	15.50	66.68	30	465	2004.40



Featuring GIO Pastel, Aqua 2.5x10 Glossy Field Tile

pastel

Pastel, yes...but there's nothing subtle about the shiny, saturated palette of this versatile subway tile line. Suffuse surfaces in lush, gloss-infused hues to convey your distinct style


FLOOR & WALL GLAZED PORCELAIN STONEWARE - GLOSSY FINISH ONLY

PINK



GIPAS210PIN
2.5" x 10" Glossy Field Tile

CHERRY



GIPAS210CHE
2.5" x 10" Glossy Field Tile

DENIM



GIPAS210DEN
2.5" x 10" Glossy Field Tile

AQUA



GIPAS210AQU
2.5" x 10" Glossy Field Tile

MALDIVE



GIPAS210MLD
2.5" x 10" Glossy Field Tile

EMERALD



GIPAS210EMD
2.5" x 10" Glossy Field Tile

GREEN



GIPAS210GRN
2.5" x 10" Glossy Field Tile

BLUE



GIPAS210BLU
2.5" x 10" Glossy Field Tile

WHITE



GIPAS210WHT
2.5" x 10" Glossy Field Tile

GREIGE



GIPAS210GRE
2.5" x 10" Glossy Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2.5" x 10" Glossy Field Tile	50	8.07	31	84	677.88	2604

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•		
Wall	•	•	•
Countertop	•	•	•

Featuring GIO Pavers, 24x48 Vein Cut Travertine Silver Field Tile

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

CONCRETE

TEXTURE GREY



GIPAV2424GRC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448GRC
24" x 48" Rectified Field Tile/Porcelain Paver

TEXTURE TAUPE



GIPAV2424TPC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448TPC
24" x 48" Rectified Field Tile/Porcelain Paver

TEXTURE BEIGE



GIPAV2424BEC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448BEC
24" x 48" Rectified Field Tile/Porcelain Paver

SIMPLE BEIGE i/o



GIPAV2424SBE
24" x 24" Field Tile/Porcelain Paver

SIMPLE GRAPHITE i/o



GIPAV2424SGR
24" x 24" Field Tile/Porcelain Paver

SIMPLE GREY i/o



GIPAV2424SGY
24" x 24" Field Tile/Porcelain Paver

SIMPLE WHITE i/o

GIPAV2424SWT
24" x 24" Field Tile/Porcelain Paver

VEIN CUT TRAVERTINE

SILVER



GIPAV2424SIVC
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448SIVC
24" x 48" Rectified Field Tile/Porcelain Paver

BEIGE



GIPAV2424BEVC
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448BEVC
24" x 48" Rectified Field Tile/Porcelain Paver

QUARTZITE

WHITE

GIPAV2424QWT
24" x 24" Rectified Field Tile/Porcelain Paver

SAND




GIPAV2424QSA
24" x 24" Rectified Field Tile/Porcelain Paver

GREY



GIPAV2424QGR
24" x 24" Rectified Field Tile/Porcelain Paver





Featuring GIO Pavers, Crosscut Crema 24x24 Rectified Field Tile

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

CROSSCUT TRAVERTINE

CREMA



GIPAV2424CRCCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448CRCCT
24" x 48" Rectified Field Tile/Porcelain Paver

AVORIO



GIPAV2424AVCCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448AVCCT
24" x 48" Rectified Field Tile/Porcelain Paver

WALNUT



GIPAV2424WLCCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448WLCCT
24" x 48" Rectified Field Tile/Porcelain Paver

SILVER



GIPAV2424SICCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448SICCT
24" x 48" Rectified Field Tile/Porcelain Paver

STONE

PENNSYLVANIA BLUE FULL COLOR CLEFT



GIPAV2424PFCST
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448PFCST
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248PFCST
12" x 48" Rectified Field Tile/Porcelain Paver

PENNSYLVANIA BLUE THERMAL / FLAMED



GIPAV2424PTFST
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448PTFST
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248PTFST
12" x 48" Rectified Field Tile/Porcelain Paver

ARDESIA BEIGE i/o




GIGTCK2424ABG
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA GREY i/o



GIGTCK2424AGY
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA BIANCO i/o




GIGTCK2424ABI
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA DARK GREY i/o



GIGTCK2424ADG
24" x 24" Pressed Field Tile/Porcelain Paver





Featuring GIO Pavers, Beige Oak 24 x 48 Rectified Field Tile/Porcelain Paver

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

WOOD

UMBER BIANCO i/o



GIUMB1248BI
12" x 48" Rectified Field Tile/Porcelain Paver

UMBER GREY i/o



GIUMB1248GR
12" x 48" Rectified Field Tile/Porcelain Paver

UMBER AMBER i/o



GIUMB1248AM
12" x 48" Rectified Field Tile/Porcelain Paver

DERIVA ASH



GIPAV2448DAS
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248DAS
12" x 48" Rectified Field Tile/Porcelain Paver

BEIGE OAK



GIPAV2448BOK
24" x 48" Rectified Field Tile/Porcelain Paver




GIPAV1248BOK
12" x 48" Rectified Field Tile/Porcelain Paver

MEDIUM PINE



GIPAV2448MEP
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248MEP
12" x 48" Rectified Field Tile/Porcelain Paver

LIMESTONE

MIRABELLA IVORY i/o



GIMBL2424IV
24" x 24" Pressed Field Tile/Porcelain Paver



GIMBL2448IV
24" x 48" Pressed Field Tile/Porcelain Paver

MIRABELLA WHITE i/o

GIMBL2424WH
24" x 24" Pressed Field Tile/Porcelain Paver



GIMBL2448WH
24" x 48" Pressed Field Tile/Porcelain Paver

JURA LIGHT BEIGE i/o



GIPAV2424JRLB
24" x 24" Rectified Field Tile/Porcelain Paver




GIPAV2448JRLB
24" x 48" Rectified Field Tile/Porcelain Paver

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	5	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42+	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	20 mm	NA

i/o - INSIDE AND OUTSIDE





Featuring GIO Pavimento, Nero Antique 8″x8″ and 8″x12″ Field Tile

pavimento


GIO
ARCHITECTURAL TILE + STONE


pavimento

cobblestone character and old world charm combine with high performance porcelain in pavers suitable for interior or exterior outdoor varieties including walkways, terraces or porches

18MM COLORED BODY GLAZED PORCELAIN STONEWARE PAVERS - INTERIOR OR EXTERIOR SUITABLE

NERO ANTIQUE





GIOPVM812NAT
8" x 12" Field Tile



GIOPVM88NAT
8" x 8" Field Tile

BEIGE






GIOPVM812BEG
8" x 12" Field Tile



GIOPVM88BEG
8" x 8" Field Tile

COTTO





GIOPVM812COT
8" x 12" Field Tile



GIOPVM88COT
8" x 8" Field Tile

GREY





GIOPVM812GGT
8" x 12" Field Tile




GIOPVM88GRY
8" x 8" Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8x8 Field Tile	20	25.25	73.31	36	909	2639.16
8x12 Field Tile	10	19.67	54.59	48	944.16	2620.32

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall			
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.60	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	18 mm	Factory Provided



Featuring GIO Pebbles, Anthracite Standard

pebbles

GIO
ARCHITECTURAL TILE + STONE

pebbles

A collection of sliced and tumbled pebbles in a bevy of colors and configurations, ideal for adding natural textures and water-washed hues from floor-to-ceiling

SLICED IRREGULAR PEBBLES AVAILABLE IN FOUR FINISHES - STANDARD, FLAT, FLAT & POLISHED & STACKED

flat & polished



GIPBCFPOAN
anthracite



GIPBCFPOSB
silver beige



GIPBCFPOTE
terra



GIPBCFPOTI
tiger eye

flat (matte finish)



GIPBCFLPP
pepper



GIPBCFLAV
avorio



GIPBCFLTN
tan



GIPBCFGNT
granite



GIPBCFLVE
venetian



GIPBCFLGR
grey



GIPBCFLWTM
white marble



GIPBCFLTO
tortora

TECHNICAL SPECIFICATIONS	
DESCRIPTION	RESULT
Thickness - Flat & Polished	8 mm
Thickness - Flat (Matte)	8 mm



Featuring GIO Petra, Anthracite 24x48 Honed & Rectified Field Tile

petra


GIO
ARCHITECTURAL TILE + STONE

petra

slate, stone & rock influence this illustration of stylish stoneware in porcelain patterns, timeless tones & two textures for today's trend


INKJET RECTIFIED HONED & GRIP FINISH, FLOOR & WALL GLAZED PORCELAIN STONEWARE

ANTHRACITE



GIPE2448AN
24" x 48"
Honed & Rectified Field Tile

GIPE2448ANG
24" x 48"
Grip Rectified Field Tile



GIPE1224AN
12" x 24" Honed & Rectified Field Tile

GIPE1224ANG
12" x 24" Grip Rectified Field Tile



GIPE324BNAN
3" x 24" Bullnose



GIPEMOSAN
4" x 4" Mosaic



GIPE612CBAN
6" x 12" Cove Base

BEIGE

GIPE2448BE
24" x 48"
Honed & Rectified Field Tile

GIPE2448BEG
24" x 48"
Grip Rectified Field Tile

GIPE1224BE
12" x 24" Honed & Rectified Field Tile

GIPE1224BEG
12" x 24" Grip Rectified Field Tile

GIPE324BNBE
3" x 24" Bullnose

GIPEMOSBE
4" x 4" Mosaic



GIPE612CBBE
6" x 12" Cove Base

BIANCO

GIPE2448BI
24" x 48"
Honed & Rectified Field Tile

GIPE2448BIG
24" x 48"
Grip Rectified Field Tile

GIPE1224BI
12" x 24" Honed & Rectified Field Tile

GIPE1224BIG
12" x 24" Grip Rectified Field Tile

GIPE324BNBI
3" x 24" Bullnose

GIPEMOSBI
4" x 4" Mosaic

GIPE612CBBI
6" x 12" Cove Base

ASH GREY



GIPE2448AG
24" x 48"
Honed & Rectified Field Tile

GIPE2448AGG
24" x 48"
Grip Rectified Field Tile



GIPE1224AG
12" x 24" Honed & Rectified Field Tile

GIPE1224AGG
12" x 24" Grip Field Field Tile



GIPE324BNAG
3" x 24" Bullnose



GIPEMOSAG
4" x 4" Mosaic




GIPE612CBAG
6" x 12" Cove Base

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Grip 0.75)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Honed & Rectified Field Tile	8	15.50	59	32	496	1859
12x24 Grip Rectified Field Tile	8	15.50	59	32	496	1859
24x48 Honed & Rectified Field Tile	4	31	119	20	620	2382
4x4 Mosaic	5	4.84	20	24	558	2236
3x24 Bullnose	16	-	38	-	-	-
6x12 Cove Base	8	-	14	-	-	-



Featuring GIO Petrified, Cobalt 8x48

GIO
ARCHITECTURAL TILE + STONE


petrified

The appearance of time-worn, stained timber in versatile, porcelain planks

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

NOCE





GIP848NO
8" x 48" Rectified
Field Tile



GIP324BNNO
3" x 24"
Bullnose

COBALT





GIP848BLU
8" x 48" Rectified
Field Tile



GIP324BNBLU
3" x 24"
Bullnose

BIANCO





GIP848BI
8" x 48" Rectified
Field Tile



GIP324BNBI
3" x 24"
Bullnose

TAUPE





GIP848TP
8" x 48" Rectified
Field Tile



GIP324BNTP
3" x 24"
Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8" x 48" Rectified Field Tile	4	10.39	36	60	623.40	2,233
3" x 24" Bullnose	16	—	—	—	—	—

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
MOHS (Scratch Resistance)	7	EN 101
Water Absorption	.08%	ASTM C-323
C.O.F. (Dynamic)	0.47	ANSI 137.1
Chemical Resistance	EXCELLENT	ASTM C650
Thickness	8 mm	Factory Provided

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Pietra Marmi, Verona Polished Hexagon Mosaic

GIO
ARCHITECTURAL TILE + STONE

plush

Modern porcelain styling with the touch of textile and a linear effect presented in a spectrum of lush neutrals

INK JET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO



GIPL2448BI
24" x 48" Rectified Field Tile


GIPL1224BI
12" x 24" Rectified Field Tile

GIPL312BNBI
3" x 12" Bullnose



GIPLMOSBI
12" x 12"
Basket Weave Mosaic

ALMOND



GIPL2448AL
24" x 48" Rectified Field Tile



GIPL1224AL
12" x 24" Rectified Field Tile

GIPL312BNAL
3" x 12" Bullnose



GIPLMOSAL
12" x 12"
Basket Weave Mosaic

TAUPE



GIPL2449TP
24" x 48" Rectified Field Tile



GIPL1224TP
12" x 24" Rectified Field Tile

GIPL312BNTP
3" x 12" Bullnose



GIPLMOSTP
12" x 12"
Basket Weave Mosaic

LIGHT GREY



GIPL2448LG
24" x 48" Rectified Field Tile



GIPL1224LG
12" x 24" Rectified Field Tile

GIPL312BNLG
3" x 12" Bullnose



GIPLMOSLG
12" x 12"
Basket Weave Mosaic

DARK GREY



GIPL2448DG
24" x 48" Rectified Field Tile



GIPL1224DG
12" x 24" Rectified Field Tile

GIPL312BNDG
3" x 12" Bullnose




GIPLMOSDG
12" x 12"
Basket Weave Mosaic

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	5, 4 (Dark Grey)	ASTM C-1027
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 24" Rectified Field Tile	7	13.67	63	32	437.43	2010.56
24" x 48" Rectified Field Tile						
12" x 12" Basket Weave Mosaic	5	5	21.50	-	-	-
3" x 12" Bullnose	18	5.17	19	-	-	-



Featuring GIO Progetto, Silver Grey 12x24

GIO
ARCHITECTURAL TILE + STONE

progetto

The peak of industrial chic in a quartet of workhorse hues, this concrete-look porcelain is your go-to for countless projects.

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

SILVER GREY



GIPR1224SIG
12″ x 24″ Field Tile





GIPR312BNSIG
3″ x 12″ Bullnose

GIPRMOSSIG
12″ x 12″ Mosaic

BISCUIT



GIPR1224BIS
12″ x 24″ Field Tile

GIPR312BNBIS
3″ x 12″ Bullnose

GIPRMOSBIS
12″ x 12″ Mosaic

DOVE GREY



GIPR1224DOG
12″ x 24″ Field Tile





GIPR312BNDOG
3″ x 12″ Bullnose

GIPRMOSDOG
12″ x 12″ Mosaic

SAND BEIGE



GIPR1224SAB
12″ x 24″ Field Tile





GIPR312BNSAB
3″ x 12″ Bullnose


GIPRMOSSAB
12″ x 12″ Mosaic

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12″ x 24″ Field Tile	8	15.82	67	32	506.32	2131
12″ x 12″ Mosaic	4	3.84	17	-	-	-
3″ x 12″ Bullnose	20	-	20	-	-	-



Featuring GIO Quartzite, Beige 12" x 24" Rectified Field Tile

quartzite

captivating characteristics of durability and distinctive design with a subtle sparkle and versatile variations of finishes in a perfect porcelain quartzite replica

INKJET COLORBODY RECTIFIED HONED & GRIP FINISH,
FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIQTZ2448BG
24" x 48" Rectified Field Tile

GIQTZ1224BG
12" x 24" Rectified Field Tile

GIQTZ1224BGGRP
12" x 24" Rectified Grip Field Tile

GIQTZMOSBG
2" x 2" Mosaic

GIQTZ612CBBG
6" x 12" Cove Base

WHITE

GIQTZ2448wt
24" x 48" Rectified Field Tile

GIQTZ1224WT
12" x 24" Rectified Field Tile

GIQTZ1224WTGRP
12" x 24" Rectified Grip Field Tile

GIQTZMOSWT
2" x 2" Mosaic

GIQTZ612CBWT
6" x 12" Cove Base

GREY



GIQTZ2448GR
24" x 48" Rectified Field Tile



GIQTZ1224GR
12" x 24" Rectified Field Tile

GIQTZ1224GRGRP
12" x 24" Rectified Grip Field Tile



GIQTZMOSGR
2" x 2" Mosaic



GIQTZ612CBGR
6" x 12" Cove Base

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Grip - 0.60)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT.PER PALLET	WEIGHT PER PALLET
24x 48 Rectified Field Tile	2	15.51	67	35	543	2340
12 x 24 Rectified Field Tile	7	13.56	59	40	543	2340
2x 2 Mosaic	5	4.48	22	-	-	-
3x 24 Bullnose	10	-	18	-	-	-



Featuring GIO Quarzo 24" x 48" Polished & Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

quarzo

modern marble aesthetics married with soft, smooth & subtle veined variation, blended with warm ivory tonality

INKJET RECTIFIED POLISHED AND MATTE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GISLB48110BQZPO
48" x 110" Polished & Rectified Panel



GISLB2448BQZ
24" x 48" Matte Rectified Field Tile

GISLB2448BQZPO
24" x 48" Polished & Rectified Field Tile



GISLBMOSBQZ
2" x 2" Matte Mosaic



GISLBBWMOSBQZ
Polished Basketweave Mosaic



GISLB324BNBQZ
3" x 24" Matte Rectified Bullnose

GISLB324BNBQZPO
3" x 24" Polished & Rectified Bullnose



GISLB1224BQZ
12" x 24" Matte Rectified Field Tile

GISLB1224BQZPO
12" x 24" Polished & Rectified Field Tile

GISLB312BQZ
3" x 12" Matte Rectified Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
48x110 Rectified Panel (A-Frame needed for shipment)	1	35.91	117	1	35.91	117
24x48 Rectified Field Tile	2	15.50	76	36	558	2520
12x24 Rectified Field Tile	6	11.63	55	48	558.24	2520
3x12 Rectified Field Tile	36	8.72	41	56	488.32	2268
2x2 Mosaic	5	-	23	-	-	-
Basketweave Mosaic	5	-	23	-	-	-
3x24 Bullnose	15	-	32	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	Matte - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm (48x110 - 6.5 mm)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Rapolano, Beige 24 x 48 Linear & Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

rapolano

tuscan travertine tradition interpreted in a quartet of colors, various varieties of finishes complete with peak porcelain performance for any style or setting

INKJET RECTIFIED POLISHED & MATTE, FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE



GIRAP2448BG
24" x 48" Rectified Field Tile
GIRAP2448BGPO
24" x 48" Polished & Rectified Field Tile



GIRAP2448BGLI
24" x 48" Linear & Rectified Field Tile



GIRAP1224BG
12" x 24" Rectified Field Tile
GIRAP1224BGPO
12" x 24"Polished & Rectified Field Tile



GIRAPMOSBG
2" x 2" Mosaic



GIRAPHXMOSBG
3" x 3" Hexagon Mosaic
GIRAPHXMOSBGPO
3" x 3" Polished Hexagon Mosaic



GIRAP324BNBG
3" x 24" Bullnose
GIRAP324BNBGPO
3" x 24" Polished Bullnose



GIRAP612CBBG
6" x 12" Cove Base

BIANCO

GIRAP2448BI
24" x 48" Rectified Field Tile
GIRAP2448BIPO
24" x 48" Polished & Rectified Field Tile



GIRAP2448BILI
24" x 48" Linear & Rectified Field Tile

GIRAP1224BI
12" x 24" Rectified Field Tile
GIRAP1224BIPO
12" x 24"Polished & Rectified Field Tile

GIRAPMOSBI
2" x 2" Mosaic

GIRAPHXMOSBI
3" x 3" Hexagon Mosaic
GIRAPHXMOSBIPO
3" x 3" Polished Hexagon Mosaic

GIRAP324BNBI
3" x 24" Bullnose
GIRAP324BNBIPO
3" x 24" Polished Bullnose

GIRAP612CBBI
6" x 12" Cove Base

SILVER



GIRAP2448SI
24" x 48" Rectified Field Tile
GIRAP2448SIPO
24" x 48" Polished & Rectified Field Tile



GIRAP2448SILI
24" x 48" Linear & Rectified Field Tile



GIRAP1224SI
12" x 24" Rectified Field Tile
GIRAP1224SIPO
12" x 24"Polished & Rectified Field Tile



GIRAPMOSSI
2" x 2" Mosaic



GIRAPHXMOSSI
3" x 3" Hexagon Mosaic
GIRAPHXMOSSIPO
3" x 3" Polished Hexagon Mosaic



GIRAP324BNSI
3" x 24" Bullnose
GIRAP324BNSIPO
3" x 24" Polished Bullnose



GIRAP612CBSI
6" x 12" Cove Base

DARK WALNUT



GIRAP2448DW
24" x 48" Rectified Field Tile
GIRAP2448DWPO
24" x 48" Polished & Rectified Field Tile



GIRAP2448DWLI
24" x 48" Linear & Rectified Field Tile



GIRAP1224DW
12" x 24" Rectified Field Tile
GIRAP1224DWPO
12" x 24"Polished & Rectified Field Tile



GIRAPMOSDW
2" x 2" Mosaic



GIRAPHXMOSDW
3" x 3" Hexagon Mosaic
GIRAPHXMOSDWPO
3" x 3" Polished Hexagon Mosaic



GIRAP324BNDW
3" x 24" Bullnose
GIRAP324BNDWPO
3" x 24" Polished Bullnose



GIRAP612CBDW
6" x 12" Cove Base

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	16	56	36	576	2016
24x48 Linear Field Tile	2	16	56	36	576	2016
12x24 Rectified Field Tile	8	16	56	48	786	2688
2x2 Mosaic	10	10	35	-	-	-
Hexagon Mosaic	10	10	35	-	-	-
6x12 Cove Base	10	-	18	-	-	-
3x24 Bullnose	15	-	16	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Reale, Noce 12x24

reale

reale

The subtle look of veined marble crossed with classic stone visuals, offered in chalky hues and a range of sizes–ideal for mix-and-matching

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

GREY



GIRLE1224GRY
12″ x 24″ Field Tile



GIRLE412GRY
4″ x 12″ Field Tile



GIRLEMOSGRY
2″ x 2″ Mosaic



GIRLE312BNGRY
3″ x 12″ Bullnose

NOCE




GIRLE1224NOC
12″ x 24″ Field Tile



GIRLE412NOC
4″ x 12″ Field Tile



GIRLEMOSNOC
2″ x 2″ Mosaic



GIRLE312BNNOC
3″ x 12″ Bullnose

BIANCO



GIRLE1224BCO
12″ x 24″ Field Tile

GIRLE412BCO
4″ x 12″ Field Tile



GIRLEMOSBCO
2″ x 2″ Mosaic



GIRLE312BNBCO
3″ x 12″ Bullnose

BEIGE




GIRLE1224BGE
12″ x 24″ Field Tile



GIRLE412BGE
4″ x 12″ Field Tile



GIRLEMOSBGE
2″ x 2″ Mosaic



GIRLE312BNBGE
3″ x 12″ Bullnose

TECHNICAL SPECIFICATIONS


DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.1%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	7 mm	Factory Provided

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12″ x 24″ Field Tile	9	17.44	60.39	32	557.98	1932.48
4″ x 12″ Field Tile	36	11.65	40.55	36	419.40	1459.80
2″ x 2″ Mosaic	10	-	36	-	-	-
3″ x 12″ Bullnose	20	-	19	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Reflections, Bronze 4" x 7" Glossy Beveled Hexagon Mosaic

reflections

GIO
ARCHITECTURAL TILE + STONE

reflections

contemporary glamour in mirrored glass, two tones of staggering silver & beautiful bronze

ANTIQUED, GLOSSY & MIRRORED GLASS IN BEVELED & STRAIGHT EDGE OPTIONS - WALL ONLY

BRONZE





GIRFL39BRZ
3" x 9" Glossy Beveled Wall Tile

GIRFL312BRZ
3" x 12" Glossy Wall Tile


SILVER





GIRFL39SIL
3" x 9" Glossy Beveled Wall Tile

GIRFL312SIL
3" x 12" Glossy Wall Tile



GIRFLMOSBRZ
4" x 7" Glossy Beveled
Hexagon Mesh-mounted Mosaic



GIRFLMOSSIL
4" x 7" Glossy Beveled
Hexagon Mesh-mounted Mosaic

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3x12 Wall Tile	20	4.71	15.60	112	527.52	1747.20
3x9 Beveled Wall Tile	28	4.95	15.68	84	415.80	1317.12
4x7 Beveled Hexagon Mesh-mountedMosaic	10	9.59	29.06	45	431.55	1307.70

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	< 0.05%	ISO 10545-3
PEI	N/A	C1027 Test
C.O.F. (Dynamic)	N/A	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	6 mm	Factory Provided



Featuring GIO Rena, Tan 2.5"x 8" Wall Tile

rena

rena

Moroccan tile inspiration in multi-color matte finish modularity
for vintage variation to grace interior spaces

GLAZED & ANTIQUED CERAMIC WALL TILE - MATTE FINISH

TAN





GIREN44TAN
4" x 4" Wall Tile






GIREN28TAN
2.5" x 8" Wall Tile

CINNAMON





GIREN44CIN
4" x 4" Wall Tile





GIREN28CIN
2.5" x 8" Wall Tile

WHITE

GIREN44WHT
4" x 4" Wall Tile


GIREN28WHT
2.5" x 8" Wall Tile

GREEN





GIREN44GRN
4" x 4" Wall Tile






GIREN28GRN
2.5" x 8" Wall Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4x4 Wall Tile	60	6.46	18.96	98	633.08	1910
2.5x8 Wall Tile	38	5.38	14.57	120	645.60	1801

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Renoir, Arabescato 32x32 Polished & Rectified Field Tile


GIO
ARCHITECTURAL TILE + STONE

renoir

Dramatic, elegant, and timeless marbles mixed with sumptuous shades, shapes and sizes set to enhance any style of space

INKJET RECTIFIED POLISHED AND HONED, FLOOR & WALL GLAZED PORCELAIN STONEWARE

NERO



GIREN2448NER
24" x 48"
Honed & Rectified Field Tile

GIREN2448NERPL
24" x 48"
Polished & Rectified Field Tile



GIREN3232NER
32" x 32"
Honed & Rectified Field Tile

GIREN3232NERPL
32" x 32"
Polished & Rectified Field Tile



GIREN1224NER
12" x 24"
Honed & Rectified Field Tile

GIREN1224NERPL
12" x 24"
Polished & Rectified Field Tile



GIRENHEXNER
2" x 2"
Hexagon Honed Mosaic

GIRENHEXNERPL
2" x 2"
Hexagon Polished Mosaic

GIREN312BNNER
3" x 12"
Honed Bullnose


GIREN312BNNERPL
3" x 12"
Polished Bullnose

ARABESCATO



GIREN2448ARA
24" x 48"
Honed & Rectified Field Tile

GIREN2448ARAPL
24" x 48"
Polished & Rectified Field Tile



GIREN3232ARA
32" x 32"
Honed & Rectified Field Tile

GIREN3232ARAPL
32" x 32"
Polished & Rectified Field Tile



GIREN1224ARA
12" x 24"
Honed & Rectified Field Tile

GIREN1224ARAPL
12" x 24"
Polished & Rectified Field Tile



GIRENHEXARA
2" x 2"
Hexagon Honed Mosaic

GIRENHEXARAPL
2" x 2"
Hexagon Polished Mosaic

GIREN312BNARA
3" x 12"
Honed Bullnose

GIREN312BNARAPL
3" x 12"
Polished Bullnose

CALACATTA



GIREN2448CAL
24" x 48"
Honed & Rectified Field Tile

GIREN2448CALPL
24" x 48"
Polished & Rectified Field Tile



GIREN3232CAL
32" x 32"
Honed & Rectified Field Tile

GIREN3232CALPL
32" x 32"
Polished & Rectified Field Tile



GIREN1224CAL
12" x 24"
Honed & Rectified Field Tile

GIREN1224CALPL
12" x 24"
Polished & Rectified Field Tile



GIRENHEXCAL
2" x 2"
Hexagon Honed Mosaic

GIRENHEXCALPL
2" x 2"
Hexagon Polished Mosaic

GIREN312BNCAL
3" x 12"
Honed Bullnose

GIREN312BNCALPL
3" x 12"
Polished Bullnose

STATUARY



GIREN2448STA
24" x 48"
Honed & Rectified Field Tile

GIREN2448STAPL
24" x 48"
Polished & Rectified Field Tile



GIREN3232STA
32" x 32"
Honed & Rectified Field Tile

GIREN3232STAPL
32" x 32"
Polished & Rectified Field Tile



GIREN1224STA
12" x 24"
Honed & Rectified Field Tile

GIREN1224STAPL
12" x 24"
Polished & Rectified Field Tile


GIRENHEXSTA
2" x 2"
Hexagon Honed Mosaic

GIRENHEXSTAPL
2" x 2"
Hexagon Polished Mosaic

GIREN312BNSTA
3" x 12"
Honed Bullnose

GIREN312BNSTAPL
3" x 12"
Polished Bullnose

CARRARA



GIREN2448GCA
24" x 48"
Honed & Rectified Field Tile

GIREN2448GCAPL
24" x 48"
Polished & Rectified Field Tile



GIREN3232GCA
32" x 32"
Honed & Rectified Field Tile

GIREN3232GCAPL
32" x 32"
Polished & Rectified Field Tile



GIREN1224GCA
12" x 24"
Honed & Rectified Field Tile

GIREN1224GCAPL
12" x 24"
Polished & Rectified Field Tile

GIRENHEXGCA
2" x 2"
Hexagon Honed Mosaic

GIRENHEXGCAPL
2" x 2"
Hexagon Polished Mosaic

GIREN312BNGCA
3" x 12"
Honed Bullnose


GIREN312BNGCAPL
3" x 12"
Polished Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	68	28	434	1904
32x32 Rectified Field Tile	2	13.78	74.41	36	496.08	2650
12x24 Rectified Field Tile	8	15.50	64	32	496	2029
3x12 Bullnose	20	-	22	110	-	-
2x2 Hexagon Mosaic	10	9.69	38	45	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Honed - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Ridges, Bianco 12”x36” Field Tile


GIO
ARCHITECTURAL TILE + STONE

ridges

ceramic becomes a textural tactile experience in the fine lines of this wall tile with "wow" factor!

INKJET MATTE FINISH CERAMIC STONEWARE – WALL ONLY

BIANCO



GIRTORDGBI
12" x 36" Field Tile

BEIGE



GIRTORDGBGE
12" x 36" Field Tile

LIGHT GREY



GIRTORDGLGY
12" x 36" Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12" x 36" Field Tile	4	11.62	45.20	48	557.76	2169.60

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
Chemical Resistance	RESISTANT
Thickness (Factory Provided)	10 mm

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			



Featuring GIO Rigato, 10x30 Calcatta & 10x30 Calcatta Velvet

rigato

rigato (2.0)

Ceramic becomes a tactile experience in the fine lines of this sleek collection, with its echoes of art deco styling interpreted in authentic cement, striated and marble looks

INKJET MATTE FINISH CERAMIC STONEWARE – WALL ONLY

rigato ridges

BIANCO

GIRTORDGBI
12" x 36" Field Tile

BEIGE

GIRTORDGBGE
12" x 36" Field Tile

LIGHT GREY



GIRTORDGLGY
12" x 36" Field Tile

rigato origami

BIANCO



GIRTOORIBI
10" x 30" Field Tile

rigato radius

AZURE



GIRTORADAZ
10" x 30" Field Tile

AZURE DECOR



GIRTORADAZDC
10" x 30" Field Tile

BIANCO

GIRTORADBI
10" x 30" Field Tile

BIANCO DECOR



GIRTORADBIDC
10" x 30" Field Tile

rigato marmi (matte finish)

CALCATTA VELVET



GIRTOMRCAVE
10" x 30" Field Tile

STATUARY VELVET



GIRTOMRSTVE
10" x 30" Field Tile

STATUARY



GIRTOMRST
10" x 30" Field Tile

CALCATTA

GIRTOMRCA
10" x 30" Field Tile

rigato tortoise

GREY



GIRTOGRTORFT
10" x 30" Field Tile

GREY DECOR



GIRTOGRTORDC
10" x 30" Field Tile

BIANCO

GIRTOBITORFT
10" x 30" Field Tile

BIANCO DECOR

GIRTOBITORDC
10" x 30" Field Tile

rigato bianca_max

BIANCA_MAX BOWTIE

GIRTOBMXBWT
16" x 48" Field Tile

BIANCA_MAX LINEAR

GIRTOBMXLIN
16" x 48" Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
10" x 30" Tortoise Field Tile	5	10.01	39	54	540.54	2106
10" x 30" Marmi Field Tile	6	12.12	37.10	54	654.48	2003.40
10" x 30" Marmi Velvet Field Tile	5	10.10	31.50	54	545.40	1701
12" x 36" Ridges Field Tile	4	11.62	45.20	60	697.20	2712
16" x 48" Bianca_Max Field Tile	3	15.50	61.70	28	434	1727.60
10" x 30" Radius Field Tile	6	12.12	37.10	54	654.48	2003.40

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
MOHS	N/A
Thickness (Factory Provided)	10 mm

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

V3 SUBSTANTIAL VARIATION - RIGATO MARMI



Featuring GIO Rosata 24x48 Polished & Rectified Field Tile

rosata

Soft, striking tones of taupe, rose, beige & cream colors collide into a powerful portrayal of white marble in a honed or polished porcelain palette

INKJET RECTIFIED POLISHED & HONED GLAZED PORCELAIN STONEWARE





GIROSA2424HN
24" x 24"
Honed & Rectified Field Tile

GIROSA2424P
24" x 24"
Polished & Rectified Field Tile

GIROSA2448HN
24" x 48"
Honed & Rectified Field Tile

GIROSA2448P
24" x 48"
Polished & Rectified Field Tile



GIROSA848HN
8" x 48"
Honed & Rectified Field Tile

GIROSA848P
8" x 48"
Polished & Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.50	64.64	35	530.25	2262.40
8x48 Rectified Field Tile	10	25.83	-	-	-	-
24x24 Rectified Field Tile	3	11.62	-	-	-	-

100 sq. ft. minimum

SHADE VARIATION AND APPLICATIONS

V3

HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Royale, Beige 24" x 48" Matte Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

royale

marble inspired marvel with vibrant veining packaged in picturesque polished or matte porcelain complemented by four heavenly hues


INKJET RECTIFIED POLISHED & MATTE, FLOOR & WALL GLAZED PORCELAIN STONEWARE

BEIGE




GIROY2448BGE
24" x 48" Matte Rectified Field Tile

GIROY2448BGEPO
24" x 48" Polished & Rectified Field Tile



GIROY1224BGE
12" x 24" Matte Rectified Field Tile

GIROY1224BGEPO
12" x 24" Polished & Rectified Field Tile



GIROYMOSBGE
2" x 2" Honed Mosaic



GIROY424BNBGE
4" x 24" Matte Rectified Bullnose

GIROY424BNBGEPO
4" x 24" Polished & Rectified Bullnose

BLACK




GIROY2448BLK
24" x 48" Matte Rectified Field Tile

GIROY2448BLKPO
24" x 48" Polished & Rectified Field Tile




GIROY1224BLK
12" x 24" Matte Rectified Field Tile

GIROY1224BLKPO
12" x 24" Polished & Rectified Field Tile



GIROYMOSBLK
2" x 2" Honed Mosaic



GIROY424BNBLK
4" x 24" Matte Rectified Bullnose


GIROY424BNBLKPO
4" x 24" Polished & Rectified Bullnose

CHARCOAL




GIROY2448CHR
24" x 48" Matte Rectified Field Tile

GIROY2448CHRPO
24" x 48" Polished & Rectified Field Tile




GIROY1224CHR
12" x 24" Matte Rectified Field Tile

GIROY1224CHRPO
12" x 24" Polished & Rectified Field Tile



GIROYMOSCHR
2" x 2" Honed Mosaic



GIROY424BNCHR
4" x 24" Matte Rectified Bullnose

GIROY424BNCHRPO
4" x 24" Polished & Rectified Bullnose

WHITE




GIROY2448WTE
24" x 48" Matte Rectified Field Tile

GIROY2448WTEPO
24" x 48" Polished & Rectified Field Tile



GIROY1224WTE
12" x 24" Matte Rectified Field Tile

GIROY1224WTEPO
12" x 24" Polished & Rectified Field Tile



GIROYMOSWTE
2" x 2" Honed Mosaic



GIROY424BNWTE
4" x 24" Matte Rectified Bullnose


GIROY424BNWTEPO
4" x 24" Polished & Rectified Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Matte)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (Polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Rectified Field Tile	2	15.50	60	35	542.50	2078
12" x 24" Rectified Field Tile	8	15.50	59	32	496	1942
2" x 2" Mosaic	5	4.90	18	–	–	–
4" x 24" Bullnose	16	–	48	–	–	–



Featuring GIO Sabbiosa, Anthraacite 12" x 24" Rectified Linear Decor

sabbiosa

GIO
ARCHITECTURAL TILE + STONE

sabbiosa

a fusion of the finest grained neutral & natural stone, formatted with textural tones or splendid shades in high performance porcelain stoneware

INKJET COLORBODY RECTIFIED HONED & TEXTURED FINISH,
FLOOR & WALL GLAZED PORCELAIN STONEWARE

WHITE



GISAB2448WHT
24" x 48" Rectified Field Tile

GISAB1224WHT
12" x 24" Rectified Field Tile

GISAB1224WHTDC
12" x 24" Rectified Linear Decor

GISABMOSWHT
2" x 2" Mosaic

GISAB324BNWHT
3" x 24" Bullnose

ANTHRACITE




GISAB2448ANT
24" x 48" Rectified Field Tile



GISAB1224ANT
12" x 24" Rectified Field Tile



GISAB1224ANTDC
12" x 24" Rectified Linear Decor




GISABMOSANT
2" x 2" Mosaic




GISAB324BNANT
3" x 24" Bullnose

GREY



GISAB2448GRY
24" x 48" Rectified Field Tile



GISAB1224GRY
12" x 24" Rectified Field Tile



GISAB1224GRYDC
12" x 24" Rectified Linear Decor



GISABMOSGRY
2" x 2" Mosaic



GISAB324BNGRY
3" x 24" Bullnose

IVORY



GISAB2448IVO
24" x 48" Rectified Field Tile




GISAB1224IVO
12" x 24" Rectified Field Tile



GISAB1224IVODC
12" x 24" Rectified Linear Decor

GISABMOSIVO
2" x 2" Mosaic



GISAB324BNIVO
3" x 24" Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.50	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm (9.5 - 24x48)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT.PER PALLET	WEIGHT PER PALLET
24x 48 Rectified Field Tile	2	15.26	64.14	30	457.80	1924.20
12 x 24 Rectified Field Tile	9	17.01	64.89	32	544.32	2076.48
12" x 24" Rectified Linear Decor	9	17.01	64.89	32	544.32	2076.48
2x 2 Mosaic	10	9.69	32.43	-	-	-
3x 24 Bullnose	15	-	27	-	-	-



Featuring GIO Salento, Versailles Pattern

salento

light, luminous lecce limestone, interpreted in a trio of select sizes & salento style

INKJET ANTIQUED EDGE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GISAL816SU
8" x 16" Field Tile



GISAL1624SU
16" x 24" Field Tile




GISALVERSU
Versailles Pattern

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
16x24 Field Tile	4	10.44	48	30	501.12	1440
8x16 Field Tile	13	11.19	46	54	604.26	2484
Versailles Pattern	6	8	50	40	311.29	2000

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided



Featuring GIO Select, Barrell Beige 9x36 Field Tile

select

GIO
ARCHITECTURAL TILE + STONE

select

contemporary & clean with a smooth seamless aesthetic in a trio of on-trend porcelain planks

INKJET COLOR BODY FLOOR AND WALL GLAZED PORCELAIN STONEWARE

BARREL BEIGE



GISEL936BE
9" x 36" Rectified Field Tile

LIGHT GOLDEN





GISEL936LB
9" x 36" Rectified Field Tile

WALNUT BROWN





GISEL936BR
9" x 36" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
9" x 36" Rectified Field Tile	7	15.26	52.92	36	549.36	1905.12

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided



Featuring GIO Shades, Light Verde 3 x10 Field Tile (Wall) and Coccio, Light Grey Field Tile (Floor)

GIO
ARCHITECTURAL TILE + STONE

shades

handmade and highly refined effects of shimmery glass, glimmer, and vibrant color create these sophisticated "shades' of subway

INKJET GLAZED PORCELAIN STONEWARE - WALL ONLY


BIANCO

GISHD310BI
3" x 10" Field Tile

BLU




GISHD310BL
3" x 10" Field Tile



GRIGIO



GISHD310GR
3" x 10" Field Tile



NERO




GISHD310NE
3" x 10" Field Tile




LIGHT VERDE



GISHD310LV
3" x 10" Field Tile



DARK VERDE



GISHD310DV
3" x 10" Field Tile




PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3" x 10" Field Tile	48	7.44	27.36	75	558	2052

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Water Absorption	0.5%	ISO 10545-3
PEI	N/A	C1027 Test
Frost Resistance	RESISTANT	ASTM C1026
C.O.F. (Dynamic)	Not Compliant	ANSI 137.1
Thickness	10 mm	Factory Provided



Featuring GIO Shell, Sand 24" x 48" Rectified Linear Decoria (Wall)
and 12" x 24" Rectified Field Tile

shell

GIO
ARCHITECTURAL TILE + STONE

shell


an elegant & earthy limestone collection complemented with textured tones and fossilized features in durable designed porcelain stoneware

INKJET RECTIFIED HONED & TEXTURED FINISH, FLOOR & WALL GLAZED PORCELAIN STONEWARE

DARK GREY



GISHL2448DG
24" x 48" Rectified Field Tile




GISHL2448DGLD
24" x 48" Rectified Linear Decoria



GISHL1224DG
12" x 24" Rectified Field Tile



GISHL324BNDG
3" x 24" Bullnose



GISHLMOSDG
2" x 2" Mosaic

GREY



GISHL2448GR
24" x 48" Rectified Field Tile



GISHL2448GRLD
24" x 48" Rectified Linear Decoria



GISHL1224GR
12" x 24" Rectified Field Tile



GISHL324BNGR
3" x 24" Bullnose



GISHLMOSGR
2" x 2" Mosaic

SAND



GISHL2448SA
24" x 48" Rectified Field Tile



GISHL2448SALD
24" x 48" Rectified Linear Decoria



GISHL1224SA
12" x 24" Rectified Field Tile



GISHL324BNSA
3" x 24" Bullnose



GISHLMOSSA
2" x 2" Mosaic

WHITE



GISHL2448WH
24" x 48" Rectified Field Tile



GISHL2448WHLD
24" x 48" Rectified Linear Decoria



GISHL1224WH
12" x 24" Rectified Field Tile



GISHL324BNWH
3" x 24" Bullnose

GISHLMOSWH
2" x 2" Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.26	64.14	36	457.80	1924
24x48 Rectified Linear Decoria	2	15.26	64.14	36	457.80	1924
12x24 Rectified Field Tile	9	17	64	32	544.32	2077
2x2 Mosaic	10	10	33	54	510.30	1751.22
3x24 Bullnose	15	-	35.25	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm (24x48 -9.5)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Simplestone, Gray 12x24 Matte & Rectified Field Tile

simplestone

simplestone

minimalist modern style in a versatile variety of sizes and shapes in
high performance porcelain with pavers suitable for settings indoor and out!

INKJET RECTIFIED FLOOR, WALL & PAVER GLAZED PORCELAIN STONEWARE

WHITE

GISIM2448WT
24" x 48" Matte & Rectified
Field Tile

GISIM2424WT
24" x 24" Matte & Rectified
Field Tile

GIPAV2424SGY i/o
24" x 24" Matte & Rectified
Field Tile/Porcelain Paver

GISIM1224WT
12" x 24" Matte & Rectified
Field Tile

GISIMMOSWT
1" x 1" Mosaic

GISIM424BNWT
4" x 24" Bullnose

BEIGE



GISIM2448BE
24" x 48" Matte & Rectified
Field Tile



GISIM2424BE
24" x 24" Matte & Rectified
Field Tile



GIPAV2424SBE i/o
24" x 24" Matte & Rectified
Field Tile/Porcelain Paver



GISIM1224BE
12" x 24" Matte & Rectified
Field Tile



GISIMMOSBE
1" x 1" Mosaic



GISIM424BNBE
4" x 24" Bullnose

GRAY



GISIM2448GR
24" x 48" Matte & Rectified
Field Tile




GISIM2424GR
24" x 24" Matte & Rectified
Field Tile



GIPAV2424SGY i/o
24" x 24" Matte & Rectified
Field Tile/Porcelain Paver



GISIM1224GR
12" x 24" Matte & Rectified
Field Tile



GISIMMOSGR
1" x 1" Mosaic



GISIM424BNGR
4" x 24" Bullnose

GRAPHITE



GISIM2448GPT
24" x 48" Matte & Rectified
Field Tile



GISIM2424GPT
24" x 24" Matte & Rectified
Field Tile



GIPAV2424SGR i/o
24" x 24" Matte & Rectified
Field Tile/Porcelain Paver



GISIM1224GPT
12" x 24" Matte & Rectified
Field Tile



GISIMMOSGPT
1" x 1" Mosaic



GISIM424BNGPT
4" x 24" Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x24 Rectified Field Tile	6	23.25	91	24	558	2236
24x48 Rectified Field Tile	2	15.50	61	36	558	2236
12x24 Rectified Field Tile	8	15.60	61.40	32	496	1934
24x24 Rectified Paver	2	7.75	71.17	32	248	2277.30
1x1 Mosaic	10	9.70	36	-	-	-
4x24 Bullnose	10	-	22	-	-	-


i/o - INSIDE AND OUTSIDE

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.1%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (0.60 - Paver)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5mm (20mm Paver)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Slab_48, Bianco Quartz 48x110 Polished

slab_48

GIO
ARCHITECTURAL TILE + STONE

slab_48

Modern design & extraordinary large format porcelain panel displayed in light weight vibrant visuals, versatile, and stunning designs ready to enrich any style of space

INKJET RECTIFIED LARGE FORMAT PORCELAIN STONEWARE PANELS - FLOORS, WALLS & COUNTERTOPS

ONYX BLACK




GISLB48110OBKP
48" x 110"
Polished Rectified
Porcelain Panel




GISLB2448OBKP
24" x 48" Polished Rectified Field Tile

ONYX GREEN




GISLB48110OGNP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OGNP
24" x 48" Polished Rectified Field Tile

ONYX BLUE



GISLB48110OBLP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OBLP
24" x 48" Polished Rectified Field Tile

ONYX IVORY

GISLB48110OIVP
48" x 110"
Polished Rectified
Porcelain Panel

GISLB2448OIVP
24" x 48" Polished Rectified Field Tile

BIANCO QUARTZ



GISLB48110BQZP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448BQZP
24" x 48" Polished Rectified Field Tile

GISLB2448BQZ
24" x 48" Honed Rectified Field Tile

PARADISO BIANCO

GISLB48110PBIP
48" x 110"
Polished Rectified
Porcelain Panel

GISLB2448PBIP
24" x 48" Polished Rectified Field Tile

GISLB2448PBI
24" x 48" Honed Rectified Field Tile

ONYX PINK



GISLB48102OPNKP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OPNKP
24" x 48" Polished Rectified Field Tile



Featuring GIO Slab_48, Linear Beige 48 x 110 Semi-Polished

slab_48


GIO
ARCHITECTURAL TILE + STONE

slab_48

Modern design & extraordinary large format porcelain panel displayed in light weight vibrant visuals, versatile, and stunning designs ready to enrich any style of space

INKJET RECTIFIED LARGE FORMAT PORCELAIN STONEWARE PANELS - FLOORS, WALLS & COUNTERTOPS

BIANCO MICHAELANGELO



GISLB48110SMCP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448SMCP
24" x 48" Polished Rectified Field Tile

GISLB2448SMC
24" x 48" Honed Rectified Field Tile

CALACATTA GOLD




GISLB48110CGDP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448CGDP
24" x 48" Polished Rectified Field Tile


GISLB2448CGD
24" x 48" Honed Rectified Field Tile

BRECCIA BRUN




GISLB48110PSBISP
48" x 110"
Semi-Polished Rectified
Porcelain Panel

OYSTER WHITE



GISLB48110PSDWSP
48" x 110"
Semi-Polished Rectified
Porcelain Panel

STATUARIO SELECT



GISLB48110STSEP
48" x 110"
Polished Rectified
Porcelain Panel

GISLB48110STSE
48" x 110"
Honed Rectified
Porcelain Panel

LINEAR BEIGE

GISLB48110PSLBSP
48" x 110"
Semi-Polished Rectified
Porcelain Panel

LINEAR WHITE

GISLB48110PSLWSP
48" x 110"
Semi-Polished Rectified
Porcelain Panel

LUNA IVORY



GISLB48110PSQLSP
48" x 110"
Semi-Polished Rectified
Porcelain Panel



Featuring GIO Slab_48, Lit Onyx Blue 48x110 Polished

slab_48

Modern design & extraordinary large format porcelain panel displayed in light weight vibrant visuals, versatile, and stunning designs ready to enrich any style of space

INKJET RECTIFIED LARGE FORMAT PORCELAIN STONEWARE PANELS - FLOORS, WALLS & COUNTERTOPS

LIT ONYX GIALLO




GISLB48102OXIP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OXIP
24" x 48" Polished Rectified Field Tile

LIT ONYX BLUE



GISLB48102OXDBP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OXDBP
24" x 48" Polished Rectified Field Tile

LIT ONYX GOLDEN



GISLB48102OXGP
48" x 110"
Polished Rectified
Porcelain Panel



GISLB2448OXGP
24" x 48" Polished Rectified Field Tile

SLATE WHITE

GISLB48110SLW
48" x 110"
Honed Rectified
Porcelain Panel

GISLB2448SLW
24" x 48" Honed Rectified Field Tile

AGATA AZURE



GISLB48102OXAAP
48" x 110"
Polished Rectified
Porcelain Panel

SLATE GREY



GISLB48110SGRP
48" x 110"
Honed Rectified
Porcelain Panel




GISLB2448SGR
24" x 48" Honed Rectified Field Tile

THASSOS

GISLB48110THSOP
48" x 110"
Polished Rectified
Porcelain Panel


SHADE VARIATION AND APPLICATIONS - PANELS



V3
HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop	•	•	•

SHADE VARIATION AND APPLICATIONS - 9.5mm FIELD TILE



V3
HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
PEI Rating	4	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42 (Honed)	BOT 3000
C.O.F. (Dynamic)	Not Compliant (Polished)	BOT 3000
Frost Resistance	RESISTANT	ASTM C1026
Thickness	6 mm (48 x 110, 48 x 109, 48 x 102)	Factory Provided
Thickness	9.5 mm (24x48)	Factory Provided



Featuring GIO Slate_Ardosia, Charcoal 24 x 48 Honed & Rectified Field Tile

slate_ardosia

slate_ardosia

Four stunning slate interpretations, inspired by South American origins, this timeless tile delivers in performance with two finishes, "grip" and "honed" for any modern installation

INKJET RECTIFIED HONED & GRIP FINISH, FLOOR & WALL GLAZED PORCELAIN STONEWARE

CHARCOAL



GISAR1224CH
12"x 24" Honed & Rectified Field Tile



GISAR22MOSCH
2"x 2" Honed Mosaic

GISAR1224CHG
12"x 24" Grip Rectified Field Tile



GISAR324BNCH
3"x 24" Honed Bullnose

GREY



GISAR1224GR
12"x 24" Honed & Rectified Field Tile



GISAR22MOSGR
2"x 2" Honed Mosaic

GISAR1224GRG
12"x 24" Grip Rectified Field Tile



GISAR324BNGR
3"x 24" Honed Bullnose

IVORY



GISAR1224IV
12"x 24" Honed & Rectified Field Tile



GISAR22MOSIV
2"x 2" Honed Mosaic

GISAR1224IVG
12"x 24" Grip Rectified Field Tile




GISAR324BNIV
3"x 24" Honed Bullnose

TAUPE



GISAR1224TP
12"x 24" Honed & Rectified Field Tile



GISAR22MOSTP
2"x 2" Honed Mosaic

GISAR1224TPG
12"x 24" Grip Rectified Field Tile



GISAR324BNTP
3"x 24" Honed Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Grip 0.75)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Honed & Rectified Field Tile	8	15.50	59	32	496	1859
12x24 Grip Rectified Field Tile	8	15.50	59	32	496	1859
2x2 Honed Mosaic	5	4.84	20	24	558	2236
3x24 Honed Bullnose	16	-	38	-	-	-

Featuring GIO Slate_Montauk, Charcoal 24x24 Rectified Field Tile

slate_montauk

slate_montauk

depth and dark tones meet classic cleft in this porcelain perfect slate interpretation,
lush large format or linear sizes available for various applications & aesthetic appeal

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE


LIGHT GREY



GIOSLM2448LG
24" x 48" Rectified Field Tile



GIOSLM2424LG
24" x 24" Rectified Field Tile



GIOSLM848LG
8" x 48" Rectified
Field Tile



GIOSLM624LG
4" x 24" Rectified
Field Tile



GIOSLM1224LG
12" x 24" Rectified
Field Tile

IVORY



GIOSLM2448IV
24" x 48" Rectified Field Tile



GIOSLM2424IV
24" x 24" Rectified Field Tile



GIOSLM848IV
8" x 48" Rectified
Field Tile



GIOSLM624IV
4" x 24" Rectified
Field Tile




GIOSLM1224IV
12" x 24" Rectified
Field Tile


CHARCOAL



GIOSLM2448CH
24" x 48" Rectified Field Tile




GIOSLM2424CH
24" x 24" Rectified Field Tile



GIOSLM848CH
8" x 48" Rectified
Field Tile



GIOSLM624CH
4" x 24" Rectified
Field Tile



GIOSLM1224CH
12" x 24" Rectified
Field Tile

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x24 Rectified Field Tile	4	15.50	70	32	496	2240
24x48 Rectified Field Tile	2	15.50	70.10	36	558	2523.60
12x24 Special Cut Rectified Field Tile	-	-	-	-	-	-
8x48 Special Cut Rectified Field Tile	-	-	-	-	-	-
4x24 Special Cut Rectified Field Tile	-	-	-	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

100 sq. ft. minimum



Featuring GIO Soho, Light Grey 24x24

soho

GIO
ARCHITECTURAL TILE + STONE

soho

The nuanced, sophisticated look of volcanic basalt classically interpreted in large format and linear porcelain tile

INKJET RECTIFIED COLOR BODY FLOOR AND WALL GLAZED PORCELAIN STONEWARE

DARK GREY



GISO2448DG
24" x 48" Rectified Field Tile



GISO2424DG
24" x 24" Rectified Field Tile



GISO1224DG
12" x 24" Rectified Field Tile



GISO312BDG
3" x 12" Bullnose



GISO612CDG
6" x 12" Cove Base



GISOMOSDG
12" x 12" Mosaic

BEIGE



GISO2448BG
24" x 48" Rectified Field Tile



GISO2424BG
24" x 24" Rectified Field Tile



GISO1224BG
12" x 24" Rectified Field Tile



GISO312BBG
3" x 12" Bullnose



GISO612CBG
6" x 12" Cove Base



GISOMOSBG
12" x 12" Mosaic


BIANCO



GISO2448BI
24" x 48" Rectified Field Tile



GISO2424BI
24" x 24" Rectified Field Tile



GISO1224BI
12" x 24" Rectified Field Tile

GISO312BBI
3" x 12" Bullnose



GISO612CBI
6" x 12" Cove Base

GISOMOSBI
12" x 12" Mosaic


LIGHT GREY



GISO2448
24" x 48" Rectified Field Tile



GISO2424LG
24" x 24" Rectified Field Tile



GISO1224LG
12" x 24" Rectified Field Tile



GISO312BLG
3" x 12" Bullnose




GISO612CLG
6" x 12" Cove Base




GISOMOSLG
12" x 12" Mosaic


HAZELNUT



GISO2448HZL
24" x 48" Rectified Field Tile



GISO2424HZL
24" x 24" Rectified Field Tile



GISO1224HZL
12" x 24" Rectified Field Tile



GISO312BHZL
3" x 12" Bullnose



GISO612CHZL
6" x 12" Cove Base



GISOMOSHZL
12" x 12" Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Rectified Field Tile	2	16	76.8	30	480	2304
24" x 24" Rectified Field Tile	3	12	49.2	36	432	1771
12" x 24" Rectified Field Tile	6	12	49.2	48	576	2362
12" x 12" Mosaic	10	10	41	45	450	1845
6" x 12" Cove Base	10	-	17.5	-	-	-
3" x 12" Bullnose	12	-	12.7	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.5%	ASTM C-373
C.O.F. (Dynamic)	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	8 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Sol, Dolce Ivory 8" x8" Circle and 4" x4" Diamond

sol

a natural & neutral spin on stunning limestone in a patinated porcelain collection of carefully curatetd and crafted surfaces and sizes

INKJET ANTIQUED FINISH FLOOR & WALL GLAZED PORCELAIN STONEWARE

GRIS BASILICA



GIOSOL1010GRB
10″ x 10″
Antiqued Field Tile



GIOSOL210GRB
2″ x 10″
Antiqued Field Tile



GIOSOL88CRGRB
8″ x 8″
Circle



GIOSOL510GRB
5″ x 10″
Antiqued Field Tile



GIOSOL44DMGRB
4″ x 4″
Diamond

ANTIQUE BLACK



GIOSOL1010ANB
10″ x 10″
Antiqued Field Tile



GIOSOL210ANB
2″ x 10″
Antiqued Field Tile



GIOSOL88CRANB
8″ x 8″
Circle



GIOSOL510ANB
5″ x 10″
Antiqued Field Tile



GIOSOL44DMANB
4″ x 4″
Diamond

DARK BRUN



GIOSOL1010DBR
10″ x 10″
Antiqued Field Tile



GIOSOL210DBR
2″ x 10″
Antiqued Field Tile



GIOSOL88CRDBR
8″ x 8″
Circle



GIOSOL510DBR
5″ x 10″
Antiqued Field Tile



GIOSOL44DMDBR
4″ x 4″
Diamond

DOLCE IVORY




GIOSOL1010DIV
10″ x 10″
Antiqued Field Tile



GIOSOL210DIV
2″ x 10″
Antiqued Field Tile



GIOSOL88CRDIV
8″ x 8″
Circle



GIOSOL510DIV
5″ x 10″
Antiqued Field Tile



GIOSOL44DMDIV
4″ x 4″
Diamond

FOSSIL TAUPE




GIOSOL1010FTU
10″ x 10″
Antiqued Field Tile



GIOSOL210FTU
2″ x 10″
Antiqued Field Tile



GIOSOL88CRFTU
8″ x 8″
Circle



GIOSOL510FTU
5″ x 10″
Antiqued Field Tile



GIOSOL44DMFTU
4″ x 4″
Diamond

CREAM MULTICOLOR




GIOSOL1010CMC
10″ x 10″
Antiqued Field Tile



GIOSOL210CMC
2″ x 10″
Antiqued Field Tile



GIOSOL88CRCMC
8″ x 8″
Circle



GIOSOL510CMC
5″ x 10″
Antiqued Field Tile



GIOSOL44DMCMC
4″ x 4″
Diamond


PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
10x10 Field Tile	16	10.76	43.25	60	645.83	2595.26
5x10 Field Tile	32	10.76	42.86	60	645.83	2733
2x10 Field Tile	56	7.53	28.88	81	609.93	2339.30
8x8 Circle	25	8.45	35.38	45	380.25	1592.27
4x4 Diamond	50	4.62	17.42	98	452.76	1706.80

8x8 CIRCLE & 4x4 DIAMONDS ARE PRE-BUNDLED - EACH BUNDLE CONSISTS OF 2 BOXES OF CIRCLE AND ONE BOX OF DIAMOND

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm	Factory Provided



Featuring GIO Statuarietto Bianco, 30 x 30 Polished & Rectified


statuarietto bianco

GIO
ARCHITECTURAL TILE + STONE

statuarietto bianco

Experience bold sizes, veining & marble fashion in a symphony of statuary sizes for any porcelain project possibility!

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE
ALSO AVAILABLE IN PORCELAIN PANELS



GISTU60120STBH
60" x 120" Honed & Rectified Porcelain Panel

GISTU60120STBP
60" x 120" Polished & Rectified Porcelain Panel




GISTU3030STBH
30" x 30" Honed & Rectified Field Tile

GISTU3030STBP
30" x 30" Polished & Rectified Field Tile



GISTU1224STBH
12" x 24" Honed & Rectified Field Tile

GISTU1224STBP
12" x 24" Polished & Rectified Field Tile



GISTU22MOSSTBH
2" x 2" Honed Mosaic



GISTU312BNSTBH
3" x 12" Honed Bullnose

GISTU312BNSTBP
3" x 12" Polished Bullnose




GISTU612CBSTBH
6" x 12" Honed Cove Base

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
60x120 Rectified Porcelain Panel (A-Frame needed for shipment)	1	48.34	139.50	50	2421.90	7456
30x30 Rectified Field Tile	3	18.16	69	36	653.90	2463
12x24 Rectified Field Tile	8	15.75	56	32	504.03	1790
2x2 Mosaic	5	4.90	23	-	-	-
3x12 Bullnose	15	-	15	-	-	-
6x12 Cove Base	8	-	16	-	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	Honed - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - Not Compliant	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm (6mm - 60x120)	Factory Provided

G2 GREEN SQUARED
Certified by UL Environment



Featuring GIO Stoneline, Sand Beige 12" x 24" Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

stoneline


a stunning variety of visual stone veining expressed in a sophisticated and striated porcelain palette fashionable for any floor or wall design

INKJET COLORBODY RECTIFIED HONED & TEXTURED FINISH,
FLOOR & WALL GLAZED PORCELAIN STONEWARE

DARK GREY



GISTL2448DGY
24" x 48" Rectified Field Tile



GISTL1224DGY
12" x 24" Rectified Field Tile



GISTL1224DGYD
12" x 24" Rectified Linear Vertical Decor



GISTLMOSDGY
2" x 2" Mosaic



GISTL324BNDGY
3" x 24" Bullnose

GREY



GISTL2448GRY
24" x 48" Rectified Field Tile



GISTL1224GRY
12" x 24" Rectified Field Tile



GISTL1224GRYD
12" x 24" Rectified Linear Vertical Decor



GISTLMOSGRY
2" x 2" Mosaic



GISTL324BNGRY
3" x 24" Bullnose

SAND BEIGE



GISTL2448SND
24" x 48" Rectified Field Tile



GISTL1224SND
12" x 24" Rectified Field Tile



GISTL1224SNDD
12" x 24" Rectified Linear Vertical Decor



GISTLMOSSND
2" x 2" Mosaic



GISTL324BNSND
3" x 24" Bullnose

WHITE



GISTL2448WHT
24" x 48" Rectified Field Tile



GISTL1224WHT
12" x 24" Rectified Field Tile

GISTL1224WHTD
12" x 24" Rectified Linear Vertical Decor

GISTLMOSWHT
2" x 2" Mosaic


GISTL324BNWHT
3" x 24" Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.50	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm (9.5 - 24x48)	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT.PER PALLET	WEIGHT PER PALLET
24x 48 Rectified Field Tile	2	15.26	64.14	36	549.36	2309.04
12 x 24 Rectified Field Tile	9	17	64.89	32	544	2076.48
12" x 24" Rectified Linear Decor	9	17	64.89	32	544	2076.48
2x 2 Mosaic	10	9.45	33	-	-	-
3x 24 Bullnose	15	-	36	-	-	-


Featuring GIO Subway, 4x16 Architectural Grey Bright
subway

GIO
ARCHITECTURAL TILE + STONE

subway

Subway tile, always the constant classic, now offered in signature sizes and perpetually popular neutrals—timeless yet modern, like your interior style

GLAZED CERAMIC STONEWARE AVAILABLE IN BRIGHT & MATTE FINISHES

STANDARD WHITE

GICLS824SWH
8" x 24" Wall Tile BRIGHT ONLY

GICLS816SWH
8" x 16" Wall Tile BRIGHT ONLY

GICLS412SWH
4" x 12" Wall Tile
BRIGHT ONLY

GICLS412BSWH
4" x 12" Beveled Wall Tile
BRIGHT ONLY

GICLS36BSWH
3" x 6" Beveled Wall Tile
BRIGHT ONLY

GICLS36SWH - Bright
GICLS36SWHMT - Matte
3" x 6" Wall Tile

GICLS28BNSWH - Bright
GICLS28BNSWHMT - Matte
2" x 8" Bullnose

GICLS26BNSWH - Bright
GICLS26BNSWHMT - Matte
2" x 6" Bullnose

GICLS416SWH - Bright
GICLS416SWHMT - Matte
4" x 16" Wall Tile

GICLS66SWH
6" x 6" Wall Tile
BRIGHT ONLY

GICLS212SWH - Bright
GICLS212SWHMT - Matte
2" x 12" Wall Tile



GICLSQRSWH - Bright
GICLSQRSWHMT - Matte
1/4" x 12" Quarter Round

SILVER

GICLS824SIL
8" x 24" Wall Tile BRIGHT ONLY

GICLS816SIL
8" x 16" Wall Tile BRIGHT ONLY

GICLS412SIL
4" x 12" Wall Tile
BRIGHT ONLY



GICLS412BSIL
4" x 12" Beveled Wall Tile
BRIGHT ONLY

GICLS26BNSIL
2" x 6" Bullnose
BRIGHT ONLY

GICLS36SIL
3" x 6" Wall Tile
BRIGHT ONLY

GICLS416SIL - Bright
GICLS416SILMT - Matte
4" x 16" Wall Tile

GICLS28BNSIL - Bright
GICLS28BNSILMT - Matte
2" x 8" Bullnose



GICLSQRSIL - Bright
GICLSQRSILMT - Matte
1/4" x 12" Quarter Round



GICLS212SSIL - Bright
GICLS212SSILMT - Matte
2" x 12" Wall Tile

VINTIJ

GICLS824VIN
8" x 24" Wall Tile BRIGHT ONLY

GICLS816VIN
8" x 16" Wall Tile BRIGHT ONLY



GICLS412VIN
4" x 12" Wall Tile
BRIGHT ONLY



GICLS412BVIN
4" x 12" Beveled Wall Tile
BRIGHT ONLY

GICLS26BNVIN
2" x 6" Bullnose
BRIGHT ONLY

GICLS36VIN
3" x 6" Wall Tile
BRIGHT ONLY

GICLS416VIN - Bright
GICLS416VINMT - Matte
4" x 16" Wall Tile

GICLS28BNVIN - Bright
GICLS28BNVINMT - Matte
2" x 8" Bullnose



GICLSQRVIN - Bright
GICLSQRVINMT - Matte
1/4" x 12" Quarter Round



GICLS212SWH - Bright
GICLS212SWHMT - Matte
2" x 12" Wall Tile

BLACK



GICLS416BLK
4" x 16" Wall Tile BRIGHT ONLY




GICLS412BLK
4" x 12" Wall Tile BRIGHT ONLY



GICLS36BLK
3" x 6" Wall Tile BRIGHT ONLY

BONE

GICLS416BON
4" x 16" Wall Tile BRIGHT ONLY



GICLS412BON
4" x 12" Wall Tile BRIGHT ONLY

GICLS36BON
3" x 6" Wall Tile BRIGHT ONLY



Featuring GIO Subway, 8x24 Standard White Bright

GIO
ARCHITECTURAL TILE + STONE

subway

Subway tile, always the constant classic, now offered in signature sizes and perpetually popular neutrals—timeless yet modern, like your interior style

GLAZED CERAMIC STONEWARE AVAILABLE IN BRIGHT & MATTE FINISHES

ARCHITECTURAL GREY

GICLS416AGR - Bright
GICLS416AGRMT - Matte
4" x 16" Wall Tile

GICLS212AGR - Bright
GICLS212AGRMT - Matte
2" x 12" Wall Tile

GICLS36AGR
3" x 6" Wall Tile BRIGHT ONLY

GICLS28BNAGR - Bright
GICLS28BNAGRMT - Matte
2" x 8" Bullnose

GICLS26BNAGR
2" x 6" Bullnose BRIGHT ONLY

GICLSQRAGR - Bright
GICLSQRAGRMT - Matte
1/4" x 12" Quarter Round

STONE TAUPE

GICLS416TPE - Bright
GICLS416TPEMT - Matte
4" x 16" Wall Tile

GICLS212TPE - Bright
GICLS212TPEMT - Matte
2" x 12" Wall Tile

GICLS36TPE
3" x 6" Wall Tile BRIGHT ONLY

GICLS28BNTPE - Bright
GICLS28BNTPEMT - Matte
2" x 8" Bullnose

GICLS26BNTPE
2" x 6" Bullnose BRIGHT ONLY

GICLSQRTPE - Bright
GICLSQRTPEMT - Matte
1/4" x 12" Quarter Round

WARM BLACK

GICLS416WBK - Bright
GICLS416WBKMT - Matte
4" x 16" Wall Tile

GICLS212WBK - Bright
GICLS212WBKMT - Matte
2" x 12" Wall Tile

GICLS36WBK
3" x 6" Wall Tile BRIGHT ONLY

GICLS28BNWBK - Bright
GICLS28BNWBKMT - Matte
2" x 8" Bullnose

GICLS26BNWBK
2" x 6" Bullnose BRIGHT ONLY

GICLSQRWBK - Bright
GICLSQRWBKMT - Matte
1/4" x 12" Quarter Round

SAGE

GICLS416SGE - Bright
GICLS416SGEMT - Matte
4" x 16" Wall Tile

GICLS212SGE - Bright
GICLS212SGEMT - Matte
2" x 12" Wall Tile

GICLS36SGE
3" x 6" Wall Tile BRIGHT ONLY

GICLS28BNSGE - Bright
GICLS28BNSGEMT - Matte
2" x 8" Bullnose

GICLS26BNSGE
2" x 6" Bullnose BRIGHT ONLY

GICLSQRSGE - Bright
GICLSQRSGEMT - Matte
1/4" x 12" Quarter Round

BLUE

GICLS416BLU - Bright
GICLS416BLUMT - Matte
4" x 16" Wall Tile

GICLS212BLU - Bright
GICLS212BLUMT - Matte
2" x 12" Wall Tile

GICLS36BLU
3" x 6" Wall Tile BRIGHT ONLY

GICLS28BNBLU - Bright
GICLS28BNBLUMT - Matte
2" x 8" Bullnose

GICLS26BNBLU
2" x 6" Bullnose BRIGHT ONLY


GICLSQRBLU - Bright
GICLSQRBLUMT - Matte
1/4" x 12" Quarter Round

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8" x 24" Wall Tile	12	15.50	51	36	558	1656
8" x 16" Wall Tile	12	10.33	31	57	588.81	1767
4" x 16" Wall Tile	25	10.76	31	70	753.20	2170
4" x 16" Wall Tile (Black/Biscuit)	20	8.62	31	72	620.64	2232
4" x 12" Wall Tile	30	9.69	28	60	581.40	1680
4" x 12" Wall Tile (Black/Biscuit)	15	4.84	14	132	638.88	1846
4" x 12" Beveled Wall Tile	30	9.69	29	72	697.68	1972
2" x 12" Wall Tile	44	7.10	36	72	511.20	2592
6" x 6" Wall Tile	44	10.65	25	68	724.80	1700
2" x 8" Bullnose	44	-	13	-	-	-
3" x 6" Wall Tile	88	10.66	26	68	724.88	1768
3" x 6" Wall Tile (Black/Biscuit)	88	10.66	26	68	724.88	1768
3" x 6" Beveled Wall Tile	88	10.66	27	56	596.96	1512
2" x 6" Bullnose	44	-	9	-	-	-
Quarter Round	60	-	8	-	-	-

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Wall	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI	N/A
C.O.F.	WALL RATED ONLY
Water Absorption	10%

THICKNESS	FACTORY PROVIDED RESULT
2x12, 8x24, 4x12 Bevel, Quarter Round	9 mm
8x16, 4x16, 3x6 Bevel, 4x12, 4x12 Bevel, 2x8 Bullnose,	8 mm
3x6, 6x6, 2x6 Bullnose	7 mm



Featuring GIO Taj, 24" x 48" Matte Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

taj

sophisticated shades & subtle veining of warm ivory and gold quartzite in a timeless take in marble aesthetics, packaged in polished or matte porcelain for durable decadent design

INKJET RECTIFIED POLISHED AND MATTE FLOOR & WALL GLAZED PORCELAIN STONEWARE



GITAJ2448
24" x 48" Matte Rectified Field Tile
GITAJ2448PO
24" x 48" Polished & Rectified Field Tile




GITAJ1224
12" x 24" Matte Rectified Field Tile
GITAJ1224PO
12" x 24" Polished & Rectified Field Tile



GITAJ3636
36" x 36" Matte Rectified Field Tile
GITAJ3636PO
36" x 36" Polished & Rectified Field Tile



GITAJMOS
2" x 2" Rectified Mosaic




GITAJ424BN
4" x 24" Matte Bullnose
GITAJ424BNPO
4" x 24" Polished Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.39	64.98	40	615.70	2599
36x36 Rectified Field Tile	2	17.40	78.20	30	522	2346
12x24 Rectified Field Tile	8	15.62	58.20	32	499.84	1862
2x2 Mosaic	5	4.84	17.64	-	-	-
4x24 Bullnose	16	-	39.46	-	-	-

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ASTM C373
PEI	3	C1027 Test
C.O.F. (Dynamic)	0.42 (Matte)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Terracotta, Rosato 8 x 8 Field Tile

GIO
ARCHITECTURAL TILE + STONE

terracotta

terracotta tiles translated in earthy hip hues and porcelain patterns of bricks, squares & hexagons

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

NATURALE



GITC88NA
8" x 8" Field Tile



GITC38TBNA
3" x 8" Textured Brick



GITCHXNA
7" x 8" Hex Field Tile

ROSATO



GITC88RO
8" x 8" Field Tile



GITC38TBRO
3" x 8" Textured Brick



GITCHXRO
7" x 8" Hex Field Tile

AVORIO



GITC88AV
8" x 8" Field Tile



GITC38TBAV
3" x 8" Textured Brick



GITCHXAV
7" x 8" Hex Field Tile

ASH GREY



GITC88AG
8" x 8" Field Tile



GITC38TBAG
3" x 8" Textured Brick



GITCHXAG
7" x 8" Hex Field Tile

ANTHRACITE



GITC88AN
8" x 8" Field Tile



GITC38TBAN
3" x 8" Textured Brick



GITCHXAN
7" x 8" Hex Field Tile

BIANCO

GITC88BI
8" x 8" Field Tile



GITC38TBBI
3" x 8" Textured Brick



GITCHXBI
7" x 8" Hex Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3x8 Textured Brick	60	9.69	44	60	581.40	2640
8x8 Field Tile	24	10.33	47	54	557.82	2515
7x8 Hex Field Tile	16	4.94	23	100	494	2300

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.50	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Terrazzo, Anthracite Matte Rectified 24 x 24

GIO
ARCHITECTURAL TILE + STONE

terrazzo

Oh so mid-century in style, oh so modern in performance—get the look of classic terrazzo in seriously superior porcelain tile with two finishes and four cool colors

COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE


AGGREGATE

ANTHRACITE



GITER2424ANTM
24" x 24"
Rectified Field Tile

DARK GREY



GITER2424DGRM
24" x 24"
Rectified Field Tile

LIGHT GREY




GITER2424LGRM
24" x 24"
Rectified Field Tile

WHITE

GITER2424WHTM
24" x 24"
Rectified Field Tile


FLECK

BIANCO




GITER2448BIA
24" x 48"
Rectified Field Tile

STONE GREY



GITER2448STG
24" x 48"
Rectified Field Tile

GRIGIO



GITER2448GRI
24" x 48"
Rectified Field Tile

TECHNICAL SPECIFICATIONS


DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
C.O.F. (Dynamic) Matte	0.42	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.5%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	10 mm	Factory Provided

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24"x48" Matte Rectified Filed Tile	2	15.5	71.86	21	325.50	1509.06
24"x24" Matte Rectified Field Tile	3	11.62	58.68	40	464.80	2347.20
6"x24" Matte Rectified Field Tile	12	11.62	58.68	-	-	-

SHADE VARIATION AND APPLICATIONS (AGGREGATE)

V2




MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

SHADE VARIATION AND APPLICATIONS (FLECK)

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Tigerwood, Saddle 6x36 Rectified (Wall) and Traffic, Taupe 24x24 Matte (Floor)


tigerwood


tigerwood

An enduring porcelain tile that captures the varied graining, rings, and wavy wooden hues of a revered Brazilian hardwood species, in plank sizes for flawless installations

INKJET RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

PROVINCIAL





GITG636PR
6" x 36" Rectified Field Tile

NATURAL





GITG636NA
6" x 36" Rectified Field Tile

SADDLE






GITG636SA
6" x 36" Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
6" x 36" Rectified Field Tile	7	10.21	38.87	36	376.56	1430.95

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	7	ASTM C-1027
C.O.F. (Dynamic)	0.50	ANSI A137.1
Deep Abrasion Resistance	Conforms	EN ISO 10545-6
Chemical Resistance	Excellent	ASTM C650
Water Absorption	0.5%	ASTM C-373
Frost Resistance	Conforms	ASTM C1026
Thickness	8 mm	Factory Provided

GREEN SQUARED
Certified by UL Environment



Featuring GIO Toscana, Viola 2" x 10" Antiqued Field Tile

toscana


GIO
ARCHITECTURAL TILE + STONE

toscana

classic creativity in a porcelain presentation of weathered timeless marble tiles and an assortment of sophisticated sizes

INKJET ANTIQUED FINISH FLOOR & WALL GLAZED PORCELAIN STONEWARE

VERDE



GITSC1010VER
10" x 10"
Antiqued Field Tile



GITSC210VER
2" x 10"
Antiqued Field Tile



GITSC44VER
4" x 4"
Antiqued Field Tile




GITSCSTRVER
6" x 6"
Antiqued Cross



GITSCCRSVER
6" x 6"
Antiqued Star

NERO



GITSC1010NER
10" x 10"
Antiqued Field Tile



GITSC210NER
2" x 10"
Antiqued Field Tile



GITSC44NER
4" x 4"
Antiqued Field Tile



GITSCSTRNER
6" x 6"
Antiqued Cross



GITSCCRSNER
6" x 6"
Antiqued Star

ORO



GITSC1010ORO
10" x 10"
Antiqued Field Tile



GITSC210ORO
2" x 10"
Antiqued Field Tile



GITSC44ORO
4" x 4"
Antiqued Field Tile



GITSCSTRORO
6" x 6"
Antiqued Cross



GITSCCRSORO
6" x 6"
Antiqued Star

TRAVERTINE



GITSC1010TVT
10" x 10"
Antiqued Field Tile



GITSC210TVT
2" x 10"
Antiqued Field Tile



GITSC44TVT
4" x 4"
Antiqued Field Tile



GITSCSTRTVT
6" x 6"
Antiqued Cross



GITSCCRSTVT
6" x 6"
Antiqued Star

CARRARA



GITSC1010CAR
10" x 10"
Antiqued Field Tile



GITSC210CAR
2" x 10"
Antiqued Field Tile



GITSC44CAR
4" x 4"
Antiqued Field Tile



GITSCSTRCAR
6" x 6"
Antiqued Cross



GITSCCRSCAR
6" x 6"
Antiqued Star

BARDIGLIO



GITSC1010BRD
10" x 10"
Antiqued Field Tile



GITSC210BRD
2" x 10"
Antiqued Field Tile



GITSC44BRD
4" x 4"
Antiqued Field Tile



GITSCSTRBRD
6" x 6"
Antiqued Cross



GITSCCRSBRD
6" x 6"
Antiqued Star

BOTTICINO



GITSC1010BOT
10" x 10"
Antiqued Field Tile

GITSC210BOT
2" x 10"
Antiqued Field Tile

GITSC44BOT
4" x 4"
Antiqued Field Tile



GITSCSTRBOT
6" x 6"
Antiqued Cross



GITSCCRSBOT
6" x 6"
Antiqued Star

MACCHIA VECCHIA



GITSC1010MCV
10" x 10"
Antiqued Field Tile



GITSC210MCV
2" x 10"
Antiqued Field Tile



GITSC44MCV
4" x 4"
Antiqued Field Tile



GITSCSTRMCV
6" x 6"
Antiqued Cross



GITSCCRSMCV
6" x 6"
Antiqued Star

VIOLA



GITSC1010VLA
10" x 10"
Antiqued Field Tile



GITSC210VLA
2" x 10"
Antiqued Field Tile



GITSC44VLA
4" x 4"
Antiqued Field Tile



GITSCSTRVLA
6" x 6"
Antiqued Cross



GITSCCRSVLA
6" x 6"
Antiqued Star

SOFT SEGESTA



GITSC1010SSG
10" x 10"
Antiqued Field Tile

GITSC210SSG
2" x 10"
Antiqued Field Tile

GITSC44SSG
4" x 4"
Antiqued Field Tile



GITSCSTRSSG
6" x 6"
Antiqued Cross



GITSCCRSSSG
6" x 6"
Antiqued Star

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
10x10 Field Tile	16	10.76	42.06	60	645.83	2523.83
4x4 Field Tile	57	6.14	25.20	84	515.38	2116.68
2x10 Field Tile	56	7.53	29.12	81	610.31	2558.94
6x6 Cross	22	4.39	17.84	120	526.24	2140.23
6x6 Star	26	8	30.53	60	479.76	1832.02

6x6 CROSS & 6x6 STAR ARE PRE-BUNDLED - EACH BUNDLE CONSISTS OF ONE BOX OF CIRCLE AND ONE BOX OF STAR

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9.5 mm	Factory Provided



Featuring GIO Trevizo, White 3" x 24" Field Tile

trevizo

GIO
ARCHITECTURAL TILE + STONE

trevizo

colorful chromatic possibilities in porcelain bricks, linear and long expressions of modernity in design

INKJET FLOOR & WALL GLAZED PORCELAIN STONEWARE

LIGHT GREEN



GITRV324LGN
3" x 24" Field Tile

LIGHT BLUE



GITRV324LBL
3" x 24" Field Tile

IVORY




GITRV324IVO
3" x 24" Field Tile

DARK TAUPE




GITRV324DKT
3" x 24" Field Tile

DARK GREEN




GITRV324DGR
3" x 24" Field Tile

DARK BLUE



GITRV324DBL
3" x 24" Field Tile

BLACK



GITRV324BLK
3" x 24" Field Tile

LIGHT GREY



GITRV324LGR
3" x 24" Field Tile

WHITE


GITRV324WTE
3" x 24" Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
3x24 Field Tile	22	10.66	42.02	60	639.6	2521.20

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8.5 mm	Factory Provided



Featuring GIO Umber, Bianco 8x48 Rectified

umber

Wood's classic look in four fresh tones interpreted in powerful porcelain planks and exterior paver–always on trend, inside or out

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

BIANCO





GIUMB848BI
8" x 48" Rectified Field Tile



GIUMB1248BI i/o
12" x 48" Rectified Field Tile/Porcelain Paver



GIUMB336BNBI
3" x 36" Bullnose

GREY





GIUMB848GR
8" x 48" Rectified Field Tile



GIUMB1248GR i/o
12" x 48" Rectified Field Tile/Porcelain Paver



GIUMB336BNGR
3" x 36" Bullnose

AMBER





GIUMB848AM
8" x 48" Rectified Field Tile




GIUMB1248AM i/o
12" x 48" Rectified Field Tile/Porcelain Paver



GIUMB336BNAM
3" x 36" Bullnose

NOCE






GIUMB848NO
8" x 48" Rectified Field Tile



GIUMB336BNNO
3" x 36" Bullnose

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
8x48 Rectified Field Tile	6	16	75	24	384.48	1805
12x48 Rectified Paver	4	16	147	16	256	2355
3x36 Bullnose	16	-	33.60	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.63	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm (20 mm Paver)	Factory Provided

i/o - INSIDE AND OUTSIDE




Featuring GIO Varenna, Bianca 24 x 48 Honed & Rectified Field Tile

varenna

Inspired by materials quarried near the luminous Lombardy region of Italy, a dramatically veined duet of timeless black and white marble, porcelain perfect for a bold statement in any setting


INKJET RECTIFIED POLISHED & MATTE, FLOOR & WALL GLAZED PORCELAIN STONEWARE

VENATO NOTTE




GIVAR2448NT
24″x 48″ Honed & Rectified Field Tile


GIVAR2448NTP
24″x 48″ Polished Rectified Field Tile



GIVAR1224NT
12″x 24″ Honed & Rectified Field Tile

GIVAR1224NTP
12″x 24″ Polished Rectified Field Tile





GIVAR612CBNT
6″x 12″ Honed Cove Base

GIVAR22MOSNT
2″x 2″ Honed Mosaic


GIVAR22MOSNTP
2″x 2″ Polished Mosaic



GIVAR324BNNT
3″x 24″ Honed Bullnose

GIVAR324BNNTP
3″x 24″ Polished Bullnose

LUNA BIANCA



GIVAR2448BI
24″x 48″ Honed & Rectified Field Tile


GIVAR2448BIP
24″x 48″ Polished Rectified Field Tile



GIVAR1224BI
12″x 24″ Honed & Rectified Field Tile

GIVAR1224BIP
12″x 24″ Polished Rectified Field Tile





GIVAR612CBBI
6″x 12″ Honed Cove Base

GIVAR22MOSBI
2″x 2″ Honed Mosaic

GIVAR22MOSBIP
2″x 2″ Polished Mosaic



GIVAR324BNBI
3″x 24″ Honed Bullnose

GIVAR324BNBIP
3″x 24″ Polished Bullnose

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.1%	ISO 10545-3
C.O.F. (Dynamic)	0.42 (Honed)	BOT 3000
C.O.F. (Dynamic)	NOT COMPLIANT (polished)	BOT 3000
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided
PEI	4	C1027

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
12x24 Rectified Field Tile	8	15.50	58.31	32	496	1907.14
24x48 Rectified Field Tile	4	15.50	118.73	20	620	2412.87
6x12 Cove Base	8	-	37.20	-	-	-
2x2 Mosaic	5	-	17.75	-	-	-
3x24 Bullnose	16	-	27.20	-	-	-

Featuring GIO Veneto, Bianco 24 x 48

GIO
ARCHITECTURAL TILE + STONE

veneto

A chic porcelain tile emerges at the intersection of concrete's industrial style and limestone's perpetual appeal; neutral colors, generous sizes and trims–a complete foundation for modern design

INKJET COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

TAUPE



GIVNT2448TP
24" x 48" Rectified Field Tile



GIVNT2424TP
24" x 24" Rectified Field Tile



GIVNT1224TP
12" x 24" Rectified Field Tile



GIVNT324BNTP
3" x 24" Bullnose



GIVNT624TP
6" x 24" Rectified Field Tile



GIVNT612CBTP
6" x 12" Cove Base



GIVNTMOSTP
2" x 2" Mosaic

BIANCO



GIVNT2448BI
24" x 48" Rectified Field Tile



GIVNT2424BI
24" x 24" Rectified Field Tile



GIVNT1224BI
12" x 24" Rectified Field Tile



GIVNT324BNBI
3" x 24" Bullnose



GIVNT624BI
6" x 24" Rectified Field Tile



GIVNT612CBBI
6" x 12" Cove Base



GIVNTMOSBI
2" x 2" Mosaic

LIGHT GREY



GIVNT2448LG
24" x 48" Rectified Field Tile



GIVNT2424LG
24" x 24" Rectified Field Tile



GIVNT1224LG
12" x 24" Rectified Field Tile




GIVNT324BNLG
3" x 24" Bullnose



GIVNT624LG
6" x 24" Rectified Field Tile



GIVNT612CBLG
6" x 12" Cove Base



GIVNTMOSLG
2" x 2" Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24" x 48" Rectified Field Tile	2	15.51	62.81	35	542.85	2200
24" x 24" Rectified Field Tile	3	11.63	47.62	40	465	1904.77
12" x 24" Rectified Field Tile	7	13.56	55.55	40	542.51	2222
6" x 24" Rectified Field Tile	12	11.63	47.62	40	465	1904.77
2" x 2" Mosaic	10	9.69	40	-	-	-
3" x 24" Bullnose	10	-	20	-	-	-
6" x 12" Cove Base	20	-	40	-	-	-

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	C373 Test
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	250	ASTMC648
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Veneziano, Crema Linen 24" x 48" Natural Structured Rectified Field Tile

veneziano

GIO
ARCHITECTURAL TILE + STONE

veneziano

experience dramatic design and durability assembled with historical hues of venice terrazzo packaged in porcelain stoneware of versatile sizes, shapes and structures

INKJET COLOR BODY PORCELAIN STONEWARE FLOOR & WALL TILES AVAILABLE IN SEMI-POLISHED & NATURAL STRUCTURED FINISHES

BLEACHED BROWN



GIVNZ2448BRP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448BRS
24"x 48" Natural Structured Rectified Field Tile



GIVNZ2424BRP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424BRS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224BRP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224BRS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNBRP
4"x 24" Semi-Polished Bullnose

GIVNZ412BNBRS
4"x 24" Natural Structured Bullnose

DARK GREY




GIVNZ2448DGP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448DGS
24"x 48" Natural Structured Rectified Field Tile



GIVNZ2424DGP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424DGS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224DGP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224DGS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNDGP
4"x 24" Semi-Polished Bullnose

GIVNZ412BNDGS
4"x 24" Natural Structured Bullnose

LIGHT GREY



GIVNZ2448LGP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448LGS
24"x 48" Natural Structured Rectified Field Tile



GIVNZ2424LGP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424LGS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224LGP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224LGS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNLGP
4"x 24" Semi-Polished Bullnose

GIVNZ412BNLGS
4"x 24" Natural Structured Bullnose

CREMA LINEN



GIVNZ2448LNP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448LNS
24"x 48" Natural Structured Rectified Field Tile




GIVNZ2424LNP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424LNS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224LNP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224LNS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNLNP
4"x 24" Semi-Polished Bullnose

GIVNZ412BNLNS
4"x 24" Natural Structured Bullnose

SAND BEIGE



GIVNZ2448SDP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448SDS
24"x 48" Natural Structured Rectified Field Tile



GIVNZ2424SDP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424SDS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224SDP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224SDS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNSDP
4"x 24" Semi-Polished Bullnose

GIVNZ412BNSDS
4"x 24" Natural Structured Bullnose

STONE WHITE




GIVNZ2448WTP
24"x 48" Semi-Polished Rectified Field Tile

GIVNZ2448WTS
24"x 48" Natural Structured Rectified Field Tile



GIVNZ2424WTP
24"x 24" Semi-Polished Rectified Field Tile

GIVNZ2424WTS
24"x 24" Natural Structured Rectified Field Tile



GIVNZ1224WTP
12"x 24" Semi-Polished Rectified Field Tile

GIVNZ1224WTS
12"x 24" Natural Structured Rectified Field Tile



GIVNZ412BNWTP
4"x 24" Semi-Polished Bullnose


GIVNZ412BNWTS
4"x 24" Natural Structured Bullnose

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Field Tile	2	15.50	55.03	35	542.50	1926.05
24x24 Field Tile	4	15.50	55.03	32	496	1760.96
12x24 Field Tile	8	15.50	59.37	32	496	1899.84
4x24 Bullnose	16	10.33	32	-	-	-

SHADE VARIATION AND APPLICATIONS

V2



MODERATE VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.50%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.42 (Structured)	ANSI 137.1
C.O.F. (Dynamic)	Not Compliant (Semi-polished)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	8 mm	Factory Provided




Featuring GIO Verde_Alpi, 12" x 24" Matte Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE


verde_alpi

vivid white veining mixed with deep dark green coloration,
a porcelain perfect interpretation of italian marble marvel


INKJET RECTIFIED POLISHED & MATTE, FLOOR & WALL GLAZED PORCELAIN STONEWARE



GIVERAL2448
24" x 48" Matte Rectified Field Tile
GIVERAL2448PO
24" x 48" Polished & Rectified Field Tile




GIVERAL3636
36" x 36" Matte Rectified Field Tile
GIVERAL3636PO
36" x 36" Polished & Rectified Field Tile



GVERALMOS
2" x 2" Matte Mosaic



GVERAL424BN
4" x 24" Matte Rectified Bullnose
GIVERAL424BNPO
4" x 24" Polished & Rectified Bullnose



GIVERAL1224
12" x 24" Matte Rectified Field Tile
GIVERAL1224PO
12" x 24" Polished & Rectified Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Rectified Field Tile	2	15.39	64.98	40	615.70	2599
36x36 Rectified Field Tile	2	17.40	78.20	30	522	2346
12x24 Rectified Field Tile	8	15.62	58.20	32	499.84	1862.40
2x2 Mosaic	5	4.84	17.64	-	-	-
4x24 Bullnose	16	-	39.46	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.05%	ISO 10545-3
PEI	5	C1027 Test
C.O.F. (Dynamic)	Matte - 0.42	ANSI 137.1
C.O.F. (Dynamic)	Polished - NOT COMPLIANT	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	9 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Vintage, Florentine 8x8

vintage

vintage

Vintage-inspired patterns in modern porcelain; every tile tells a quaint, creative, contemporary story—a new take on tradition

INK JET RECTIFIED FLOOR & WALL GLAZED PORCELAIN TILE

FLORENTINE




GITR88VFS
8" x 8" Standard

MEDICI




GITR88MED
8" x 8" Standard

MACHIAVELLI



GITR88MAC
8" x 8" Standard


VECCHIO



GITR88VEC
8" x 8" Standard

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	ASTM C-1027
Water Absorption	0.05%	ASTM C-373
C.O.F. (Dynamic)	0.67	ANSI A137.1
Chemical Resistance	Excellent	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Thickness	9 mm	Factory Provided



Featuring GIO Vitro, Aqua Mini Brick Mosaic

GIO
ARCHITECTURAL TILE + STONE

vitro

A sleek touch of glass for walls offered in crystalline colors with shimmering or frosty finishes—mosaic, modular, and thoroughly modern

SOLID GLASS COLLECTION AVAILABLE IN
BRIGHT & FROSTED FINISH & MIXED BRIGHT & FROSTED FINISH MINI BRICK MOSAIC

BIANCO

GIVI416BIBR
4" x 16" Bright Field Tile

GIVI212BIBR
2" x 12" Bright Field Tile

GIVI212BIMT
2" x 12" Frosted Field Tile

GIVI36BIBR
3" x 6" Bright Field Tile



GIVIBIMOS
Mini Brick Mosaic

DOVE GREY

GIVI416DGBR
4" x 16" Bright Field Tile

GIVI212DGBR
2" x 12" Bright Field Tile

GIVI212DGMT
2" x 12" Frosted Field Tile

GIVI36DGBR
3" x 6" Bright Field Tile



GIVIDGMOS
Mini Brick Mosaic

BEIGE

GIVI416BGBR
4" x 16" Bright Field Tile

GIVI212BGBR
2" x 12" Bright Field Tile

GIVI212BGMT
2" x 12" Frosted Field Tile

GIVI36BGBR
3" x 6" Bright Field Tile



GIVIBGMOS
Mini Brick Mosaic

GREEN

GIVI416GRBR
4" x 16" Bright Field Tile

GIVI212GRBR
2" x 12" Bright Field Tile

GIVI212GRMT
2" x 12" Frosted Field Tile

GIVI36GRBR
3" x 6" Bright Field Tile



GIVIGRMOS
Mini Brick Mosaic

BLACK

GIVI416BKBR
4" x 16" Bright Field Tile

GIVI212BKBR
2" x 12" Bright Field Tile

GIVI212BKMT
2" x 12" Frosted Field Tile

GIVI36BKBR
3" x 6" Bright Field Tile



GIVIBKMOS
Mini Brick Mosaic

TEAL

GIVI416TEBR
4" x 16" Bright Field Tile

GIVI212TEBR
2" x 12" Bright Field Tile

GIVI212TEMT
2" x 12" Frosted Field Tile

GIVI36TEBR
3" x 6" Bright Field Tile



GIVITEMOS
Mini Brick Mosaic


AQUA

GIVI416AQBR
4" x 16" Bright Field Tile

GIVI212AQBR
2" x 12" Bright Field Tile

GIVI212AQMT
2" x 12" Frosted Field Tile

GIVI36AQBR
3" x 6" Bright Field Tile



GIVIAQMOS
Mini Brick Mosaic

TAUPE

GIVI416TPBR
4" x 16" Bright Field Tile

GIVI212TPBR
2" x 12" Bright Field Tile

GIVI212TPMT
2" x 12" Frosted Field Tile

GIVI36TPBR
3" x 6" Bright Field Tile



GIVITPMOS
Mini Brick Mosaic

CHARCOAL

GIVI416CHBR
4" x 16" Bright Field Tile

GIVI212CHBR
2" x 12" Bright Field Tile

GIVI212CHMT
2" x 12" Frosted Field Tile

GIVI36CHBR
3" x 6" Bright Field Tile



GIVICHMOS
Mini Brick Mosaic

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
Deep Abrasion Test	WALL ONLY	C1027
Water Absorption	0.5%	C373
Chemical Resistance/Stain Resistance	RESISTANT	C650 (Chemical), C1378 (Stain)
Thickness	10 mm	FACTORY PROVIDED

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor			
Wall	•	•	•
Countertop			

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
2" x 12" Frosted Field Tile	35	5.39	21.70	108	582.12	2343.60
2" x 12" Bright Field Tile	35	5.39	21.70	108	582.12	2343.60
3" x 6" Bright Field Tile	32	3.97	16.64	144	571.68	2396.16
4" x 16" Bright Field Tile	10	4.20	17.20	100	420	1720
Mini Brick Mosaic	10	9.68	33.10	63	609.84	2085.30



Featuring GIO Workshop, Medium Grey 24x48 Honed Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

workshop (2.0)

An on-trend palette of cosmopolitan colors in three adaptable, workhorse finishes

COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

ANTIQUE WHITE

GIWK2448AW
24″ x 48″ Honed Rectified Field Tile

GIWK2448AWL
24″ x 48″ Linear Rectified Field Tile

GIWK2448AWF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNAW
3″ x 12″ Honed Bullnose

GIWK612CBAW
6″ x 12″ Honed Cove Base

GIWK1224AW
12″ x 24″ Honed Rectified Field Tile

GIWK1224AWL
12″ x 24″ Linear Rectified Field Tile


GIWK1224AWF
12″ x 24″ Flamed Rectified Field Tile

GIWK2424AW
24″ x 24″ Honed Rectified Field Tile

GIWK1212AW
12″ x 12″ Honed Rectified Field Tile

GIWKMOSAW
2″ x 2″ Honed Mosaic

GRAPHITE GREY



GIWK2448GG
24″ x 48″ Honed Rectified Field Tile



GIWK2448GGL
24″ x 48″ Linear Rectified Field Tile



GIWK2448GGF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNGG
3″ x 12″ Honed Bullnose




GIWK612CBGG
6″ x 12″ Honed Cove Base



GIWK1224GG
12″ x 24″ Honed Rectified Field Tile



GIWK1224GGL
12″ x 24″ Linear Rectified Field Tile



GIWK1224GGF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424GG
24″ x 24″ Honed Rectified Field Tile



GIWK1212GG
12″ x 12″ Honed Rectified Field Tile



GIWKMOSGG
2″ x 2″ Honed Mosaic

LIGHT TAN



GIWK2448LT
24″ x 48″ Honed Rectified Field Tile



GIWK2448LTL
24″ x 48″ Linear Rectified Field Tile




GIWK2448LTF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNLT
3″ x 12″ Honed Bullnose


GIWK612CBLT
6″ x 12″ Honed Cove Base



GIWK1224LT
12″ x 24″ Honed Rectified Field Tile



GIWK1224LTL
12″ x 24″ Linear Rectified Field Tile



GIWK1224LTF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424LT
24″ x 24″ Honed Rectified Field Tile



GIWK1212LT
12″ x 12″ Honed Rectified Field Tile

GIWKMOSLT
2″ x 2″ Honed Mosaic

MEDIUM GREY



GIWK2448MG
24″ x 48″ Honed Rectified Field Tile



GIWK2448MGL
24″ x 48″ Linear Rectified Field Tile



GIWK2448MGF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNMG
3″ x 12″ Honed Bullnose



GIWK612CBMG
6″ x 12″ Honed Cove Base



GIWK1224MG
12″ x 24″ Honed Rectified Field Tile



GIWK1224MGL
12″ x 24″ Linear Rectified Field Tile



GIWK1224MGF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424MG
24″ x 24″ Honed Rectified Field Tile



GIWK1212MG
12″ x 12″ Honed Rectified Field Tile



GIWKMOSMG
2″ x 2″ Honed Mosaic

ONYX BLACK



GIWK2448OB
24″ x 48″ Honed Rectified Field Tile



GIWK2448OBL
24″ x 48″ Linear Rectified Field Tile



GIWK2448OBF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNOB
3″ x 12″ Honed Bullnose



GIWK612CBOB
6″ x 12″ Honed Cove Base



GIWK1224OB
12″ x 24″ Honed Rectified Field Tile



GIWK1224OBL
12″ x 24″ Linear Rectified Field Tile



GIWK1224OBF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424OB
24″ x 24″ Honed Rectified Field Tile



GIWK1212OB
12″ x 12″ Honed Rectified Field Tile



GIWKMOSOB
2″ x 2″ Honed Mosaic



Featuring GIO Workshop, Sage 12 x 24 Linear Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

workshop (2.0)

An on-trend palette of cosmopolitan colors in three adaptable, workhorse finishes

COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

SAGE



GIWK2448SG
24″x 48″ Honed Rectified Field Tile



GIWK2448SGL
24″x 48″ Linear Rectified Field Tile




GIWK2448SGF
24″x 48″ Flamed Rectified Field Tile



GIWK312BNSG
3″x 12″ Honed Bullnose



GIWK612CBSG
6″x 12″ Honed Cove Base



GIWK1224SG
12″x 24″ Honed Rectified Field Tile



GIWK1224SGL
12″x 24″ Linear Rectified Field Tile



GIWK1224SGF
12″x 24″ Flamed Rectified Field Tile



GIWK2424SG
24″x 24″ Honed Rectified Field Tile



GIWK1212SG
12″x 12″ Honed Rectified Field Tile



GIWKMOSSG
2″x 2″ Honed Mosaic

SANDSTONE



GIWK2448SS
24″x 48″ Honed Rectified Field Tile



GIWK2448SSL
24″x 48″ Linear Rectified Field Tile




GIWK2448SSF
24″x 48″ Flamed Rectified Field Tile



GIWK312BNSS
3″x 12″ Honed Bullnose




GIWK612CBSS
6″x 12″ Honed Cove Base



GIWK1224SS
12″x 24″ Honed Rectified Field Tile



GIWK1224SSL
12″x 24″ Linear Rectified Field Tile



GIWK1224SSF
12″x 24″ Flamed Rectified Field Tile



GIWK2424SS
24″x 24″ Honed Rectified Field Tile



GIWK1212SS
12″x 12″ Honed Rectified Field Tile



GIWKMOSSS
2″x 2″ Honed Mosaic

STEEL BLUE



GIWK2448SB
24″x 48″ Honed Rectified Field Tile



GIWK2448SBL
24″x 48″ Linear Rectified Field Tile



GIWK2448SBF
24″x 48″ Flamed Rectified Field Tile



GIWK312BNSB
3″x 12″ Honed Bullnose



GIWK612CBSB
6″x 12″ Honed Cove Base



GIWK1224SB
12″x 24″ Honed Rectified Field Tile



GIWK1224SBL
12″x 24″ Linear Rectified Field Tile



GIWK1224SBF
12″x 24″ Flamed Rectified Field Tile



GIWK2424SB
24″x 24″ Honed Rectified Field Tile



GIWK1212SB
12″x 12″ Honed Rectified Field Tile



GIWKMOSSB
2″x 2″ Honed Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Honed Rectified	2	16	77	32	512	2458
24x48 Linear Rectified	2	16	77	32	512	2458
24x48 Flamed Rectified	2	16	77	32	512	2458
12x24 Honed Rectified	6	12	53	48	576	2535
12x24 Linear Rectified	6	12	53	48	576	2535
12x24 Flamed Rectified	6	12	53	48	576	2535
24x24 Honed Rectified	3	12	53	36	432	1902
12x12 Honed Rectified	13	13	58	48	624	2746
3x12 Honed Bullnose	12	-	13	-	-	-
6x12 Honed Cove base	10	-	18	-	-	-
2x2 Honed Mosaic	10	10	40	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.52 (Honed)	ANSI 137.1
C.O.F. (Dynamic)	0.52 (Linear)	ANSI 137.1
C.O.F. (Dynamic)	0.65 (Flamed)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•



Featuring GIO Zellige, Riad White 4x4 Field Tile

zellige


GIO
ARCHITECTURAL TILE + STONE

zellige


Moroccan tile inspiration in multi-color modularity for walls, brilliantly glazedfor vintage variation to grace interior spaces

GLAZED & ANTIQUED CERAMIC WALL TILE - BRIGHT FINISH

RIAD GREEN




GIZEL44GRN
4" x 4" Field Tile





GIZEL28GRN
2.5" x 8" Field Tile

RIAD WHITE


GIZEL44WHT
4" x 4" Field Tile

GIZEL28WHT
2.5" x 8" Field Tile

RIAD GREY





GIZEL44GRY
4" x 4" Field Tile




GIZEL28GRY
2.5" x 8" Field Tile

RIAD SAND





GIZEL44SAN
4" x 4" Field Tile




GIZEL28SAN
2.5" x 8" Field Tile

RIAD AQUA





GIZEL44AQU
4" x 4" Field Tile





GIZEL28AQU
2.5" x 8" Field Tile

SUK PEARL





GIZEL55WHT
5" x 5" Field Tile

SUK GREY




GIZEL55GRY
5" x 5" Field Tile

SUK BLACK





GIZEL55BLK
5" x 5" Field Tile

PACKAGING

NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
4" x 4" Field Tile	50	5.38	15.43	120	648.30	1851.60
5" x 5" Field Tile	30	5.49	17.22	114	622.15	1963
2.5" x 8" Field Tile	38	5.32	16.63	120	648.30	1995.60

SHADE VARIATION AND APPLICATIONS

V4



RANDOM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Wall	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT
PEI Rating	N/A
Water Absorption	14%
C.O.F.	WALL RATED ONLY
Thickness	9.5 mm (5x5), 9 mm (4x4 & 2.5x8)

GIO Architectural Tile & Stone
Nashville Sales & Distribution Center
619 Norris Avenue
Nashville, TN 37204
629-888-4900

samples@giotile.com
www.giotile.com
1-800-367-0278

Proudly distributing Schluter Systems & Custom Building Products